

2013 Durham High School Youth Risk Behavior Survey (YRBS) Detailed Data Report

Table of Contents

INTRODUCTION	1
I. DEMOGRAPHIC: QUESTIONS 1-9	2
II. PERSONAL SAFETY AND VIOLENCE: QUESTIONS 10- 25	9
III. BULLYING: QUESTIONS 26-29.....	43
IV. DEPRESSION AND SUICIDE: QUESTIONS 30-34.....	52
V. TOBACCO: QUESTIONS 35-38	63
VI. ALCOHOL: QUESTIONS 39-42.....	72
VII. MARIJUANA: QUESTIONS 43-45.....	80
VIII. OTHER DRUG USE: QUESTIONS 46-51	86
IX. SEXUAL BEHAVIOR: QUESTIONS 52-61.....	98
X. BODY WEIGHT: QUESTIONS 62-67	118
XI. FOOD AND DRINK: QUESTIONS 68-77.....	131
XI. PHYSICAL ACTIVITY: QUESTIONS 78-82.....	154
XIII. DISABILITY: QUESTIONS 83-85.....	165
XIV. GAMBLING: QUESTION 86	171
XV. HEALTH TOPICS: QUESTIONS 87-93.....	174
XVI. HOW DO YOU FEEL ABOUT YOURSELF? QUESTIONS 94-96.....	188

INTRODUCTION

The following report includes the detailed results for each question of the 2013 Durham YRBS Survey. The following tables display the responses for each question as well as responses by sex, and race/ethnicity. Race/ethnicity status was constructed based on the results of Question 4 and Question 5, Hispanic ethnicity and race respectively. If a student claimed Hispanic ethnicity, they were categorized as Hispanic, otherwise students were categorized based on their race. Race was categorized as White, Black and Other. Significant findings by race/ethnicity and sex were determined using Chi-squared p-values as shown. There were a total of 305 students who responded to the survey, 298 who cumulative responded to race/ethnicity questions and 299 who responded to sex. Highlighted section details can be found in the public report.

I. DEMOGRAPHIC: QUESTIONS 1-9

Q1 How old are you?				
Q1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3	.	.	.
<= 12	4	1.32	4	1.32
13	2	0.66	6	1.99
14	47	15.56	53	17.55
15	61	20.20	114	37.75
16	66	21.85	180	59.60
17	89	29.47	269	89.07
>=18	33	10.93	302	100.00

Frequency Missing = 3

Q2 What is your sex?				
Q2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	6	.	.	.
Female	108	36.12	108	36.12
Male	191	63.88	299	100.00

Frequency Missing = 6

Q3 In what grade are you?				
Q3	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7	.	.	.
9th grade	93	31.21	93	31.21
10th grade	57	19.13	150	50.34
11th grade	88	29.53	238	79.87
12th grade	58	19.46	296	99.33
Ungraded/ Other	2	0.67	298	100.00

Frequency Missing = 7

Q4 Are you Hispanic or Latino?				
Q4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	11	.	.	.
Yes	60	20.41	60	20.41
No	234	79.59	294	100.00

Frequency Missing = 11

Q5 What is your race? (MORE THEN ONE ACCEPTED)				
Q5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	61	.	.	.
American Indian/Alaska Native	4	1.64	4	1.64
Asian	19	7.79	23	9.43
Black or African American	144	59.02	167	68.44
Native Hawaiian/Pacific Islander	6	2.46	173	70.90
White	71	29.10	244	100.00

Frequency Missing = 61

Table of Q4 by Q5							
Q4(Q4 Are you Hispanic or Latino?)	Q5(Q5 What is your race? (MORE THEN ONE ACCEPTED))						
Frequency Percent Row Pct Col Pct	.	American Indian/Alaska Native	Asian	Black or African American	Native Hawaiian/Pacifi c Islander	White	Total
.	4	0	1	5	0	1	.
.
.
Yes	37	2	6	4	5	6	23
.	.	0.84	2.53	1.69	2.11	2.53	9.70
.	.	8.70	26.09	17.39	21.74	26.09	
.	.	50.00	33.33	2.88	83.33	8.57	
No	20	2	12	135	1	64	214
.	.	0.84	5.06	56.96	0.42	27.00	90.30
.	.	0.93	5.61	63.08	0.47	29.91	
.	.	50.00	66.67	97.12	16.67	91.43	
Total	.	4	18	139	6	70	237
.	.	1.69	7.59	58.65	2.53	29.54	100.00
Frequency Missing = 68							

RACE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7	.	.	.
Black or African American	140	46.98	140	46.98
White	65	21.81	205	68.79
Other	33	11.07	238	79.87
Hispanic	60	20.13	298	100.00

Frequency Missing = 7

Variable	Label	N	Mean	Std Dev	Minimum	Maximum
Q6C	Q6C What if your height in inches?	295	65.6779661	3.4887608	60.0000000	72.0000000
Q7	Q7 How much do you weigh without your shoes on?	291	150.9106529	47.9514006	0	399.0000000

Q8 Which of the following best describes you?				
Q8	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	11	.	.	.
Heterosexual	271	92.18	271	92.18
Gay or Lesbian	7	2.38	278	94.56
Bisexual	8	2.72	286	97.28
Not sure	8	2.72	294	100.00

Frequency Missing = 11

Table of Q2 by Q8						
Q2(Q2 What is your sex?)	Q8(Q8 Which of the following best describes you?)					
Frequency Row Pct Col Pct	.	Heterosexual	Gay or Lesbian	Bisexual	Not sure	Total
Female	2	96	4	3	3	106
	.	90.57	3.77	2.83	2.83	
	.	35.56	57.14	42.86	37.50	
Male	5	174	3	4	5	186
	.	93.55	1.61	2.15	2.69	
	.	64.44	42.86	57.14	62.50	
Total	.	270	7	7	8	292
Frequency Missing = 7						

Statistics for Table of Q2 by Q8

Statistic	DF	Value	Prob
Chi-Square	3	1.5150	0.6788
Likelihood Ratio Chi-Square	3	1.4492	0.6941
Mantel-Haenszel Chi-Square	1	0.3058	0.5803
Phi Coefficient		0.0720	
Contingency Coefficient		0.0718	
Cramer's V		0.0720	
WARNING: 63% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 292

Frequency Missing = 7

Table of RACE by Q8						
RACE	Q8(Q8 Which of the following best describes you?)					
Frequency Row Pct Col Pct	.	Heterosexual	Gay or Lesbian	Bisexual	Not sure	Total
Black or African American	2	127	3	5	3	138
	.	92.03	2.17	3.62	2.17	
	.	47.57	42.86	62.50	37.50	
White	3	58	3	0	1	62
	.	93.55	4.84	0.00	1.61	
	.	21.72	42.86	0.00	12.50	
Other	0	30	0	1	2	33
	.	90.91	0.00	3.03	6.06	
	.	11.24	0.00	12.50	25.00	
Hispanic	3	52	1	2	2	57
	.	91.23	1.75	3.51	3.51	
	.	19.48	14.29	25.00	25.00	
Total	.	267	7	8	8	290
Frequency Missing = 8						

Statistics for Table of RACE by Q8

Statistic	DF	Value	Prob
Chi-Square	9	6.5624	0.6826
Likelihood Ratio Chi-Square	9	8.4145	0.4930
Mantel-Haenszel Chi-Square	1	0.1765	0.6744
Phi Coefficient		0.1504	
Contingency Coefficient		0.1488	
Cramer's V		0.0869	
WARNING: 75% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 290

Frequency Missing = 8

Q9 During the past 12 months, how would you describe your grades in school?				
Q9	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	11	.	.	.
Mostly A's	70	23.81	70	23.81
Mostly B's	112	38.10	182	61.90
Mostly C's	73	24.83	255	86.73
Mostly D's	9	3.06	264	89.80
Mostly F's	11	3.74	275	93.54
None of these grades	3	1.02	278	94.56
Not sure	16	5.44	294	100.00

Frequency Missing = 11

Table of Q2 by Q9									
Q2(Q2 What is your sex?)	Q9(Q9 During the past 12 months, how would you describe your grades in school?)								
Frequency Row Pct Col Pct	.	Mostly A's	Mostly B's	Mostly C's	Mostly D's	Mostly F's	None of these grades	Not sure	Total
Female	2	24	48	26	3	1	1	3	106
.	.	22.64	45.28	24.53	2.83	0.94	0.94	2.83	
.	.	35.82	42.86	35.62	33.33	9.09	33.33	18.75	
Male	6	43	64	47	6	10	2	13	185
.	.	23.24	34.59	25.41	3.24	5.41	1.08	7.03	
.	.	64.18	57.14	64.38	66.67	90.91	66.67	81.25	
Total	.	67	112	73	9	11	3	16	291
Frequency Missing = 8									

Statistics for Table of Q2 by Q9

Statistic	DF	Value	Prob
Chi-Square	6	7.7892	0.2540
Likelihood Ratio Chi-Square	6	8.8100	0.1846
Mantel-Haenszel Chi-Square	1	3.9212	0.0477
Phi Coefficient		0.1636	
Contingency Coefficient		0.1615	
Cramer's V		0.1636	
WARNING: 29% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 291
Frequency Missing = 8

Table of RACE by Q9									
RACE	Q9(Q9 During the past 12 months, how would you describe your grades in school?)								
Frequency Row Pct Col Pct	.	Mostly A's	Mostly B's	Mostly C's	Mostly D's	Mostly F's	None of these grades	Not sure	Total
Black or African American	4	21	60	40	4	3	1	7	136
	.	15.44	44.12	29.41	2.94	2.21	0.74	5.15	
	.	30.43	53.57	56.34	44.44	27.27	33.33	46.67	
White	2	27	21	12	1	0	1	1	63
	.	42.86	33.33	19.05	1.59	0.00	1.59	1.59	
	.	39.13	18.75	16.90	11.11	0.00	33.33	6.67	
Other	1	10	10	6	2	2	0	2	32
	.	31.25	31.25	18.75	6.25	6.25	0.00	6.25	
	.	14.49	8.93	8.45	22.22	18.18	0.00	13.33	
Hispanic	1	11	21	13	2	6	1	5	59
	.	18.64	35.59	22.03	3.39	10.17	1.69	8.47	
	.	15.94	18.75	18.31	22.22	54.55	33.33	33.33	
Total	.	69	112	71	9	11	3	15	290
Frequency Missing = 8									

Statistics for Table of RACE by Q9

Statistic	DF	Value	Prob
Chi-Square	18	35.2156	0.0089
Likelihood Ratio Chi-Square	18	34.9214	0.0097
Mantel-Haenszel Chi-Square	1	0.5753	0.4482
Phi Coefficient		0.3485	
Contingency Coefficient		0.3291	
Cramer's V		0.2012	
WARNING: 50% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 290
Frequency Missing = 8

II. PERSONAL SAFETY AND VIOLENCE: QUESTIONS 10- 25

Q10 When you rode a bicycle during the past 12 months, how often did you wear a helmet?				
Q10	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	11	.	.	.
Did not ride bike	112	38.10	112	38.10
Never wore helmet	125	42.52	237	80.61
Rarely wore helmet	23	7.82	260	88.44
Sometimes wore helmet	16	5.44	276	93.88
Most of the time wore helmet	9	3.06	285	96.94
Always wore a helmet	9	3.06	294	100.00

Frequency Missing = 11

Table of Q2 by Q10								
Q2(Q2 What is your sex?)	Q10(Q10 When you rode a bicycle during the past 12 months, how often did you wear a helmet?)							
Frequency Row Pct Col Pct	Did not ride bike	Never wore helmet	Rarely wore helmet	Sometimes wore helmet	Most of the time wore helmet	Always wore a helmet	Total	
Female	2 . 48.11 . 45.54	51 33.96 29.03	36 4.72 22.73	5 4.72 31.25	5 4.72 55.56	4 3.77 44.44	106	
Male	5 . 32.80 . 54.46	61 47.31 70.97	88 9.14 77.27	17 5.91 68.75	11 2.15 44.44	4 2.69 55.56	186	
Total	.	112	124	22	16	9	9	292
Frequency Missing = 7								

Statistics for Table of Q2 by Q10

Statistic	DF	Value	Prob
Chi-Square	5	10.5944	0.0600
Likelihood Ratio Chi-Square	5	10.6336	0.0591
Mantel-Haenszel Chi-Square	1	0.4733	0.4915
Phi Coefficient		0.1905	
Contingency Coefficient		0.1871	
Cramer's V		0.1905	

Effective Sample Size = 292

Frequency Missing = 7

Table of RACE by Q10								
RACE	Q10(Q10 When you rode a bicycle during the past 12 months, how often did you wear a helmet?)							
Frequency Row Pct Col Pct		Did not ride bike	Never wore helmet	Rarely wore helmet	Sometimes wore helmet	Most of the time wore helmet	Always wore a helmet	Total
Black or African American	4	63	53	8	8	2	2	136
	.	46.32	38.97	5.88	5.88	1.47	1.47	
	.	56.76	43.09	34.78	50.00	25.00	22.22	
White	2	18	28	4	3	4	6	63
	.	28.57	44.44	6.35	4.76	6.35	9.52	
	.	16.22	22.76	17.39	18.75	50.00	66.67	
Other	0	9	14	5	2	2	1	33
	.	27.27	42.42	15.15	6.06	6.06	3.03	
	.	8.11	11.38	21.74	12.50	25.00	11.11	
Hispanic	2	21	28	6	3	0	0	58
	.	36.21	48.28	10.34	5.17	0.00	0.00	
	.	18.92	22.76	26.09	18.75	0.00	0.00	
Total	.	111	123	23	16	8	9	290
Frequency Missing = 8								

Statistics for Table of RACE by Q10

Statistic	DF	Value	Prob
Chi-Square	15	27.5166	0.0248
Likelihood Ratio Chi-Square	15	26.9362	0.0293
Mantel-Haenszel Chi-Square	1	1.7614	0.1845
Phi Coefficient		0.3080	
Contingency Coefficient		0.2944	
Cramer's V		0.1778	
WARNING: 58% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 290
Frequency Missing = 8

Q11 How often do you wear a seat belt when riding in a car driven by someone else?				
Q11	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	5	.	.	.
Never	27	9.00	27	9.00
Rarely	26	8.67	53	17.67
Sometimes	43	14.33	96	32.00
Most of the time	71	23.67	167	55.67
Always	133	44.33	300	100.00

Frequency Missing = 5

Table of Q2 by Q11							
Q2(Q2 What is your sex?)	Q11(Q11 How often do you wear a seat belt when riding in a car driven by someone else?)						
Frequency Row Pct Col Pct	Never	Rarely	Sometimes	Most of the time	Always	Total	
Female	1 . 5 . 4.67 . 18.52	4 3.74 16.67	18 16.82 41.86	24 22.43 34.29	56 52.34 42.11	107	
Male	1 . 22 . 11.58 . 81.48	20 10.53 83.33	25 13.16 58.14	46 24.21 65.71	77 40.53 57.89	190	
Total	. 27	24	43	70	133	297	
Frequency Missing = 2							

Statistics for Table of Q2 by Q11

Statistic	DF	Value	Prob
Chi-Square	4	10.3533	0.0349
Likelihood Ratio Chi-Square	4	11.1993	0.0244
Mantel-Haenszel Chi-Square	1	7.1573	0.0075
Phi Coefficient		0.1867	
Contingency Coefficient		0.1835	
Cramer's V		0.1867	

Effective Sample Size = 297

Frequency Missing = 2

Table of RACE by Q11							
RACE	Q11(Q11 How often do you wear a seat belt when riding in a car driven by someone else?)						
		Never	Rarely	Sometimes	Most of the time	Always	Total
Black or African American	1	12	14	26	30	57	139
	.	8.63	10.07	18.71	21.58	41.01	
	.	50.00	58.33	60.47	42.25	42.86	
White	1	3	4	7	14	36	64
	.	4.69	6.25	10.94	21.88	56.25	
	.	12.50	16.67	16.28	19.72	27.07	
Other	0	1	2	6	11	13	33
	.	3.03	6.06	18.18	33.33	39.39	
	.	4.17	8.33	13.95	15.49	9.77	
Hispanic	1	8	4	4	16	27	59
	.	13.56	6.78	6.78	27.12	45.76	
	.	33.33	16.67	9.30	22.54	20.30	
Total	.	24	24	43	71	133	295
Frequency Missing = 3							

Statistics for Table of RACE by Q11

Statistic	DF	Value	Prob
Chi-Square	12	14.7733	0.2541
Likelihood Ratio Chi-Square	12	15.2157	0.2299
Mantel-Haenszel Chi-Square	1	0.9688	0.3250
Phi Coefficient		0.2238	
Contingency Coefficient		0.2184	
Cramer's V		0.1292	
WARNING: 25% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 295

Frequency Missing = 3

Q12 During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?				
Q12	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	6	.	.	.
0 times	204	68.23	204	68.23
1 time	20	6.69	224	74.92
2-3 times	31	10.37	255	85.28
4-5 times	11	3.68	266	88.96
6+ times	33	11.04	299	100.00

Frequency Missing = 6

Table of Q2 by Q12							
Q2(Q2 What is your sex?)	Q12(Q12 During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?)						
Frequency Row Pct Col Pct	0 times	1 time	2-3 times	4-5 times	6+ times	Total	
Female	3 .70.48 .36.63	8 7.62 40.00	10 9.52 32.26	5 4.76 50.00	8 7.62 25.00	105	
Male	1 .67.37 .63.37	12 6.32 60.00	21 11.05 67.74	5 2.63 50.00	24 12.63 75.00	190	
Total	.202	20	31	10	32	295	
Frequency Missing = 4							

Statistics for Table of Q2 by Q12

Statistic	DF	Value	Prob
Chi-Square	4	2.8870	0.5769
Likelihood Ratio Chi-Square	4	2.9374	0.5683
Mantel-Haenszel Chi-Square	1	0.8577	0.3544
Phi Coefficient		0.0989	
Contingency Coefficient		0.0984	
Cramer's V		0.0989	

Effective Sample Size = 295

Frequency Missing = 4

Table of RACE by Q12							
RACE	Q12(Q12 During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?)						
	Frequency	0 times	1 time	2-3 times	4-5 times	6+ times	Total
Row Pct	.						
Col Pct	.						
Black or African American	3	94	10	14	6	13	137
	.	68.61	7.30	10.22	4.38	9.49	
	.	46.31	50.00	45.16	66.67	41.94	
White	1	44	4	9	2	5	64
	.	68.75	6.25	14.06	3.13	7.81	
	.	21.67	20.00	29.03	22.22	16.13	
Other	0	23	4	1	0	5	33
	.	69.70	12.12	3.03	0.00	15.15	
	.	11.33	20.00	3.23	0.00	16.13	
Hispanic	0	42	2	7	1	8	60
	.	70.00	3.33	11.67	1.67	13.33	
	.	20.69	10.00	22.58	11.11	25.81	
Total	.	203	20	31	9	31	294
Frequency Missing = 4							

Statistics for Table of RACE by Q12

Statistic	DF	Value	Prob
Chi-Square	12	9.0051	0.7025
Likelihood Ratio Chi-Square	12	10.5456	0.5682
Mantel-Haenszel Chi-Square	1	0.0441	0.8336
Phi Coefficient		0.1750	
Contingency Coefficient		0.1724	
Cramer's V		0.1010	
WARNING: 45% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 294

Frequency Missing = 4

Q13 During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?				
Q13	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	6	.	.	.
I did not drive car in the past 30 days	118	39.46	118	39.46
0 times	132	44.15	250	83.61
1 time	28	9.36	278	92.98
2-3 times	8	2.68	286	95.65
4-5 times	5	1.67	291	97.32
6+ times	8	2.68	299	100.00

Frequency Missing = 6

Table of Q2 by Q13								
Q2(Q2 What is your sex?)	Q13(Q13 During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?)							
Frequency Row Pct Col Pct	I did not drive car in the past 30 days	0 times	1 time	2-3 times	4-5 times	6+ times	Total	
Female	1 . 48.60 . 44.44	52 43.93 35.88	47 7.48 28.57	8 0.00 0.00	0 0.00 0.00	0 0.00 0.00	107	
Male	3 . 34.57 . 55.56	65 44.68 64.12	20 10.64 71.43	8 4.26 100.00	5 2.66 100.00	6 3.19 100.00	188	
Total	.	117	131	28	8	5	6	295
Frequency Missing = 4								

Statistics for Table of Q2 by Q13

Statistic	DF	Value	Prob
Chi-Square	5	14.9220	0.0107
Likelihood Ratio Chi-Square	5	21.1652	0.0008
Mantel-Haenszel Chi-Square	1	13.7664	0.0002
Phi Coefficient		0.2249	
Contingency Coefficient		0.2194	
Cramer's V		0.2249	
WARNING: 42% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 295
Frequency Missing = 4

Table of RACE by Q13								
RACE	Q13(Q13 During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?)							
		I did not drive car in the past 30 days	0 times	1 time	2-3 times	4-5 times	6+ times	Total
Black or African American	1	64	53	18	2	2	0	139
	.	46.04	38.13	12.95	1.44	1.44	0.00	
	.	55.17	40.15	66.67	25.00	40.00	0.00	
White	1	18	37	4	1	1	3	64
	.	28.13	57.81	6.25	1.56	1.56	4.69	
	.	15.52	28.03	14.81	12.50	20.00	50.00	
Other	0	14	14	1	1	2	1	33
	.	42.42	42.42	3.03	3.03	6.06	3.03	
	.	12.07	10.61	3.70	12.50	40.00	16.67	
Hispanic	2	20	28	4	4	0	2	58
	.	34.48	48.28	6.90	6.90	0.00	3.45	
	.	17.24	21.21	14.81	50.00	0.00	33.33	
Total	.	116	132	27	8	5	6	294
Frequency Missing = 4								

Statistics for Table of RACE by Q13

Statistic	DF	Value	Prob
Chi-Square	15	27.8502	0.0225
Likelihood Ratio Chi-Square	15	28.9846	0.0162
Mantel-Haenszel Chi-Square	1	3.8631	0.0494
Phi Coefficient		0.3078	
Contingency Coefficient		0.2942	
Cramer's V		0.1777	
WARNING: 54% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

*Effective Sample Size = 294**Frequency Missing = 4*

Q14 During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?				
Q14	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	6	.	.	.
I did not drive car in the past 30 days	126	42.14	126	42.14
0 days	87	29.10	213	71.24
1-2 days	30	10.03	243	81.27
3-5 days	12	4.01	255	85.28
6-9 days	9	3.01	264	88.29
10-19 days	4	1.34	268	89.63
20-29 days	4	1.34	272	90.97
all 30 days	27	9.03	299	100.00

Frequency Missing = 6

Table of Q2 by Q14										
Q2(Q2 What is your sex?)	Q14(Q14 During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?)									
Frequency Row Pct Col Pct	I did not drive car in the past 30 days	0 days	1-2 days	3-5 days	6-9 days	10-19 days	20-29 days	all 30 days	Total	
Female	1	55	26	10	4	2	2	3	5	107
	.	51.40	24.30	9.35	3.74	1.87	1.87	2.80	4.67	
	.	44.00	29.89	34.48	33.33	22.22	50.00	75.00	20.00	
Male	3	70	61	19	8	7	2	1	20	188
	.	37.23	32.45	10.11	4.26	3.72	1.06	0.53	10.64	
	.	56.00	70.11	65.52	66.67	77.78	50.00	25.00	80.00	
Total	.	125	87	29	12	9	4	4	25	295
Frequency Missing = 4										

Statistics for Table of Q2 by Q14

Statistic	DF	Value	Prob
Chi-Square	7	11.4037	0.1220
Likelihood Ratio Chi-Square	7	11.5873	0.1150
Mantel-Haenszel Chi-Square	1	2.8615	0.0907
Phi Coefficient		0.1966	
Contingency Coefficient		0.1929	
Cramer's V		0.1966	
WARNING: 38% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 295

Frequency Missing = 4

Table of RACE by Q14										
RACE	Q14(Q14 During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?)									
Frequency Row Pct Col Pct	I did not drive car in the past 30 days	0 days	1-2 days	3-5 days	6-9 days	10-19 days	20-29 days	all 30 days	Total	
Black or African American	2 .47.10 .52.42	65 26.09 41.38	36 7.97 36.67	11 3.62 45.45	5 4.35 66.67	6 2.17 75.00	3 1.45 50.00	2 7.25 40.00	10 15.63 40.00	138
White	1 .29.69 .15.32	19 29.69 21.84	9 14.06 30.00	3 4.69 27.27	2 3.13 22.22	1 1.56 25.00	1 1.56 25.00	10 15.63 40.00	64	
Other	1 .50.00 .12.90	16 31.25 11.49	4 12.50 13.33	1 3.13 9.09	0 0.00 0.00	0 0.00 0.00	0 0.00 0.00	1 3.13 4.00	32	
Hispanic	0 .40.00 .19.35	24 36.67 25.29	6 10.00 20.00	2 3.33 18.18	1 1.67 11.11	0 0.00 0.00	1 1.67 25.00	4 6.67 16.00	60	
Total	.124	87	30	11	9	4	4	25	294	
Frequency Missing = 4										

Statistics for Table of RACE by Q14

Statistic	DF	Value	Prob
Chi-Square	21	17.2571	0.6954
Likelihood Ratio Chi-Square	21	19.5331	0.5510
Mantel-Haenszel Chi-Square	1	0.1255	0.7232
Phi Coefficient		0.2423	
Contingency Coefficient		0.2355	
Cramer's V		0.1399	
WARNING: 53% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 294
Frequency Missing = 4

Q15 During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?				
Q15	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	8	.	.	.
0 days	225	75.76	225	75.76
1 day	18	6.06	243	81.82
2-3 days	23	7.74	266	89.56
4-5 days	9	3.03	275	92.59
6+ days	22	7.41	297	100.00

Frequency Missing = 8

Table of Q2 by Q15							
Q2(Q2 What is your sex?)	Q15(Q15 During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?)						
Frequency Row Pct Col Pct	.	0 days	1 day	2-3 days	4-5 days	6+ days	Total
Female	1	94	4	3	1	5	107
.	.	87.85	3.74	2.80	0.93	4.67	
.	.	41.96	23.53	13.04	12.50	23.81	
Male	5	130	13	20	7	16	186
.	.	69.89	6.99	10.75	3.76	8.60	
.	.	58.04	76.47	86.96	87.50	76.19	
Total	.	224	17	23	8	21	293
Frequency Missing = 6							

Statistics for Table of Q2 by Q15

Statistic	DF	Value	Prob
Chi-Square	4	13.0240	0.0112
Likelihood Ratio Chi-Square	4	14.4559	0.0060
Mantel-Haenszel Chi-Square	1	8.9350	0.0028
Phi Coefficient		0.2108	
Contingency Coefficient		0.2063	
Cramer's V		0.2108	

Effective Sample Size = 293

Frequency Missing = 6

Table of RACE by Q15							
RACE	Q15(Q15 During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?)						
Frequency Row Pct Col Pct	0 days	1 day	2-3 days	4-5 days	6+ days	Total	
Black or African American	3 . 75.91 . 46.64	10 7.30 55.56	12 8.76 52.17	4 2.92 50.00	7 5.11 33.33	137	
White	1 . 73.44 . 21.08	3 4.69 16.67	5 7.81 21.74	1 1.56 12.50	8 12.50 38.10	64	
Other	1 . 81.25 . 11.66	1 3.13 5.56	1 3.13 4.35	1 3.13 12.50	3 9.38 14.29	32	
Hispanic	0 . 76.67 . 20.63	4 6.67 22.22	5 8.33 21.74	2 3.33 25.00	3 5.00 14.29	60	
Total	. 223	18	23	8	21	293	
Frequency Missing = 5							

Statistics for Table of RACE by Q15

Statistic	DF	Value	Prob
Chi-Square	12	6.6621	0.8791
Likelihood Ratio Chi-Square	12	6.7387	0.8744
Mantel-Haenszel Chi-Square	1	0.0287	0.8654
Phi Coefficient		0.1508	
Contingency Coefficient		0.1491	
Cramer's V		0.0871	
WARNING: 60% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 293
Frequency Missing = 5

Q16 During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?				
Q16	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	8	.	.	.
0 days	250	84.18	250	84.18
1 day	15	5.05	265	89.23
2-3 days	12	4.04	277	93.27
4-5 days	6	2.02	283	95.29
6+ days	14	4.71	297	100.00

Frequency Missing = 8

Table of Q2 by Q16							
Q2(Q2 What is your sex?)	Q16(Q16 During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?)						
	Frequency	0	1	2-3	4-5	6+	Total
Row Pct	.	days	day	days	days	days	
Col Pct	.						
Female	2	97	3	0	4	2	106
.	.	91.51	2.83	0.00	3.77	1.89	
.	.	38.96	20.00	0.00	66.67	15.38	
Male	3	152	12	11	2	11	188
.	.	80.85	6.38	5.85	1.06	5.85	
.	.	61.04	80.00	100.00	33.33	84.62	
Total	.	249	15	11	6	13	294
Frequency Missing = 5							

Statistics for Table of Q2 by Q16

Statistic	DF	Value	Prob
Chi-Square	4	13.6361	0.0086
Likelihood Ratio Chi-Square	4	17.6431	0.0014
Mantel-Haenszel Chi-Square	1	3.7192	0.0538
Phi Coefficient		0.2154	
Contingency Coefficient		0.2105	
Cramer's V		0.2154	
WARNING: 40% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 294

Frequency Missing = 5

Table of RACE by Q16							
RACE	Q16(Q16 During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?)						
Frequency Row Pct Col Pct	0 days	1 day	2-3 days	4-5 days	6+ days	Total	
Black or African American	3 . 83.94 . 46.75	115 4.38 40.00	6 5.11 58.33	7 2.92 66.67	4 3.65 35.71	5	137
White	1 . 84.38 . 21.95	54 9.38 40.00	6 1.56 8.33	1 1.56 16.67	1 3.13 14.29	2	64
Other	1 . 90.63 . 11.79	29 3.13 6.67	1 0.00 0.00	0 3.13 16.67	1 3.13 7.14	1	32
Hispanic	0 . 80.00 . 19.51	48 3.33 13.33	2 6.67 33.33	4 0.00 0.00	0 10.00 42.86	6	60
Total	. 246	15	12	6	14		293
Frequency Missing = 5							

Statistics for Table of RACE by Q16

Statistic	DF	Value	Prob
Chi-Square	12	13.2718	0.3496
Likelihood Ratio Chi-Square	12	14.7933	0.2529
Mantel-Haenszel Chi-Square	1	0.4633	0.4961
Phi Coefficient		0.2128	
Contingency Coefficient		0.2082	
Cramer's V		0.1229	
WARNING: 65% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 293

Frequency Missing = 5

Q17 During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?				
Q17	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7	.	.	.
0 days	246	82.55	246	82.55
1 day	20	6.71	266	89.26
2-3 days	16	5.37	282	94.63
4-5 days	8	2.68	290	97.32
6+ days	8	2.68	298	100.00

Frequency Missing = 7

Table of Q2 by Q17							
Q2(Q2 What is your sex?)	Q17(Q17 During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?)						
	Frequency Row Pct Col Pct	0 days	1 day	2-3 days	4-5 days	6+ days	Total
Female	2 . 84.91 . 37.19	90 11.32 60.00	12 0.94 6.25	1 1.89 6.25	2 2.63 25.00	1 0.94 12.50	106
Male	3 . 80.85 . 62.81	152 4.26 40.00	8 7.98 93.75	15 3.19 75.00	6 3.72 87.50	7 6.60 87.50	188
Total	. 242	20	16	8	8	8	294
Frequency Missing = 5							

Statistics for Table of Q2 by Q17

Statistic	DF	Value	Prob
Chi-Square	4	13.6233	0.0086
Likelihood Ratio Chi-Square	4	15.5457	0.0037
Mantel-Haenszel Chi-Square	1	3.9483	0.0469
Phi Coefficient		0.2153	
Contingency Coefficient		0.2104	
Cramer's V		0.2153	

Effective Sample Size = 294

Frequency Missing = 5

Table of RACE by Q17							
RACE	Q17(Q17 During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?)						
Frequency Row Pct Col Pct		0 days	1 day	2-3 days	4-5 days	6+ days	Total
Black or African American	1 .82.73 .47.72	115 5.76 40.00	8 7.91 68.75	11 2.88 50.00	4 0.72 12.50	1 37.50	139
White	2 .79.37 .20.75	50 7.94 25.00	5 3.17 12.50	2 4.76 37.50	3 4.76 37.50	3	63
Other	1 .93.75 .12.45	30 3.13 5.00	1 0.00 0.00	0 3.13 12.50	1 0.00 0.00	0	32
Hispanic	1 .77.97 .19.09	46 10.17 30.00	6 5.08 18.75	3 0.00 0.00	0 6.78 50.00	4	59
Total	.	241	20	16	8	8	293
Frequency Missing = 5							

Statistics for Table of RACE by Q17

Statistic	DF	Value	Prob
Chi-Square	12	16.5870	0.1658
Likelihood Ratio Chi-Square	12	20.2316	0.0628
Mantel-Haenszel Chi-Square	1	0.3588	0.5492
Phi Coefficient		0.2379	
Contingency Coefficient		0.2315	
Cramer's V		0.1374	
WARNING: 70% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 293

Frequency Missing = 5

Q18 During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?				
Q18	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	6	.	.	.
0 times	239	79.93	239	79.93
1 time	28	9.36	267	89.30
2-3 times	20	6.69	287	95.99
4-5 times	4	1.34	291	97.32
6-7 times	2	0.67	293	97.99
8-9 times	1	0.33	294	98.33
12+ times	5	1.67	299	100.00

Frequency Missing = 6

Table of Q2 by Q18								
Q2(Q2 What is your sex?)	Q18(Q18 During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?)							
	Frequency	0 times	1 time	2-3 times	4-5 times	6-7 times	12+ times	Total
Female	1	95	6	5	0	1	0	107
	.	88.79	5.61	4.67	0.00	0.93	0.00	
	.	39.92	21.43	25.00	0.00	100.00	0.00	
Male	2	143	22	15	4	0	5	189
	.	75.66	11.64	7.94	2.12	0.00	2.65	
	.	60.08	78.57	75.00	100.00	0.00	100.00	
Total	.	238	28	20	4	1	5	296
Frequency Missing = 3								

Statistics for Table of Q2 by Q18

Statistic	DF	Value	Prob
Chi-Square	5	12.0306	0.0344
Likelihood Ratio Chi-Square	5	15.5465	0.0083
Mantel-Haenszel Chi-Square	1	6.4047	0.0114
Phi Coefficient		0.2016	
Contingency Coefficient		0.1976	
Cramer's V		0.2016	
WARNING: 50% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 296

Frequency Missing = 3

Table of RACE by Q18								
RACE	Q18(Q18 During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?)							
Frequency Row Pct Col Pct		0 times	1 time	2-3 times	4-5 times	6-7 times	12+ times	Total
Black or African American	1	109	14	11	3	0	2	139
	.	78.42	10.07	7.91	2.16	0.00	1.44	
	.	46.19	50.00	57.89	75.00	0.00	40.00	
White	1	50	7	6	1	0	0	64
	.	78.13	10.94	9.38	1.56	0.00	0.00	
	.	21.19	25.00	31.58	25.00	0.00	0.00	
Other	1	30	1	1	0	0	0	32
	.	93.75	3.13	3.13	0.00	0.00	0.00	
	.	12.71	3.57	5.26	0.00	0.00	0.00	
Hispanic	1	47	6	1	0	2	3	59
	.	79.66	10.17	1.69	0.00	3.39	5.08	
	.	19.92	21.43	5.26	0.00	100.00	60.00	
Total	.	236	28	19	4	2	5	294
Frequency Missing = 4								

Statistics for Table of RACE by Q18

Statistic	DF	Value	Prob
Chi-Square	15	21.8577	0.1116
Likelihood Ratio Chi-Square	15	23.0122	0.0839
Mantel-Haenszel Chi-Square	1	0.1417	0.7066
Phi Coefficient		0.2727	
Contingency Coefficient		0.2631	
Cramer's V		0.1574	
WARNING: 67% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 294

Frequency Missing = 4

Q19 During the past 12 months, how many times were you in a physical fight?				
Q19	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	12	.	.	.
0 times	202	68.94	202	68.94
1 time	39	13.31	241	82.25
2-3 times	22	7.51	263	89.76
4-5 times	10	3.41	273	93.17
6-7 times	6	2.05	279	95.22
8-9 times	3	1.02	282	96.25
10-11 times	1	0.34	283	96.59
12+ times	10	3.41	293	100.00

Frequency Missing = 12

Table of Q2 by Q19										
Q2(Q2 What is your sex?)	Q19(Q19 During the past 12 months, how many times were you in a physical fight?)									
Frequency Row Pct Col Pct	0 times	1 time	2-3 times	4-5 times	6-7 times	8-9 times	10-11 times	12+ times	Total	
Female	3 .79.05 .41.29	83 9.52 25.64	10 4.76 22.73	5 1.90 20.00	2 0.95 16.67	1 0.95 33.33	1 0.00 0.00	0 2.86 33.33	3 2.86 33.33	105
Male	5 .63.44 .58.71	118 15.59 74.36	29 9.14 77.27	17 4.30 80.00	8 2.69 83.33	5 1.08 66.67	2 0.54 100.00	1 3.23 66.67	6 3.23 66.67	186
Total	. 201	. 39	. 22	. 10	. 6	. 3	. 1	. 9	. 291	
Frequency Missing = 8										

Statistics for Table of Q2 by Q19

Statistic	DF	Value	Prob
Chi-Square	7	8.6177	0.2813
Likelihood Ratio Chi-Square	7	9.3689	0.2272
Mantel-Haenszel Chi-Square	1	3.4938	0.0616
Phi Coefficient		0.1721	
Contingency Coefficient		0.1696	
Cramer's V		0.1721	
WARNING: 50% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 291

Frequency Missing = 8

Table of RACE by Q19										
RACE	Q19(Q19 During the past 12 months, how many times were you in a physical fight?)									
Frequency Row Pct Col Pct	0 times	1 time	2-3 times	4-5 times	6-7 times	8-9 times	10-11 times	12+ times	Total	
Black or African American	4 . 63.24 . 43.22	22 16.18 56.41	12 8.82 54.55	5 3.68 50.00	3 2.21 50.00	2 1.47 100.00	1 0.74 100.00	5 3.68 50.00	136	
White	1 . 78.13 . 25.13	7 10.94 17.95	3 4.69 13.64	1 1.56 10.00	1 1.56 16.67	0 0.00 0.00	0 0.00 0.00	2 3.13 20.00	64	
Other	1 . 68.75 . 11.06	2 6.25 5.13	4 12.50 18.18	2 6.25 20.00	0 0.00 0.00	0 0.00 0.00	0 0.00 0.00	2 6.25 20.00	32	
Hispanic	3 . 71.93 . 20.60	8 14.04 20.51	3 5.26 13.64	2 3.51 20.00	2 3.51 33.33	0 0.00 0.00	0 0.00 0.00	1 1.75 10.00	57	
Total	. 199	39	22	10	6	2	1	10	289	
Frequency Missing = 9										

Statistics for Table of RACE by Q19

Statistic	DF	Value	Prob
Chi-Square	21	13.5295	0.8890
Likelihood Ratio Chi-Square	21	15.5129	0.7964
Mantel-Haenszel Chi-Square	1	1.3826	0.2397
Phi Coefficient		0.2164	
Contingency Coefficient		0.2115	
Cramer's V		0.1249	
WARNING: 75% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 289

Frequency Missing = 9

Q20 During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?				
Q20	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	9	.	.	.
0 times	254	85.81	254	85.81
1 time	19	6.42	273	92.23
2-3 times	12	4.05	285	96.28
4-5 times	8	2.70	293	98.99
6+ times	3	1.01	296	100.00

Frequency Missing = 9

Table of Q2 by Q20							
Q2(Q2 What is your sex?)	Q20(Q20 During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?)						
Frequency		0	1	2-3	4-5	6+	
Row Pct		times	time	times	times	times	Total
Col Pct	.						
Female	3	95	6	2	2	0	105
	.	90.48	5.71	1.90	1.90	0.00	
	.	37.85	31.58	16.67	25.00	0.00	
Male	3	156	13	10	6	3	188
	.	82.98	6.91	5.32	3.19	1.60	
	.	62.15	68.42	83.33	75.00	100.00	
Total	.	251	19	12	8	3	293
Frequency Missing = 6							

Statistics for Table of Q2 by Q20

Statistic	DF	Value	Prob
Chi-Square	4	4.5937	0.3316
Likelihood Ratio Chi-Square	4	5.8519	0.2105
Mantel-Haenszel Chi-Square	1	3.9640	0.0465
Phi Coefficient		0.1252	
Contingency Coefficient		0.1242	
Cramer's V		0.1252	
WARNING: 40% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 293

Frequency Missing = 6

Table of RACE by Q20							
RACE	Q20(Q20 During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?)						
Frequency Row Pct Col Pct	0 times	1 time	2-3 times	4-5 times	6+ times	Total	
Black or African American	2 . 118 . 85.51 . 47.01	8 5.80 42.11	6 4.35 50.00	5 3.62 71.43	1 0.72 33.33	138	
White	2 . 53 . 84.13 . 21.12	6 9.52 31.58	3 4.76 25.00	1 1.59 14.29	0 0.00 0.00	63	
Other	2 . 29 . 93.55 . 11.55	2 6.45 10.53	0 0.00 0.00	0 0.00 0.00	0 0.00 0.00	31	
Hispanic	0 . 51 . 85.00 . 20.32	3 5.00 15.79	3 5.00 25.00	1 1.67 14.29	2 3.33 66.67	60	
Total	. 251	19	12	7	3	292	
Frequency Missing = 6							

Statistics for Table of RACE by Q20

Statistic	DF	Value	Prob
Chi-Square	12	9.0222	0.7010
Likelihood Ratio Chi-Square	12	10.6702	0.5574
Mantel-Haenszel Chi-Square	1	0.0287	0.8655
Phi Coefficient		0.1758	
Contingency Coefficient		0.1731	
Cramer's V		0.1015	
WARNING: 70% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 292

Frequency Missing = 6

Q21 During the past 12 months, how many times were you in a physical fight on school property?				
Q21	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	6	.	.	.
0 times	237	79.26	237	79.26
1 time	27	9.03	264	88.29
2-3 times	18	6.02	282	94.31
4-5 times	8	2.68	290	96.99
6-7 times	3	1.00	293	97.99
8-9 times	1	0.33	294	98.33
12+ times	5	1.67	299	100.00

Frequency Missing = 6

Table of Q2 by Q21									
Q2(Q2 What is your sex?)	Q21(Q21 During the past 12 months, how many times were you in a physical fight on school property?)								
Frequency Row Pct Col Pct	0 times	1 time	2-3 times	4-5 times	6-7 times	8-9 times	12+ times	Total	
Female	2 .86.79 .39.15	8 7.55 29.63	4 3.77 22.22	0 0.00 0.00	0 0.00 0.00	1 0.94 100.00	1 0.94 25.00	106	
Male	2 .75.66 .60.85	19 10.05 70.37	14 7.41 77.78	7 3.70 100.00	3 1.59 100.00	0 0.00 0.00	3 1.59 75.00	189	
Total	. 235	27	18	7	3	1	4	295	
Frequency Missing = 4									

Statistics for Table of Q2 by Q21

Statistic	DF	Value	Prob
Chi-Square	6	10.5910	0.1019
Likelihood Ratio Chi-Square	6	14.2799	0.0267
Mantel-Haenszel Chi-Square	1	3.8926	0.0485
Phi Coefficient		0.1895	
Contingency Coefficient		0.1862	
Cramer's V		0.1895	
WARNING: 57% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 295

Frequency Missing = 4

Table of RACE by Q21									
RACE	Q21(Q21 During the past 12 months, how many times were you in a physical fight on school property?)								
Frequency Row Pct Col Pct		0 times	1 time	2-3 times	4-5 times	6-7 times	8-9 times	12+ times	Total
Black or African American	1	105	14	14	4	1	0	1	139
	.	75.54	10.07	10.07	2.88	0.72	0.00	0.72	
	.	44.87	53.85	77.78	57.14	33.33	0.00	20.00	
White	2	52	7	1	1	0	1	1	63
	.	82.54	11.11	1.59	1.59	0.00	1.59	1.59	
	.	22.22	26.92	5.56	14.29	0.00	100.00	20.00	
Other	1	29	1	0	0	2	0	0	32
	.	90.63	3.13	0.00	0.00	6.25	0.00	0.00	
	.	12.39	3.85	0.00	0.00	66.67	0.00	0.00	
Hispanic	0	48	4	3	2	0	0	3	60
	.	80.00	6.67	5.00	3.33	0.00	0.00	5.00	
	.	20.51	15.38	16.67	28.57	0.00	0.00	60.00	
Total	.	234	26	18	7	3	1	5	294
Frequency Missing = 4									

Statistics for Table of RACE by Q21

Statistic	DF	Value	Prob
Chi-Square	18	30.7942	0.0304
Likelihood Ratio Chi-Square	18	29.6429	0.0411
Mantel-Haenszel Chi-Square	1	0.1070	0.7436
Phi Coefficient		0.3236	
Contingency Coefficient		0.3079	
Cramer's V		0.1869	
WARNING: 71% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 294

Frequency Missing = 4

Q22 Have you ever been physically forced to have sexual intercourse when you did not want to?				
Q22	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	28	.	.	.
Yes	37	13.36	37	13.36
No	240	86.64	277	100.00

Frequency Missing = 28

Table of Q2 by Q22				
Q2(Q2 What is your sex?)	Q22(Q22 Have you ever been physically forced to have sexual intercourse when you did not want to?)			
	Frequency Row Pct Col Pct	.	Yes	No
Female	8	12	88	100
	.	12.00	88.00	
	.	32.43	37.13	
Male	17	25	149	174
	.	14.37	85.63	
	.	67.57	62.87	
Total	.	37	237	274
Frequency Missing = 25				

Statistics for Table of Q2 by Q22

Statistic	DF	Value	Prob
Chi-Square	1	0.3048	0.5809
Likelihood Ratio Chi-Square	1	0.3093	0.5781
Continuity Adj. Chi-Square	1	0.1358	0.7125
Mantel-Haenszel Chi-Square	1	0.3037	0.5816
Phi Coefficient		-0.0334	
Contingency Coefficient		0.0333	
Cramer's V		-0.0334	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	12
Left-sided Pr <= F	0.3604
Right-sided Pr >= F	0.7671
Table Probability (P)	0.1275
Two-sided Pr <= P	0.7140

Effective Sample Size = 274

Frequency Missing = 25

Table of RACE by Q22				
RACE	Q22(Q22 Have you ever been physically forced to have sexual intercourse when you did not want to?)			
Frequency Row Pct Col Pct	.	Yes	No	Total
Black or African American	14 .16.67 .58.33	21 83.33	105 44.12	126
White	3 .11.29 .19.44	7 88.71	55 23.11	62
Other	1 .9.38 .8.33	3 90.63	29 12.18	32
Hispanic	6 .9.26 .13.89	5 90.74	49 20.59	54
Total	.	36	238	274
Frequency Missing = 24				

Statistics for Table of RACE by Q22

Statistic	DF	Value	Prob
Chi-Square	3	2.6691	0.4455
Likelihood Ratio Chi-Square	3	2.6935	0.4413
Mantel-Haenszel Chi-Square	1	2.5225	0.1122
Phi Coefficient		0.0987	
Contingency Coefficient		0.0982	
Cramer's V		0.0987	

Effective Sample Size = 274

Frequency Missing = 24

Q23 During the past 12 months, how many times dad someone you were dating or going out with physically hurt you on purpose?				
Q23	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	9	.	.	.
I did not date	86	29.05	86	29.05
0 times	165	55.74	251	84.80
1 time	26	8.78	277	93.58
2-3 times	12	4.05	289	97.64
4-5 times	2	0.68	291	98.31
6+ times	5	1.69	296	100.00

Frequency Missing = 9

Table of Q2 by Q23								
Q2(Q2 What is your sex?)	Q23(Q23 During the past 12 months, how many times dad someone you were dating or going out with physically hurt you on purpose?)							
Frequency Row Pct Col Pct	.	I did not date	0 times	1 time	2-3 times	4-5 times	6+ times	Total
Female	2	32	61	9	4	0	0	106
.	.	30.19	57.55	8.49	3.77	0.00	0.00	
.	.	37.65	37.42	34.62	33.33	0.00	0.00	
Male	4	53	102	17	8	2	5	187
.	.	28.34	54.55	9.09	4.28	1.07	2.67	
.	.	62.35	62.58	65.38	66.67	100.00	100.00	
Total	.	85	163	26	12	2	5	293
Frequency Missing = 6								

Statistics for Table of Q2 by Q23

Statistic	DF	Value	Prob
Chi-Square	5	4.2265	0.5173
Likelihood Ratio Chi-Square	5	6.5452	0.2567
Mantel-Haenszel Chi-Square	1	2.3188	0.1278
Phi Coefficient		0.1201	
Contingency Coefficient		0.1192	

Cramer's V	0.1201
WARNING: 42% of the cells have expected counts less than 5. Chi-Square may not be a valid test.	

Effective Sample Size = 293
Frequency Missing = 6

Table of RACE by Q23								
RACE	Q23(Q23 During the past 12 months, how many times dad someone you were dating or going out with physically hurt you on purpose?)							
Frequency Row Pct Col Pct	I did not date	0 times	1 time	2-3 times	4-5 times	6+ times	Total	
Black or African American	2 .2609 .4235	36 56.52 47.85	78 13.04 69.23	18 3.62 41.67	5 0.00 0.00	0 0.72 25.00	1	138
White	2 .3492 .2588	22 50.79 19.63	32 4.76 11.54	3 7.94 41.67	5 0.00 0.00	0 1.59 25.00	1	63
Other	1 .2188 .824	7 62.50 12.27	20 9.38 11.54	3 3.13 8.33	1 0.00 0.00	0 3.13 25.00	1	32
Hispanic	1 .3390 .2353	20 55.93 20.25	33 3.39 7.69	2 1.69 8.33	1 3.39 100.00	2 1.69 25.00	1	59
Total	.85	163	26	12	2	4		292
Frequency Missing = 6								

Statistics for Table of RACE by Q23

Statistic	DF	Value	Prob
Chi-Square	15	20.9914	0.1371
Likelihood Ratio Chi-Square	15	19.6901	0.1841
Mantel-Haenszel Chi-Square	1	0.0915	0.7622
Phi Coefficient		0.2681	
Contingency Coefficient		0.2590	
Cramer's V		0.1548	
WARNING: 50% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 292
Frequency Missing = 6

Q24 During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do?				
Q24	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	10	.	.	.
I did not date	77	26.10	77	26.10
0 times	180	61.02	257	87.12
1 time	15	5.08	272	92.20
2-3 times	11	3.73	283	95.93
4-5 times	7	2.37	290	98.31
6+ times	5	1.69	295	100.00

Frequency Missing = 10

Table of Q2 by Q24								
Q2(Q2 What is your sex?)	Q24(Q24 During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do?)							
Frequency Row Pct Col Pct	I did not date	0 times	1 time	2-3 times	4-5 times	6+ times	Total	
Female	4 .25.96 .35.53	27 62.50 36.52	6 5.77 42.86	4 3.85 36.36	2 1.92 28.57	0 0.00 0.00	104	
Male	4 .26.20 .64.47	49 60.43 63.48	8 4.28 57.14	7 3.74 63.64	5 2.67 71.43	5 2.67 100.00	187	
Total	.	76	178	14	11	7	5	291
Frequency Missing = 8								

Statistics for Table of Q2 by Q24

Statistic	DF	Value	Prob
Chi-Square	5	3.2965	0.6544
Likelihood Ratio Chi-Square	5	4.9356	0.4238
Mantel-Haenszel Chi-Square	1	0.8480	0.3571
Phi Coefficient		0.1064	
Contingency Coefficient		0.1058	
Cramer's V		0.1064	
WARNING: 42% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 291
Frequency Missing = 8

Table of RACE by Q24								
RACE	Q24(Q24 During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do?)							
Frequency Row Pct Col Pct	I did not date	0 times	1 time	2-3 times	4-5 times	6+ times	Total	
Black or African American	4 .23.53 .42.67	32 62.50 47.75	85 8.09 78.57	11 5.15 63.64	7 0.74 14.29	1 0.00 0.00	0 0.00 0.00	136
White	2 .33.33 .28.00	21 53.97 19.10	34 3.17 14.29	2 1.59 9.09	1 6.35 57.14	4 1.59 20.00	1 0.00 0.00	63
Other	1 .25.00 .10.67	8 71.88 12.92	23 0.00 0.00	0 0.00 0.00	0 3.13 14.29	1 0.00 0.00	0 0.00 0.00	32
Hispanic	1 .23.73 .18.67	14 61.02 20.22	36 1.69 7.14	1 5.08 27.27	3 1.69 14.29	1 6.78 80.00	4 0.00 0.00	59
Total	.75	178	14	11	7	5	290	
Frequency Missing = 8								

Statistics for Table of RACE by Q24

Statistic	DF	Value	Prob
Chi-Square	15	29.4331	0.0141
Likelihood Ratio Chi-Square	15	30.6472	0.0098
Mantel-Haenszel Chi-Square	1	1.0671	0.3016
Phi Coefficient		0.3186	
Contingency Coefficient		0.3035	
Cramer's V		0.1839	
WARNING: 58% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 290
Frequency Missing = 8

Q25 Is there gang activity in your school?				
Q25	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	23	.	.	.
Yes	154	54.61	154	54.61
No	35	12.41	189	67.02
Not Sure	93	32.98	282	100.00

Frequency Missing = 23

Table of Q2 by Q25					
Q2(Q2 What is your sex?)	Q25(Q25 Is there gang activity in your school?)				
Frequency Row Pct Col Pct	.	Yes	No	Not Sure	Total
Female	7	57	14	30	101
	.	56.44	13.86	29.70	
	.	37.75	41.18	32.26	
Male	14	94	20	63	177
	.	53.11	11.30	35.59	
	.	62.25	58.82	67.74	
Total	.	151	34	93	278
Frequency Missing = 21					

Statistics for Table of Q2 by Q25

Statistic	DF	Value	Prob
Chi-Square	2	1.1432	0.5646
Likelihood Ratio Chi-Square	2	1.1484	0.5631
Mantel-Haenszel Chi-Square	1	0.6528	0.4191
Phi Coefficient		0.0641	
Contingency Coefficient		0.0640	
Cramer's V		0.0641	

Effective Sample Size = 278

Frequency Missing = 21

Table of RACE by Q25					
RACE	Q25(Q25 Is there gang activity in your school?)				
Frequency Row Pct Col Pct	.	Yes	No	Not Sure	Total
Black or African American	10	74 56.92 49.01	20 15.38 57.14	36 27.69 39.56	130
White	2	41 65.08 27.15	3 4.76 8.57	19 30.16 20.88	63
Other	3	14 46.67 9.27	2 6.67 5.71	14 46.67 15.38	30
Hispanic	6	22 40.74 14.57	10 18.52 28.57	22 40.74 24.18	54
Total	.	151	35	91	277
Frequency Missing = 21					

Statistics for Table of RACE by Q25

Statistic	DF	Value	Prob
Chi-Square	6	13.7984	0.0320
Likelihood Ratio Chi-Square	6	14.6211	0.0234
Mantel-Haenszel Chi-Square	1	4.1585	0.0414
Phi Coefficient		0.2232	
Contingency Coefficient		0.2178	
Cramer's V		0.1578	

Effective Sample Size = 277

Frequency Missing = 21

III. BULLYING: QUESTIONS 26-29

Q26 During the past 12 months, have you ever been bullied on school property?				
Q26	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	32	.	.	.
Yes	57	20.88	57	20.88
No	216	79.12	273	100.00

Frequency Missing = 32

Table of Q2 by Q26				
Q2(Q2 What is your sex?)	Q26(Q26 During the past 12 months, have you ever been bullied on school property?)			
	Frequency	Row Pct	Col Pct	
	.	Yes	No	Total
Female	8	25	75	100
	.	25.00	75.00	
	.	45.45	34.88	
Male	21	30	140	170
	.	17.65	82.35	
	.	54.55	65.12	
Total	.	55	215	270
Frequency Missing = 29				

Statistics for Table of Q2 by Q26

Statistic	DF	Value	Prob
Chi-Square	1	2.0986	0.1474
Likelihood Ratio Chi-Square	1	2.0601	0.1512
Continuity Adj. Chi-Square	1	1.6698	0.1963
Mantel-Haenszel Chi-Square	1	2.0908	0.1482
Phi Coefficient		0.0882	
Contingency Coefficient		0.0878	
Cramer's V		0.0882	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	25
Left-sided Pr <= F	0.9447
Right-sided Pr >= F	0.0989
Table Probability (P)	0.0436
Two-sided Pr <= P	0.1610

Effective Sample Size = 270
Frequency Missing = 29

Table of RACE by Q26				
RACE	Q26(Q26 During the past 12 months, have you ever been bullied on school property?)			
Frequency Row Pct Col Pct	.	Yes	No	Total
Black or African American	18 . 17.21 . 38.18	21 82.79	101 47.20	122
White	4 . 26.23 . 29.09	16 73.77	45 21.03	61
Other	2 . 19.35 . 10.91	6 80.65	25 11.68	31
Hispanic	5 . 21.82 . 21.82	12 78.18	43 20.09	55
Total	.	55	214	269
Frequency Missing = 29				

Statistics for Table of RACE by Q26

Statistic	DF	Value	Prob
Chi-Square	3	2.1247	0.5469
Likelihood Ratio Chi-Square	3	2.0814	0.5557
Mantel-Haenszel Chi-Square	1	0.7186	0.3966
Phi Coefficient		0.0889	
Contingency Coefficient		0.0885	
Cramer's V		0.0889	

Effective Sample Size = 269

Frequency Missing = 29

Q27 During the past 12 months, have you been electronically bullied?				
Q27	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	26	.	.	.
Yes	42	15.05	42	15.05
No	237	84.95	279	100.00

Frequency Missing = 26

Table of Q2 by Q27				
Q2(Q2 What is your sex?)	Q27(Q27 During the past 12 months, have you been electronically bullied?)			
Frequency Row Pct Col Pct	.	Yes	No	Total
Female	4	23	81	104
	.	22.12	77.88	
	.	56.10	34.32	
Male	18	18	155	173
	.	10.40	89.60	
	.	43.90	65.68	
Total	.	41	236	277
Frequency Missing = 22				

Statistics for Table of Q2 by Q27

Statistic	DF	Value	Prob
Chi-Square	1	7.0637	0.0079
Likelihood Ratio Chi-Square	1	6.8406	0.0089
Continuity Adj. Chi-Square	1	6.1656	0.0130
Mantel-Haenszel Chi-Square	1	7.0382	0.0080
Phi Coefficient		0.1597	
Contingency Coefficient		0.1577	
Cramer's V		0.1597	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	23
Left-sided Pr <= F	0.9974
Right-sided Pr >= F	0.0071
Table Probability (P)	0.0045
Two-sided Pr <= P	0.0136

Effective Sample Size = 277

Frequency Missing = 22

Table of RACE by Q27				
RACE	Q27(Q27 During the past 12 months, have you been electronically bullied?)			
Frequency Row Pct Col Pct	.	Yes	No	Total
Black or African American	12 . 10.94 . 34.15	14 89.06	114 48.72	128
White	5 . 23.33 . 34.15	14 76.67	46 19.66	60
Other	3 . 13.33 . 9.76	4 86.67	26 11.11	30
Hispanic	3 . 15.79 . 21.95	9 84.21	48 20.51	57
Total	.	41	234	275
Frequency Missing = 23				

Statistics for Table of RACE by Q27

Statistic	DF	Value	Prob
Chi-Square	3	5.0415	0.1688
Likelihood Ratio Chi-Square	3	4.7723	0.1892
Mantel-Haenszel Chi-Square	1	1.2409	0.2653
Phi Coefficient		0.1354	
Contingency Coefficient		0.1342	
Cramer's V		0.1354	

Effective Sample Size = 275

Frequency Missing = 23

Q28 During the past 12 months, have you ever seen other students being bullied in your school ?				
Q28	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	33	.	.	.
Yes	156	57.35	156	57.35
No	116	42.65	272	100.00

Frequency Missing = 33

Table of Q2 by Q28				
Q2(Q2 What is your sex?)	Q28(Q28 During the past 12 months, have you ever seen other students being bullied in your school?)			
Frequency Row Pct Col Pct	.	Yes	No	Total
Female	9	65	34	99
	.	65.66	34.34	
	.	42.48	29.31	
Male	21	88	82	170
	.	51.76	48.24	
	.	57.52	70.69	
Total	.	153	116	269
Frequency Missing = 30				

Statistics for Table of Q2 by Q28

Statistic	DF	Value	Prob
Chi-Square	1	4.9227	0.0265
Likelihood Ratio Chi-Square	1	4.9787	0.0257
Continuity Adj. Chi-Square	1	4.3727	0.0365
Mantel-Haenszel Chi-Square	1	4.9044	0.0268
Phi Coefficient		0.1353	
Contingency Coefficient		0.1341	
Cramer's V		0.1353	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	65
Left-sided Pr <= F	0.9908
Right-sided Pr >= F	0.0179
Table Probability (P)	0.0087
Two-sided Pr <= P	0.0302

Effective Sample Size = 269
Frequency Missing = 30

WARNING: 10% of the data are missing.

Table of RACE by Q28				
RACE	Q28(Q28 During the past 12 months, have you ever seen other students being bullied in your school?)			
	.	Yes	No	Total
Black or African American	22	60	58	118
	.	50.85	49.15	
	.	38.96	50.88	
White	3	35	27	62
	.	56.45	43.55	
	.	22.73	23.68	
Other	1	26	6	32
	.	81.25	18.75	
	.	16.88	5.26	
Hispanic	4	33	23	56
	.	58.93	41.07	
	.	21.43	20.18	
Total	.	154	114	268
Frequency Missing = 30				

Statistics for Table of RACE by Q28

Statistic	DF	Value	Prob
Chi-Square	3	9.5955	0.0223
Likelihood Ratio Chi-Square	3	10.3483	0.0158
Mantel-Haenszel Chi-Square	1	3.6187	0.0571
Phi Coefficient		0.1892	
Contingency Coefficient		0.1859	
Cramer's V		0.1892	

Effective Sample Size = 268
Frequency Missing = 30

WARNING: 10% of the data are missing.

Q29 During the past 12 months, have you ever been the victim of teasing or name calling because someone thought you were gay, lesbian or bisexual?				
Q29	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	22	.	.	.
Yes	48	16.96	48	16.96
No	235	83.04	283	100.00

Frequency Missing = 22

Table of Q2 by Q29				
Q2(Q2 What is your sex?)	Q29(Q29 During the past 12 months, have you ever been the victim of teasing or name calling because someone thought you were gay, lesbian or bisexual?)			
Frequency Row Pct Col Pct	.	Yes	No	Total
Female	6 .25.00	12 11.76	90 88.24	102
Male	13 .75.00	36 20.22	142 79.78	178
Total	.	48	232	280
Frequency Missing = 19				

Statistics for Table of Q2 by Q29

Statistic	DF	Value	Prob
Chi-Square	1	3.2673	0.0707
Likelihood Ratio Chi-Square	1	3.4231	0.0643
Continuity Adj. Chi-Square	1	2.6989	0.1004
Mantel-Haenszel Chi-Square	1	3.2556	0.0712
Phi Coefficient		-0.1080	
Contingency Coefficient		0.1074	
Cramer's V		-0.1080	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	12
Left-sided Pr <= F	0.0480
Right-sided Pr >= F	0.9779
Table Probability (P)	0.0259
Two-sided Pr <= P	0.0986

Effective Sample Size = 280

Frequency Missing = 19

Table of RACE by Q29				
RACE	Q29(Q29 During the past 12 months, have you ever been the victim of teasing or name calling because someone thought you were gay, lesbian or bisexual?)			
Frequency Row Pct Col Pct	.	Yes	No	Total
Black or African American	8 .19.70 .55.32	26 80.30 45.89	106	132
White	5 .15.00 .19.15	9 85.00 22.08	51	60
Other	3 .10.00 .6.38	3 90.00 11.69	27	30
Hispanic	4 .16.07 .19.15	9 83.93 20.35	47	56
Total	.	47	231	278
Frequency Missing = 20				

Statistics for Table of RACE by Q29

Statistic	DF	Value	Prob
Chi-Square	3	1.9333	0.5864
Likelihood Ratio Chi-Square	3	2.0513	0.5618
Mantel-Haenszel Chi-Square	1	1.0479	0.3060
Phi Coefficient		0.0834	
Contingency Coefficient		0.0831	
Cramer's V		0.0834	

Effective Sample Size = 278
Frequency Missing = 20

IV. DEPRESSION AND SUICIDE: QUESTIONS 30-34

Q30 During the past 12 months, did you ever feel so sad or hopeless almost every day for 2 weeks or more in a row that you stopped doing some usual activities?				
Q30	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	32	.	.	.
Yes	65	23.81	65	23.81
No	208	76.19	273	100.00

Frequency Missing = 32

Table of Q2 by Q30				
Q2(Q2 What is your sex?)	Q30(Q30 During the past 12 months, did you ever feel so sad or hopeless almost every day for 2 weeks or more in a row that you stopped doing some usual activities?)			
	Frequency Row Pct Col Pct	.	Yes	No
Female	7	30	71	101
	.	29.70	70.30	
	.	46.15	34.47	
Male	21	35	135	170
	.	20.59	79.41	
	.	53.85	65.53	
Total	.	65	206	271
Frequency Missing = 28				

Statistics for Table of Q2 by Q30

Statistic	DF	Value	Prob
Chi-Square	1	2.8870	0.0893
Likelihood Ratio Chi-Square	1	2.8382	0.0920
Continuity Adj. Chi-Square	1	2.4087	0.1207
Mantel-Haenszel Chi-Square	1	2.8763	0.0899
Phi Coefficient		0.1032	
Contingency Coefficient		0.1027	
Cramer's V		0.1032	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	30
Left-sided Pr <= F	0.9667
Right-sided Pr >= F	0.0612
Table Probability (P)	0.0279
Two-sided Pr <= P	0.1058

Effective Sample Size = 271

Frequency Missing = 28

Table of RACE by Q30				
RACE	Q30(Q30 During the past 12 months, did you ever feel so sad or hopeless almost every day for 2 weeks or more in a row that you stopped doing some usual activities?)			
Frequency Row Pct Col Pct	.	Yes	No	Total
Black or African American	17 . 26.83 . 51.56	33 73.17	90 43.69	123
White	6 . 13.56 . 12.50	8 86.44	51 24.76	59
Other	2 . 19.35 . 9.38	6 80.65	25 12.14	31
Hispanic	3 . 29.82 . 26.56	17 70.18	40 19.42	57
Total	.	64	206	270
Frequency Missing = 28				

Statistics for Table of RACE by Q30

Statistic	DF	Value	Prob
Chi-Square	3	5.5267	0.1371
Likelihood Ratio Chi-Square	3	5.9011	0.1165
Mantel-Haenszel Chi-Square	1	0.0328	0.8564

Statistic	DF	Value	Prob
Phi Coefficient		0.1431	
Contingency Coefficient		0.1416	
Cramer's V		0.1431	

Effective Sample Size = 270

Frequency Missing = 28

Q31 When you feel sad, empty, hopeless, angry, or anxious, with whom would you most likely talk about it?				
Q31	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	18	.	.	.
I do not have these feelings	87	30.31	87	30.31
Parent or adult family	49	17.07	136	47.39
Teacher or adult at school	9	3.14	145	50.52
Other adult	6	2.09	151	52.61
Friend	85	29.62	236	82.23
Sibling	11	3.83	247	86.06
Not sure	40	13.94	287	100.00

Frequency Missing = 18

Table of Q2 by Q31									
Q2(Q2 What is your sex?)	Q31(Q31 When you feel sad, empty, hopeless, angry, or anxious, with whom would you most likely talk about it?)								
Frequency Row Pct Col Pct		I do not have these feelings	Parent or adult family	Teacher or adult at school	Other adult	Friend	Sibling	Not sure	Total
Female	5	19	21	3	0	45	6	9	103
	.	18.45	20.39	2.91	0.00	43.69	5.83	8.74	
	.	21.84	42.86	37.50	0.00	53.57	54.55	23.68	
Male	11	68	28	5	6	39	5	29	180
	.	37.78	15.56	2.78	3.33	21.67	2.78	16.11	
	.	78.16	57.14	62.50	100.00	46.43	45.45	76.32	
Total	.	87	49	8	6	84	11	38	283
Frequency Missing = 16									

Statistics for Table of Q2 by Q31

Statistic	DF	Value	Prob
Chi-Square	6	27.2071	0.0001
Likelihood Ratio Chi-Square	6	29.4867	<.0001
Mantel-Haenszel Chi-Square	1	3.9296	0.0474
Phi Coefficient		0.3101	
Contingency Coefficient		0.2962	
Cramer's V		0.3101	
WARNING: 29% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

*Effective Sample Size = 283**Frequency Missing = 16*

Table of RACE by Q31									
RACE	Q31(Q31 When you feel sad, empty, hopeless, angry, or anxious, with whom would you most likely talk about it?)								
Frequency Row Pct Col Pct		I do not have these feelings	Parent or adult family	Teacher or adult at school	Other adult	Friend	Sibling	Not sure	Total
Black or African American	7	42	27	6	5	36	3	14	133
	.	31.58	20.30	4.51	3.76	27.07	2.26	10.53	
	.	49.41	55.10	75.00	83.33	42.35	27.27	36.84	
White	5	19	10	1	0	18	4	8	60
	.	31.67	16.67	1.67	0.00	30.00	6.67	13.33	
	.	22.35	20.41	12.50	0.00	21.18	36.36	21.05	
Other	1	9	5	0	0	12	2	4	32
	.	28.13	15.63	0.00	0.00	37.50	6.25	12.50	
	.	10.59	10.20	0.00	0.00	14.12	18.18	10.53	
Hispanic	3	15	7	1	1	19	2	12	57
	.	26.32	12.28	1.75	1.75	33.33	3.51	21.05	
	.	17.65	14.29	12.50	16.67	22.35	18.18	31.58	
Total	.	85	49	8	6	85	11	38	282
Frequency Missing = 16									

Statistics for Table of RACE by Q31

Statistic	DF	Value	Prob
Chi-Square	18	15.5142	0.6264
Likelihood Ratio Chi-Square	18	17.6014	0.4822
Mantel-Haenszel Chi-Square	1	4.9264	0.0265
Phi Coefficient		0.2346	
Contingency Coefficient		0.2284	
Cramer's V		0.1354	
WARNING: 43% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 282
Frequency Missing = 16

Q32 During the past 12 months, did you ever seriously consider attempting suicide?				
Q32	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	27	.	.	.
Yes	52	18.71	52	18.71
No	226	81.29	278	100.00

Frequency Missing = 27

Table of Q2 by Q32				
Q2(Q2 What is your sex?)	Q32(Q32 During the past 12 months, did you ever seriously consider attempting suicide?)			
	Frequency	Yes	No	Total
Row Pct				
Col Pct	.			
Female	6	21	81	102
	.	20.59	79.41	
	.	40.38	36.32	
Male	18	31	142	173
	.	17.92	82.08	
	.	59.62	63.68	
Total	.	52	223	275
Frequency Missing = 24				

Statistics for Table of Q2 by Q32

Statistic	DF	Value	Prob
Chi-Square	1	0.2981	0.5851
Likelihood Ratio Chi-Square	1	0.2956	0.5867
Continuity Adj. Chi-Square	1	0.1495	0.6990
Mantel-Haenszel Chi-Square	1	0.2971	0.5857
Phi Coefficient		0.0329	
Contingency Coefficient		0.0329	
Cramer's V		0.0329	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	21
Left-sided Pr <= F	0.7610
Right-sided Pr >= F	0.3470
Table Probability (P)	0.1079
Two-sided Pr <= P	0.6335

Effective Sample Size = 275

Frequency Missing = 24

Table of RACE by Q32				
RACE	Q32(Q32 During the past 12 months, did you ever seriously consider attempting suicide?)			
	.	Yes	No	Total
Black or African American	12 . 21.88 . 54.90	28 78.13	100 44.84	128
White	5 . 13.33 . 15.69	8 86.67	52 23.32	60
Other	3 . 20.00 . 11.76	6 80.00	24 10.76	30
Hispanic	4 . 16.07 . 17.65	9 83.93	47 21.08	56
Total	.	51	223	274
Frequency Missing = 24				

Statistics for Table of RACE by Q32

Statistic	DF	Value	Prob
Chi-Square	3	2.2800	0.5164
Likelihood Ratio Chi-Square	3	2.3466	0.5037
Mantel-Haenszel Chi-Square	1	1.0639	0.3023
Phi Coefficient		0.0912	
Contingency Coefficient		0.0908	
Cramer's V		0.0912	

Effective Sample Size = 274
Frequency Missing = 24

Q33 During the past 12 months, did you make a plan about how you would attempt suicide?				
Q33	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	26	.	.	.
Yes	35	12.54	35	12.54
No	244	87.46	279	100.00

Frequency Missing = 26

Table of Q2 by Q33				
Q2(Q2 What is your sex?)	Q33(Q33 During the past 12 months, did you make a plan about how you would attempt suicide?)			
	Frequency	Yes	No	Total
Female	6	15	87	102
	.	14.71	85.29	
	.	42.86	36.10	
Male	17	20	154	174
	.	11.49	88.51	
	.	57.14	63.90	
Total	.	35	241	276
Frequency Missing = 23				

Statistics for Table of Q2 by Q33

Statistic	DF	Value	Prob
Chi-Square	1	0.5990	0.4390
Likelihood Ratio Chi-Square	1	0.5893	0.4427
Continuity Adj. Chi-Square	1	0.3441	0.5575
Mantel-Haenszel Chi-Square	1	0.5968	0.4398
Phi Coefficient		0.0466	
Contingency Coefficient		0.0465	
Cramer's V		0.0466	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	15
Left-sided Pr <= F	0.8321
Right-sided Pr >= F	0.2763
Table Probability (P)	0.1083
Two-sided Pr <= P	0.4577

Effective Sample Size = 276

Frequency Missing = 23

Table of RACE by Q33				
RACE	Q33(Q33 During the past 12 months, did you make a plan about how you would attempt suicide?)			
Frequency Row Pct Col Pct	.	Yes	No	Total
Black or African American	14 . 14.29 . 54.55	18 85.71	108 44.81	126
White	4 . 11.48 . 21.21	7 88.52	54 22.41	61
Other	3 . 3.33 . 3.03	1 96.67	29 12.03	30
Hispanic	3 . 12.28 . 21.21	7 87.72	50 20.75	57
Total	.	33	241	274
Frequency Missing = 24				

Statistics for Table of RACE by Q33

Statistic	DF	Value	Prob
Chi-Square	3	2.7681	0.4288
Likelihood Ratio Chi-Square	3	3.4982	0.3210
Mantel-Haenszel Chi-Square	1	0.8352	0.3608
Phi Coefficient		0.1005	
Contingency Coefficient		0.1000	
Cramer's V		0.1005	

Effective Sample Size = 274

Frequency Missing = 24

Q34 If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?				
Q34	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	33	.	.	.
I did not attempt suicide	195	71.69	195	71.69
Yes	25	9.19	220	80.88
No	52	19.12	272	100.00

Frequency Missing = 33

Table of Q2 by Q34					
Q2(Q2 What is your sex?)	Q34(Q34 If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?)				
	Frequency Row Pct Col Pct	I did not attempt suicide	Yes	No	Total
Female	8 . .	76 76.00 39.38	8 8.00 32.00	16 16.00 30.77	100
Male	21 . .	117 68.82 60.62	17 10.00 68.00	36 21.18 69.23	170
Total	.	193	25	52	270
Frequency Missing = 29					

Statistics for Table of Q2 by Q34

Statistic	DF	Value	Prob
Chi-Square	2	1.6017	0.4490
Likelihood Ratio Chi-Square	2	1.6275	0.4432
Mantel-Haenszel Chi-Square	1	1.5082	0.2194
Phi Coefficient		0.0770	
Contingency Coefficient		0.0768	
Cramer's V		0.0770	

Effective Sample Size = 270

Frequency Missing = 29

Table of RACE by Q34					
RACE	Q34(Q34 If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?)				
Frequency Row Pct Col Pct		I did not attempt suicide	Yes	No	Total
	.				
Black or African American	15	85	11	29	125
	.	68.00	8.80	23.20	
	.	44.04	44.00	56.86	
White	6	47	5	7	59
	.	79.66	8.47	11.86	
	.	24.35	20.00	13.73	
Other	1	28	1	3	32
	.	87.50	3.13	9.38	
	.	14.51	4.00	5.88	
Hispanic	7	33	8	12	53
	.	62.26	15.09	22.64	
	.	17.10	32.00	23.53	
Total	.	193	25	51	269
Frequency Missing = 29					

Statistics for Table of RACE by Q34

Statistic	DF	Value	Prob
Chi-Square	6	10.5168	0.1045
Likelihood Ratio Chi-Square	6	11.1124	0.0850
Mantel-Haenszel Chi-Square	1	0.4534	0.5007
Phi Coefficient		0.1977	
Contingency Coefficient		0.1940	
Cramer's V		0.1398	

Effective Sample Size = 269
Frequency Missing = 29

V. TOBACCO: QUESTIONS 35-38

Q35 How old were you when you smoked a whole cigarette for the first time?				
Q35	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	15	.	.	.
I have never	217	74.83	217	74.83
<=8 years old	24	8.28	241	83.10
9-10 years old	14	4.83	255	87.93
11-12 years old	7	2.41	262	90.34
13-14 years old	11	3.79	273	94.14
15-16 years old	14	4.83	287	98.97
17+ years old	3	1.03	290	100.00

Frequency Missing = 15

Table of Q2 by Q35									
Q2(Q2 What is your sex?)	Q35(Q35 How old were you when you smoked a whole cigarette for the first time?)								
Frequency Row Pct Col Pct	I have never	<=8 years old	9-10 years old	11-12 years old	13-14 years old	15-16 years old	17+ years old	Total	
Female	6 .86.27 .40.93	88 3.92 17.39	4 1.96 14.29	2 0.00 0.00	0 1.96 18.18	2 5.88 42.86	6 0.00 0.00	0 0.00 0.00	102
Male	6 .68.65 .59.07	127 10.27 82.61	19 6.49 85.71	12 3.78 100.00	7 4.86 81.82	9 4.32 57.14	8 1.62 100.00	3 1.62 100.00	185
Total	.	215	23	14	7	11	14	3	287
Frequency Missing = 12									

Statistics for Table of Q2 by Q35

Statistic	DF	Value	Prob
Chi-Square	6	16.0817	0.0133
Likelihood Ratio Chi-Square	6	20.2877	0.0025
Mantel-Haenszel Chi-Square	1	4.8417	0.0278
Phi Coefficient		0.2367	
Contingency Coefficient		0.2303	
Cramer's V		0.2367	
WARNING: 50% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 287

Frequency Missing = 12

Table of RACE by Q35									
RACE	Q35(Q35 How old were you when you smoked a whole cigarette for the first time?)								
	Frequency	I have never	<=8 years old	9-10 years old	11-12 years old	13-14 years old	15-16 years old	17+ years old	Total
Row Pct	.								
Col Pct	.								
Black or African American	6	98	13	10	1	5	5	2	134
	.	73.13	9.70	7.46	0.75	3.73	3.73	1.49	
	.	45.79	56.52	71.43	14.29	50.00	35.71	66.67	
White	3	45	5	3	2	2	5	0	62
	.	72.58	8.06	4.84	3.23	3.23	8.06	0.00	
	.	21.03	21.74	21.43	28.57	20.00	35.71	0.00	
Other	1	28	0	0	2	1	1	0	32
	.	87.50	0.00	0.00	6.25	3.13	3.13	0.00	
	.	13.08	0.00	0.00	28.57	10.00	7.14	0.00	
Hispanic	3	43	5	1	2	2	3	1	57
	.	75.44	8.77	1.75	3.51	3.51	5.26	1.75	
	.	20.09	21.74	7.14	28.57	20.00	21.43	33.33	
Total	.	214	23	14	7	10	14	3	285
Frequency Missing = 13									

Statistics for Table of RACE by Q35

Statistic	DF	Value	Prob
Chi-Square	18	15.6237	0.6188
Likelihood Ratio Chi-Square	18	20.6254	0.2987
Mantel-Haenszel Chi-Square	1	0.0012	0.9726
Phi Coefficient		0.2341	
Contingency Coefficient		0.2280	
Cramer's V		0.1352	
WARNING: 71% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

*Effective Sample Size = 285**Frequency Missing = 13*

Q36 During the past 30 days, on how many days did you smoke cigarettes?				
Q36	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	14	.	.	.
0 days	237	81.44	237	81.44
1-2 days	21	7.22	258	88.66
3-5 days	16	5.50	274	94.16
6-9 days	5	1.72	279	95.88
10-19 days	4	1.37	283	97.25
20-29 days	1	0.34	284	97.59
All 30 days	7	2.41	291	100.00

Frequency Missing = 14

Table of Q2 by Q36									
Q2(Q2 What is your sex?)	Q36(Q36 During the past 30 days, on how many days did you smoke cigarettes?)								
Frequency Row Pct Col Pct	0 days	1-2 days	3-5 days	6-9 days	10-19 days	20-29 days	All 30 days	Total	
Female	4 .9135 .4043	3 2.88 14.29	3 2.88 18.75	1 0.96 20.00	1 0.96 33.33	0 0.00 0.00	1 0.96 14.29	104	
Male	7 .7609 .5957	18 9.78 85.71	13 7.07 81.25	4 2.17 80.00	2 1.09 66.67	1 0.54 100.00	6 3.26 85.71	184	
Total	.235	21	16	5	3	1	7	288	
Frequency Missing = 11									

Statistics for Table of Q2 by Q36

Statistic	DF	Value	Prob
Chi-Square	6	10.9053	0.0913
Likelihood Ratio Chi-Square	6	12.3948	0.0537
Mantel-Haenszel Chi-Square	1	6.1636	0.0130
Phi Coefficient		0.1946	
Contingency Coefficient		0.1910	
Cramer's V		0.1946	
WARNING: 57% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 288

Frequency Missing = 11

Table of RACE by Q36									
RACE	Q36(Q36 During the past 30 days, on how many days did you smoke cigarettes?)								
Frequency Row Pct Col Pct	0 days	1-2 days	3-5 days	6-9 days	10-19 days	20-29 days	All 30 days	Total	
Black or African American	5 .77.78 .44.87	12 8.89 60.00	8 5.93 50.00	5 3.70 100.00	2 1.48 66.67	1 0.74 100.00	2 1.48 28.57	135	
White	3 .83.87 .22.22	5 8.06 25.00	3 4.84 18.75	0 0.00 0.00	1 1.61 33.33	0 0.00 0.00	1 1.61 14.29	62	
Other	1 .96.88 .13.25	0 0.00 0.00	1 3.13 6.25	0 0.00 0.00	0 0.00 0.00	0 0.00 0.00	0 0.00 0.00	32	
Hispanic	3 .80.70 .19.66	3 5.26 15.00	4 7.02 25.00	0 0.00 0.00	0 0.00 0.00	0 0.00 0.00	4 7.02 57.14	57	
Total	.234	20	16	5	3	1	7	286	
Frequency Missing = 12									

Statistics for Table of RACE by Q36

Statistic	DF	Value	Prob
Chi-Square	18	19.5307	0.3599
Likelihood Ratio Chi-Square	18	24.1624	0.1498
Mantel-Haenszel Chi-Square	1	0.0842	0.7717
Phi Coefficient		0.2613	
Contingency Coefficient		0.2528	
Cramer's V		0.1509	
WARNING: 79% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 286

Frequency Missing = 12

Q37 During the past 12 months, did you ever try to quit smoking cigarettes?				
Q37	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	20	.	.	.
I did not smoke in last 12 months	222	77.89	222	77.89
Yes	26	9.12	248	87.02
No	37	12.98	285	100.00

Frequency Missing = 20

Table of Q2 by Q37					
Q2(Q2 What is your sex?)	Q37(Q37 During the past 12 months, did you ever try to quit smoking cigarettes?)				
Frequency Row Pct Col Pct		I did not smoke in last 12 months	Yes	No	Total
Female	6 . .	88 86.27 39.82	7 6.86 26.92	7 6.86 20.00	102
Male	11 . .	133 73.89 60.18	19 10.56 73.08	28 15.56 80.00	180
Total	. .	221	26	35	282
Frequency Missing = 17					

Statistics for Table of Q2 by Q37

Statistic	DF	Value	Prob
Chi-Square	2	6.2013	0.0450
Likelihood Ratio Chi-Square	2	6.6151	0.0366
Mantel-Haenszel Chi-Square	1	6.0970	0.0135
Phi Coefficient		0.1483	
Contingency Coefficient		0.1467	
Cramer's V		0.1483	

Effective Sample Size = 282

Frequency Missing = 17

Table of RACE by Q37					
RACE	Q37(Q37 During the past 12 months, did you ever try to quit smoking cigarettes?)				
Frequency Row Pct Col Pct		I did not smoke in last 12 months	Yes	No	Total
Black or African American	9 . .	102 77.86 46.58	11 8.40 42.31	18 13.74 51.43	131
White	3 . .	52 83.87 23.74	5 8.06 19.23	5 8.06 14.29	62
Other	3 . .	27 90.00 12.33	2 6.67 7.69	1 3.33 2.86	30
Hispanic	3 . .	38 66.67 17.35	8 14.04 30.77	11 19.30 31.43	57
Total	. .	219	26	35	280
Frequency Missing = 18					

Statistics for Table of RACE by Q37

Statistic	DF	Value	Prob
Chi-Square	6	8.8387	0.1829
Likelihood Ratio Chi-Square	6	9.3761	0.1535
Mantel-Haenszel Chi-Square	1	0.3131	0.5758
Phi Coefficient		0.1777	
Contingency Coefficient		0.1749	
Cramer's V		0.1256	

Effective Sample Size = 280

Frequency Missing = 18

Q38 During the past 30 days, on how many days did you use chewing tobacco, snuff or dip?				
Q38	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	15	.	.	.
0 days	244	84.14	244	84.14
1-2 days	17	5.86	261	90.00
3-5 days	8	2.76	269	92.76
6-9 days	8	2.76	277	95.52
10-19 days	3	1.03	280	96.55
20-29 days	4	1.38	284	97.93
All 30 days	6	2.07	290	100.00

Frequency Missing = 15

Table of Q2 by Q38									
Q2(Q2 What is your sex?)	Q38(Q38 During the past 30 days, on how many days did you use chewing tobacco, snuff or dip?)								
Frequency Row Pct Col Pct	.	0 days	1-2 days	3-5 days	6-9 days	10-19 days	20-29 days	All 30 days	Total
Female	5	94	4	1	1	2	0	1	103
.	.	91.26	3.88	0.97	0.97	1.94	0.00	0.97	
.	.	38.68	25.00	12.50	12.50	66.67	0.00	16.67	
Male	7	149	12	7	7	1	3	5	184
.	.	80.98	6.52	3.80	3.80	0.54	1.63	2.72	
.	.	61.32	75.00	87.50	87.50	33.33	100.00	83.33	
Total	.	243	16	8	8	3	3	6	287
Frequency Missing = 12									

Statistics for Table of Q2 by Q38

Statistic	DF	Value	Prob
Chi-Square	6	9.3312	0.1558
Likelihood Ratio Chi-Square	6	11.1026	0.0853
Mantel-Haenszel Chi-Square	1	4.1061	0.0427
Phi Coefficient		0.1803	
Contingency Coefficient		0.1775	
Cramer's V		0.1803	
WARNING: 57% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 287

Frequency Missing = 12

Table of RACE by Q38									
RACE	Q38(Q38 During the past 30 days, on how many days did you use chewing tobacco, snuff or dip?)								
Frequency Row Pct Col Pct	0 days	1-2 days	3-5 days	6-9 days	10-19 days	20-29 days	All 30 days	Total	
Black or African American	4 .87.50 .49.17	7 5.15 43.75	6 4.41 75.00	2 1.47 25.00	0 0.00 0.00	1 0.74 50.00	1 0.74 16.67	136	
White	4 .78.69 .19.83	4 6.56 25.00	2 3.28 25.00	2 3.28 25.00	2 3.28 66.67	1 1.64 50.00	2 3.28 33.33	61	
Other	1 .93.75 .12.40	2 6.25 12.50	0 0.00 0.00	0 0.00 0.00	0 0.00 0.00	0 0.00 0.00	0 0.00 0.00	32	
Hispanic	4 .80.36 .18.60	3 5.36 18.75	0 0.00 0.00	4 7.14 50.00	1 1.79 33.33	0 0.00 0.00	3 5.36 50.00	56	
Total	.242	16	8	8	3	2	6	285	
Frequency Missing = 13									

Statistics for Table of RACE by Q38

Statistic	DF	Value	Prob
Chi-Square	18	21.7323	0.2441
Likelihood Ratio Chi-Square	18	25.2090	0.1193
Mantel-Haenszel Chi-Square	1	3.0006	0.0832
Phi Coefficient		0.2761	
Contingency Coefficient		0.2662	
Cramer's V		0.1594	
WARNING: 82% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 285

Frequency Missing = 13

VI. ALCOHOL: QUESTIONS 39-42

Q39 How old were you when you had your first drink of alcohol other than a few sips?				
Q39	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	17	.	.	.
Never had more then few sips	112	38.89	112	38.89
<=8 years old	32	11.11	144	50.00
9-10 years old	19	6.60	163	56.60
11-12 years old	24	8.33	187	64.93
13-14 years old	43	14.93	230	79.86
15-16 years old	45	15.63	275	95.49
17+ years old	13	4.51	288	100.00

Frequency Missing = 17

Table of Q2 by Q39									
Q2(Q2 What is your sex?)		Q39(Q39 How old were you when you had your first drink of alcohol other than a few sips?)							
Frequency Row Pct Col Pct	.	Never had more then few sips	<=8 years old	9-10 years old	11-12 years old	13-14 years old	15-16 years old	17+ years old	Total
Female	6	38	9	1	11	19	19	5	102
.	.	37.25	8.82	0.98	10.78	18.63	18.63	4.90	
.	.	34.55	28.13	5.26	45.83	45.24	43.18	38.46	
Male	9	72	23	18	13	23	25	8	182
.	.	39.56	12.64	9.89	7.14	12.64	13.74	4.40	
.	.	65.45	71.88	94.74	54.17	54.76	56.82	61.54	
Total	.	110	32	19	24	42	44	13	284

Frequency Missing = 15

Statistics for Table of Q2 by Q39

Statistic	DF	Value	Prob
Chi-Square	6	12.3473	0.0547
Likelihood Ratio Chi-Square	6	14.7492	0.0223
Mantel-Haenszel Chi-Square	1	2.4328	0.1188
Phi Coefficient		0.2085	
Contingency Coefficient		0.2041	
Cramer's V		0.2085	

Effective Sample Size = 284

Frequency Missing = 15

Table of RACE by Q39									
RACE	Q39(Q39 How old were you when you had your first drink of alcohol other than a few sips?)								
Frequency Row Pct Col Pct	Never had more than few sips	<=8 years old	9-10 years old	11-12 years old	13-14 years old	15-16 years old	17+ years old	Total	
Black or African American	7 .39.10 .47.27	52 12.03 51.61	16 4.51 33.33	6 9.77 54.17	13 13.53 41.86	18 16.54 50.00	22 4.51 46.15	6	133
White	3 .32.26 .18.18	20 9.68 19.35	6 6.45 22.22	4 6.45 16.67	4 20.97 30.23	13 20.97 29.55	13 3.23 15.38	2	62
Other	2 .58.06 .16.36	18 3.23 3.23	1 9.68 16.67	3 3.23 4.17	1 16.13 11.63	5 9.68 6.82	3 0.00 0.00	0	31
Hispanic	3 .35.09 .18.18	20 14.04 25.81	8 8.77 27.78	5 10.53 25.00	6 12.28 16.28	7 10.53 13.64	6 8.77 38.46	5	57
Total	.110	31	18	24	43	44	13	283	
Frequency Missing = 15									

Statistics for Table of RACE by Q39

Statistic	DF	Value	Prob
Chi-Square	18	18.5416	0.4205
Likelihood Ratio Chi-Square	18	20.0655	0.3291
Mantel-Haenszel Chi-Square	1	0.0833	0.7729
Phi Coefficient		0.2560	
Contingency Coefficient		0.2480	
Cramer's V		0.1478	
WARNING: 39% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 283

Frequency Missing = 15

Q40 During the past 30 days, on how many days did you have at least one drink of alcohol?				
Q40	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	16	.	.	.
0 days	196	67.82	196	67.82
1-2 days	48	16.61	244	84.43
3-5 days	20	6.92	264	91.35
6-9 days	10	3.46	274	94.81
10-19 days	7	2.42	281	97.23
20-29 days	3	1.04	284	98.27
All 30 days	5	1.73	289	100.00

Frequency Missing = 16

Table of Q2 by Q40									
Q2(Q2 What is your sex?)	Q40(Q40 During the past 30 days, on how many days did you have at least one drink of alcohol?)								
Frequency Row Pct Col Pct	0 days	1-2 days	3-5 days	6-9 days	10-19 days	20-29 days	All 30 days	Total	
Female	5 . 66.02 . 34.87	68 19.42 42.55	20 6.80 35.00	7 2.91 30.00	3 4.85 83.33	5 0.00 0.00	0 0.00 0.00	0	103
Male	9 . 69.78 . 65.13	127 14.84 57.45	27 7.14 65.00	13 3.85 70.00	7 0.55 16.67	1 1.65 100.00	3 2.20 100.00	4	182
Total	. 195	47	20	10	6	3	4	285	
Frequency Missing = 14									

Statistics for Table of Q2 by Q40

Statistic	DF	Value	Prob
Chi-Square	6	10.8997	0.0915
Likelihood Ratio Chi-Square	6	13.0817	0.0418
Mantel-Haenszel Chi-Square	1	0.0435	0.8348
Phi Coefficient		0.1956	
Contingency Coefficient		0.1919	
Cramer's V		0.1956	
WARNING: 50% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 285
Frequency Missing = 14

Table of RACE by Q40									
RACE	Q40(Q40 During the past 30 days, on how many days did you have at least one drink of alcohol?)								
Frequency Row Pct Col Pct	0 days	1-2 days	3-5 days	6-9 days	10-19 days	20-29 days	All 30 days	Total	
Black or African American	5 .68.15 .47.67	92 17.78 50.00	24 6.67 47.37	9 3.70 50.00	5 1.48 33.33	2 1.48 66.67	2 0.74 20.00	1	135
White	3 .62.90 .20.21	39 16.13 20.83	10 9.68 31.58	6 6.45 40.00	4 4.84 50.00	3 0.00 0.00	0 0.00 0.00	0	62
Other	3 .86.67 .13.47	26 6.67 4.17	2 6.67 10.53	2 0.00 0.00	0 0.00 0.00	0 0.00 0.00	0 0.00 0.00	0	30
Hispanic	3 .63.16 .18.65	36 21.05 25.00	12 3.51 10.53	2 1.75 10.00	1 1.75 16.67	1 1.75 33.33	4 7.02 80.00	4	57
Total	.193	48	19	10	6	3	5	284	
Frequency Missing = 14									

Statistics for Table of RACE by Q40

Statistic	DF	Value	Prob
Chi-Square	18	25.2061	0.1193
Likelihood Ratio Chi-Square	18	25.5058	0.1116
Mantel-Haenszel Chi-Square	1	0.7762	0.3783
Phi Coefficient		0.2979	
Contingency Coefficient		0.2855	
Cramer's V		0.1720	
WARNING: 68% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 284
Frequency Missing = 14

Q41 During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row?				
Q41	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	17	.	.	.
0 days	217	75.35	217	75.35
1 day	28	9.72	245	85.07
2 days	21	7.29	266	92.36
3-5 days	10	3.47	276	95.83
6-9 days	4	1.39	280	97.22
10-19 days	4	1.39	284	98.61
20+ days	4	1.39	288	100.00

Frequency Missing = 17

Table of Q2 by Q41									
Q2(Q2 What is your sex?)	Q41(Q41 During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row?)								
Frequency Row Pct Col Pct	.	0 days	1 day	2 days	3-5 days	6-9 days	10-19 days	20+ days	Total
Female	6	81	10	5	3	1	2	0	102
.	.	79.41	9.80	4.90	2.94	0.98	1.96	0.00	
.	.	37.67	35.71	23.81	33.33	25.00	50.00	0.00	
Male	9	134	18	16	6	3	2	3	182
.	.	73.63	9.89	8.79	3.30	1.65	1.10	1.65	
.	.	62.33	64.29	76.19	66.67	75.00	50.00	100.00	
Total	.	215	28	21	9	4	4	3	284
Frequency Missing = 15									

Statistics for Table of Q2 by Q41

Statistic	DF	Value	Prob
Chi-Square	6	3.8859	0.6921
Likelihood Ratio Chi-Square	6	4.9598	0.5490
Mantel-Haenszel Chi-Square	1	1.4198	0.2334
Phi Coefficient		0.1170	
Contingency Coefficient		0.1162	
Cramer's V		0.1170	
WARNING: 50% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 284
Frequency Missing = 15

Table of RACE by Q41									
RACE	Q41(Q41 During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row?)								
Frequency Row Pct Col Pct	0 days	1 day	2 days	3-5 days	6-9 days	10-19 days	20+ days	Total	
Black or African American	5 . 77.04 . 48.60	104 10.37 50.00	14 8.15 52.38	11 3.70 55.56	5 0.00 0.00	0 0.74 25.00	1 0.00 0.00	0 0.00 0.00	135
White	5 . 70.00 . 19.63	42 10.00 21.43	6 10.00 28.57	6 3.33 22.22	2 5.00 75.00	3 1.67 25.00	1 0.00 0.00	0 0.00 0.00	60
Other	2 . 87.10 . 12.62	27 9.68 10.71	3 0.00 0.00	0 0.00 0.00	0 0.00 0.00	0 3.23 25.00	1 0.00 0.00	0 0.00 0.00	31
Hispanic	2 . 70.69 . 19.16	41 8.62 17.86	5 6.90 19.05	4 3.45 22.22	2 1.72 25.00	1 1.72 25.00	1 6.90 100.00	4 0.00 0.00	58
Total	. 214	28	21	9	4	4	4	4	284
Frequency Missing = 14									

Statistics for Table of RACE by Q41

Statistic	DF	Value	Prob
Chi-Square	18	29.9160	0.0383
Likelihood Ratio Chi-Square	18	30.2542	0.0350
Mantel-Haenszel Chi-Square	1	4.2134	0.0401
Phi Coefficient		0.3246	
Contingency Coefficient		0.3087	
Cramer's V		0.1874	
WARNING: 71% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 284
Frequency Missing = 14

Q42 During the past 30 days, how did you usually get the alcohol you drank?				
Q42	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	14	.	.	.
Did NOT drink last 30 days	178	61.17	178	61.17
I bought it at store	28	9.62	206	70.79
I bought it at restaurant, bar, club	15	5.15	221	75.95
I bought it at public event(concert or sporting event)	5	1.72	226	77.66
I gave someone money to buy it	16	5.50	242	83.16
Someone gave it to me	33	11.34	275	94.50
I got it some other way	5	1.72	280	96.22
8	11	3.78	291	100.00

Frequency Missing = 14

Table of Q2 by Q42										
Q2(Q2 What is your sex?)	Q42(Q42 During the past 30 days, how did you usually get the alcohol you drank?)									
Frequency Row Pct Col Pct	Did NOT drink last 30 days	I bought it at store	I bought it at restaurant, bar, club	I bought it at public event(concert or sporting event)	I gave someone money to buy it	Someone gave it to me	I got it some other way	8	Total	
Female	5	61	6	3	0	8	18	4	3	103
.	.	59.22	5.83	2.91	0.00	7.77	17.48	3.88	2.91	
.	.	34.66	21.43	21.43	0.00	50.00	54.55	80.00	30.00	
Male	7	115	22	11	5	8	15	1	7	184
.	.	62.50	11.96	5.98	2.72	4.35	8.15	0.54	3.80	
.	.	65.34	78.57	78.57	100.00	50.00	45.45	20.00	70.00	
Total	.	176	28	14	5	16	33	5	10	287

Frequency Missing = 12

Statistics for Table of Q2 by Q42

Statistic	DF	Value	Prob
Chi-Square	7	17.4875	0.0145
Likelihood Ratio Chi-Square	7	19.0216	0.0081
Mantel-Haenszel Chi-Square	1	4.1146	0.0425
Phi Coefficient		0.2468	
Contingency Coefficient		0.2397	

Cramer's V	0.2468
WARNING: 31% of the cells have expected counts less than 5. Chi-Square may not be a valid test.	

Effective Sample Size = 287
Frequency Missing = 12

Table of RACE by Q42										
RACE	Q42(Q42 During the past 30 days, how did you usually get the alcohol you drank?)									
Frequency Row Pct Col Pct	Did NOT drink last 30 days	I bought it at store	I bought it at restaurant, bar, club	I bought it at public event(concert or sporting event)	I gave someone money to buy it	Someone gave it to me	I got it some other way	8	Total	
Black or African American	5 .59.26 .45.98	80 15.11 53.57	15 6.67 60.00	9 1.48 40.00	2 5.93 53.33	8 9.63 39.39	3 2.22 60.00	5 3.70 45.45	135	
White	3 .54.84 .19.54	34 9.68 21.43	6 3.23 13.33	2 1.61 20.00	4 6.45 26.67	12 19.35 36.36	0 0.00 0.00	3 4.84 27.27	62	
Other	2 .83.87 .14.94	26 0.00 0.00	0 0.00 0.00	0 3.23 20.00	1 0.00 0.00	3 9.68 9.09	1 3.23 20.00	0 0.00 0.00	31	
Hispanic	2 .58.62 .19.54	34 12.07 25.00	7 6.90 26.67	4 1.72 20.00	1 5.17 20.00	3 8.62 15.15	5 1.72 20.00	3 5.17 27.27	58	
Total	.174	28	15	5	15	33	5	11	286	
Frequency Missing = 12										

Statistics for Table of RACE by Q42

Statistic	DF	Value	Prob
Chi-Square	21	19.5512	0.5498
Likelihood Ratio Chi-Square	21	27.1064	0.1674
Mantel-Haenszel Chi-Square	1	0.0708	0.7902
Phi Coefficient		0.2615	
Contingency Coefficient		0.2530	
Cramer's V		0.1510	
WARNING: 59% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 286
Frequency Missing = 12

VII. MARIJUANA: QUESTIONS 43-45

Q43 During your life, how many times have you used marijuana?				
Q43	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	17	.	.	.
0 times	148	51.39	148	51.39
1-2 times	29	10.07	177	61.46
3-9 times	26	9.03	203	70.49
10-19 times	11	3.82	214	74.31
20-39 times	22	7.64	236	81.94
40-99 times	15	5.21	251	87.15
100+ times	37	12.85	288	100.00

Frequency Missing = 17

Table of Q2 by Q43									
Q2(Q2 What is your sex?)	Q43(Q43 During your life, how many times have you used marijuana?)								
Frequency Row Pct Col Pct	.	0 times	1-2 times	3-9 times	10-19 times	20-39 times	40-99 times	100+ times	Total
Female	4	56	11	11	2	10	5	9	104
.	.	53.85	10.58	10.58	1.92	9.62	4.81	8.65	
.	.	38.10	37.93	44.00	18.18	45.45	35.71	25.00	
Male	11	91	18	14	9	12	9	27	180
.	.	50.56	10.00	7.78	5.00	6.67	5.00	15.00	
.	.	61.90	62.07	56.00	81.82	54.55	64.29	75.00	
Total	.	147	29	25	11	22	14	36	284
Frequency Missing = 15									

Statistics for Table of Q2 by Q43

Statistic	DF	Value	Prob
Chi-Square	6	5.1963	0.5189
Likelihood Ratio Chi-Square	6	5.4709	0.4850
Mantel-Haenszel Chi-Square	1	1.2282	0.2678
Phi Coefficient		0.1353	
Contingency Coefficient		0.1340	
Cramer's V		0.1353	

Effective Sample Size = 284
Frequency Missing = 15

Table of RACE by Q43									
RACE	Q43(Q43 During your life, how many times have you used marijuana?)								
Frequency Row Pct Col Pct	0 times	1-2 times	3-9 times	10-19 times	20-39 times	40-99 times	100+ times	Total	
Black or African American	5 .43.70 .40.14	18 13.33 64.29	11 8.15 42.31	4 2.96 36.36	12 8.89 54.55	9 6.67 64.29	22 16.30 62.86	135	
White	3 .61.29 .25.85	4 6.45 14.29	6 9.68 23.08	2 3.23 18.18	6 9.68 27.27	1 1.61 7.14	5 8.06 14.29	62	
Other	3 .80.00 .16.33	1 3.33 3.57	2 6.67 7.69	1 3.33 9.09	0 0.00 0.00	1 3.33 7.14	1 3.33 2.86	30	
Hispanic	4 .46.43 .17.69	5 8.93 17.86	7 12.50 26.92	4 7.14 36.36	4 7.14 18.18	3 5.36 21.43	7 12.50 20.00	56	
Total	.147	28	26	11	22	14	35	283	
Frequency Missing = 15									

Statistics for Table of RACE by Q43

Statistic	DF	Value	Prob
Chi-Square	18	24.2010	0.1486
Likelihood Ratio Chi-Square	18	27.2327	0.0747
Mantel-Haenszel Chi-Square	1	3.3362	0.0678
Phi Coefficient		0.2924	
Contingency Coefficient		0.2807	
Cramer's V		0.1688	
WARNING: 43% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 283
Frequency Missing = 15

Q44 How old were you when you tried marijuana for the first time?				
Q44	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13	.	.	.
Never tried marijuana	149	51.03	149	51.03
<=8 years old	21	7.19	170	58.22
9-10 years old	17	5.82	187	64.04
11-12 years old	15	5.14	202	69.18
13-14 years old	42	14.38	244	83.56
15-16 years old	40	13.70	284	97.26
17+ years old	8	2.74	292	100.00

Frequency Missing = 13

Table of Q2 by Q44									
Q2(Q2 What is your sex?)	Q44(Q44 How old were you when you tried marijuana for the first time?)								
Frequency Row Pct Col Pct	.	Never tried marijuana	<=8 years old	9-10 years old	11-12 years old	13-14 years old	15-16 years old	17+ years old	Total
Female	6	53	5	3	1	19	14	7	102
.	.	51.96	4.90	2.94	0.98	18.63	13.73	6.86	
.	.	36.05	23.81	17.65	6.67	47.50	35.00	87.50	
Male	5	94	16	14	14	21	26	1	186
.	.	50.54	8.60	7.53	7.53	11.29	13.98	0.54	
.	.	63.95	76.19	82.35	93.33	52.50	65.00	12.50	
Total	.	147	21	17	15	40	40	8	288
Frequency Missing = 11									

Statistics for Table of Q2 by Q44

Statistic	DF	Value	Prob
Chi-Square	6	21.0744	0.0018
Likelihood Ratio Chi-Square	6	22.7758	0.0009
Mantel-Haenszel Chi-Square	1	1.6917	0.1934
Phi Coefficient		0.2705	
Contingency Coefficient		0.2611	
Cramer's V		0.2705	

Effective Sample Size = 288

Frequency Missing = 11

Table of RACE by Q44									
RACE	Q44(Q44 How old were you when you tried marijuana for the first time?)								
Frequency Row Pct Col Pct		Never tried marijuana	<=8 years old	9-10 years old	11-12 years old	13-14 years old	15-16 years old	17+ years old	Total
Black or African American	3	55	15	9	10	20	22	6	137
	.	40.15	10.95	6.57	7.30	14.60	16.06	4.38	
	.	37.16	71.43	60.00	66.67	50.00	55.00	75.00	
White	4	38	2	3	1	8	7	2	61
	.	62.30	3.28	4.92	1.64	13.11	11.48	3.28	
	.	25.68	9.52	20.00	6.67	20.00	17.50	25.00	
Other	2	24	1	0	1	3	2	0	31
	.	77.42	3.23	0.00	3.23	9.68	6.45	0.00	
	.	16.22	4.76	0.00	6.67	7.50	5.00	0.00	
Hispanic	2	31	3	3	3	9	9	0	58
	.	53.45	5.17	5.17	5.17	15.52	15.52	0.00	
	.	20.95	14.29	20.00	20.00	22.50	22.50	0.00	
Total	.	148	21	15	15	40	40	8	287
Frequency Missing = 11									

Statistics for Table of RACE by Q44

Statistic	DF	Value	Prob
Chi-Square	18	25.1748	0.1202
Likelihood Ratio Chi-Square	18	29.7898	0.0395
Mantel-Haenszel Chi-Square	1	5.1631	0.0231
Phi Coefficient		0.2962	
Contingency Coefficient		0.2840	
Cramer's V		0.1710	
WARNING: 54% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 287
Frequency Missing = 11

Q45 During the past 30 days, how many times did you use marijuana?				
Q45	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	14	.	.	.
0 times	189	64.95	189	64.95
1-2 times	34	11.68	223	76.63
3-9 times	23	7.90	246	84.54
10-19 times	19	6.53	265	91.07
20-39 times	11	3.78	276	94.85
40+ times	15	5.15	291	100.00

Frequency Missing = 14

Table of Q2 by Q45								
Q2(Q2 What is your sex?)	Q45(Q45 During the past 30 days, how many times did you use marijuana?)							
Frequency Row Pct Col Pct		0 times	1-2 times	3-9 times	10-19 times	20-39 times	40+ times	Total
Female	6	77	10	9	2	1	3	102
.	.	75.49	9.80	8.82	1.96	0.98	2.94	
.	.	41.18	29.41	39.13	11.76	9.09	20.00	
Male	6	110	24	14	15	10	12	185
.	.	59.46	12.97	7.57	8.11	5.41	6.49	
.	.	58.82	70.59	60.87	88.24	90.91	80.00	
Total	.	187	34	23	17	11	15	287
Frequency Missing = 12								

Statistics for Table of Q2 by Q45

Statistic	DF	Value	Prob
Chi-Square	5	12.4148	0.0295
Likelihood Ratio Chi-Square	5	14.1212	0.0149
Mantel-Haenszel Chi-Square	1	9.1315	0.0025
Phi Coefficient		0.2080	
Contingency Coefficient		0.2036	
Cramer's V		0.2080	

Effective Sample Size = 287

Frequency Missing = 12

Table of RACE by Q45								
RACE	Q45(Q45 During the past 30 days, how many times did you use marijuana?)							
Frequency Row Pct Col Pct	0 times	1-2 times	3-9 times	10-19 times	20-39 times	40+ times	Total	
Black or African American	4 . 55.88 . 40.43	76 19 13.97 57.58	15 11.03 68.18	10 7.35 55.56	5 3.68 50.00	11 8.09 73.33	136	
White	4 . 73.77 . 23.94	45 5 8.20 15.15	5 8.20 22.73	3 4.92 16.67	2 3.28 20.00	1 1.64 6.67	61	
Other	2 . 87.10 . 14.36	27 3 9.68 9.09	0 0.00 0.00	1 3.23 5.56	0 0.00 0.00	0 0.00 0.00	31	
Hispanic	2 . 68.97 . 21.28	40 6 10.34 18.18	2 3.45 9.09	4 6.90 22.22	3 5.17 30.00	3 5.17 20.00	58	
Total	. 188	33	22	18	10	15	286	
Frequency Missing = 12								

Statistics for Table of RACE by Q45

Statistic	DF	Value	Prob
Chi-Square	15	19.7643	0.1812
Likelihood Ratio Chi-Square	15	25.1945	0.0474
Mantel-Haenszel Chi-Square	1	5.8150	0.0159
Phi Coefficient		0.2629	
Contingency Coefficient		0.2542	
Cramer's V		0.1518	
WARNING: 58% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

*Effective Sample Size = 286
Frequency Missing = 12*

VIII. OTHER DRUG USE: QUESTIONS 46-51

Q46 During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?				
Q46	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	21	.	.	.
0 times	242	85.21	242	85.21
1-2 times	20	7.04	262	92.25
3-9 times	7	2.46	269	94.72
10-19 times	7	2.46	276	97.18
40+ times	8	2.82	284	100.00

Frequency Missing = 21

Table of Q2 by Q46							
Q2(Q2 What is your sex?)	Q46(Q46 During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?)						
Frequency Row Pct Col Pct	.	0 times	1-2 times	3-9 times	10-19 times	40+ times	Total
Female	7	94	4	1	2	0	101
	.	93.07	3.96	0.99	1.98	0.00	
	.	39.17	22.22	14.29	28.57	0.00	
Male	12	146	14	6	5	8	179
	.	81.56	7.82	3.35	2.79	4.47	
	.	60.83	77.78	85.71	71.43	100.00	
Total	.	240	18	7	7	8	280
Frequency Missing = 19							

Statistics for Table of Q2 by Q46

Statistic	DF	Value	Prob
Chi-Square	4	8.6197	0.0713
Likelihood Ratio Chi-Square	4	11.6028	0.0206
Mantel-Haenszel Chi-Square	1	7.2131	0.0072
Phi Coefficient		0.1755	
Contingency Coefficient		0.1728	
Cramer's V		0.1755	
WARNING: 50% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 280

Frequency Missing = 19

Table of RACE by Q46							
RACE	Q46(Q46 During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?)						
	Frequency	0	1-2	3-9	10-19	40+	Total
Row Pct	.	times	times	times	times	times	
Col Pct	.						
Black or African American	8	115	11	2	3	1	132
	.	87.12	8.33	1.52	2.27	0.76	
	.	48.32	55.00	33.33	42.86	12.50	
White	4	51	5	2	1	2	61
	.	83.61	8.20	3.28	1.64	3.28	
	.	21.43	25.00	33.33	14.29	25.00	
Other	2	29	1	0	1	0	31
	.	93.55	3.23	0.00	3.23	0.00	
	.	12.18	5.00	0.00	14.29	0.00	
Hispanic	5	43	3	2	2	5	55
	.	78.18	5.45	3.64	3.64	9.09	
	.	18.07	15.00	33.33	28.57	62.50	
Total	.	238	20	6	7	8	279
Frequency Missing = 19							

Statistics for Table of RACE by Q46

Statistic	DF	Value	Prob
Chi-Square	12	14.6820	0.2593
Likelihood Ratio Chi-Square	12	14.4067	0.2755
Mantel-Haenszel Chi-Square	1	5.5159	0.0188
Phi Coefficient		0.2294	
Contingency Coefficient		0.2236	
Cramer's V		0.1324	
WARNING: 75% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 279

Frequency Missing = 19

Q47 During your life, how many times have you sniffed glue, aerosol spray cans, paints or sprays to get high?				
Q47	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	16	.	.	.
0 times	234	80.97	234	80.97
1-2 times	27	9.34	261	90.31
3-9 times	12	4.15	273	94.46
10-19 times	10	3.46	283	97.92
20-39 times	3	1.04	286	98.96
40+ times	3	1.04	289	100.00

Frequency Missing = 16

Table of Q2 by Q47								
Q2(Q2 What is your sex?)	Q47(Q47 During your life, how many times have you sniffed glue, aerosol spray cans, paints or sprays to get high?)							
Frequency		0 times	1-2 times	3-9 times	10-19 times	20-39 times	40+ times	Total
Row Pct	.							
Col Pct	.							
Female	7	93	3	2	1	1	1	101
.	.	92.08	2.97	1.98	0.99	0.99	0.99	
.	.	39.91	11.54	18.18	10.00	33.33	33.33	
Male	6	140	23	9	9	2	2	185
.	.	75.68	12.43	4.86	4.86	1.08	1.08	
.	.	60.09	88.46	81.82	90.00	66.67	66.67	
Total	.	233	26	11	10	3	3	286
Frequency Missing = 13								

Statistics for Table of Q2 by Q47

Statistic	DF	Value	Prob
Chi-Square	5	12.8212	0.0251
Likelihood Ratio Chi-Square	5	14.8133	0.0112
Mantel-Haenszel Chi-Square	1	5.8337	0.0157
Phi Coefficient		0.2117	
Contingency Coefficient		0.2071	
Cramer's V		0.2117	
WARNING: 50% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 286

Frequency Missing = 13

Table of RACE by Q47								
RACE	Q47(Q47 During your life, how many times have you sniffed glue, aerosol spray cans, paints or sprays to get high?)							
Frequency Row Pct Col Pct	0 times	1-2 times	3-9 times	10-19 times	20-39 times	40+ times	Total	
Black or African American	5 .80.74 .47.19	109 9.63 48.15	13 5.19 63.64	7 3.70 55.56	5 0.00 0.00	0 0.74 33.33	1 0.00 33.33	135
White	4 .83.61 .22.08	51 6.56 14.81	4 4.92 27.27	3 3.28 22.22	2 1.64 33.33	1 0.00 0.00	0 0.00 0.00	61
Other	2 .83.87 .11.26	26 6.45 7.41	2 3.23 9.09	1 3.23 11.11	1 3.23 33.33	1 0.00 0.00	0 0.00 0.00	31
Hispanic	3 .78.95 .19.48	45 14.04 29.63	8 0.00 0.00	0 1.75 11.11	1 1.75 33.33	1 3.51 66.67	2 0.00 66.67	57
Total	.231	27	11	9	3	3	284	
Frequency Missing = 14								

Statistics for Table of RACE by Q47

Statistic	DF	Value	Prob
Chi-Square	15	13.3116	0.5782
Likelihood Ratio Chi-Square	15	16.0696	0.3774
Mantel-Haenszel Chi-Square	1	0.2435	0.6217
Phi Coefficient		0.2165	
Contingency Coefficient		0.2116	
Cramer's V		0.1250	
WARNING: 67% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 284

Frequency Missing = 14

Q48 During your life, how many times have you taken steroid pills or shots without a doctor's prescription?				
Q48	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	17	.	.	.
0 times	242	84.03	242	84.03
1-2 times	20	6.94	262	90.97
3-9 times	14	4.86	276	95.83
10-19 times	7	2.43	283	98.26
20-39 times	2	0.69	285	98.96
40+ times	3	1.04	288	100.00

Frequency Missing = 17

Table of Q2 by Q48								
Q2(Q2 What is your sex?)	Q48(Q48 During your life, how many times have you taken steroid pills or shots without a doctor's prescription?)							
Frequency		0	1-2	3-9	10-19	20-39	40+	
Row Pct		times	times	times	times	times	times	
Col Pct		.	times	times	times	times	times	Total
Female	7	93	4	1	2	0	1	101
.	.	92.08	3.96	0.99	1.98	0.00	0.99	
.	.	38.75	20.00	7.14	28.57	0.00	33.33	
Male	6	147	16	13	5	2	2	185
.	.	79.46	8.65	7.03	2.70	1.08	1.08	
.	.	61.25	80.00	92.86	71.43	100.00	66.67	
Total	.	240	20	14	7	2	3	286
Frequency Missing = 13								

Statistics for Table of Q2 by Q48

Statistic	DF	Value	Prob
Chi-Square	5	9.3938	0.0944
Likelihood Ratio Chi-Square	5	11.5694	0.0412
Mantel-Haenszel Chi-Square	1	4.8364	0.0279
Phi Coefficient		0.1812	
Contingency Coefficient		0.1783	
Cramer's V		0.1812	
WARNING: 58% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 286
Frequency Missing = 13

Table of RACE by Q48								
RACE	Q48(Q48 During your life, how many times have you taken steroid pills or shots without a doctor's prescription?)							
Frequency Row Pct Col Pct	0 times	1-2 times	3-9 times	10-19 times	20-39 times	40+ times	Total	
Black or African American	5 .80.74 .45.61	12 8.89 63.16	8 5.93 57.14	4 2.96 57.14	1 0.74 50.00	1 0.74 33.33	135	
White	4 .85.25 .21.76	3 4.92 15.79	4 6.56 28.57	1 1.64 14.29	0 0.00 0.00	1 1.64 33.33	61	
Other	2 .93.55 .12.13	1 3.23 5.26	0 0.00 0.00	0 0.00 0.00	1 3.23 50.00	0 0.00 0.00	31	
Hispanic	3 .85.96 .20.50	3 5.26 15.79	2 3.51 14.29	2 3.51 28.57	0 0.00 0.00	1 1.75 33.33	57	
Total	.239	19	14	7	2	3	284	
Frequency Missing = 14								

Statistics for Table of RACE by Q48

Statistic	DF	Value	Prob
Chi-Square	15	10.7628	0.7692
Likelihood Ratio Chi-Square	15	12.8754	0.6119
Mantel-Haenszel Chi-Square	1	0.5062	0.4768
Phi Coefficient		0.1947	
Contingency Coefficient		0.1911	
Cramer's V		0.1124	
WARNING: 75% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 284
Frequency Missing = 14

Q49 During your life, how many times have you taken a prescription drug without a doctor's prescription?				
Q49	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	19	.	.	.
0 times	216	75.52	216	75.52
1-2 times	27	9.44	243	84.97
3-9 times	20	6.99	263	91.96
10-19 times	10	3.50	273	95.45
20-39 times	6	2.10	279	97.55
40+ times	7	2.45	286	100.00

Frequency Missing = 19

Table of Q2 by Q49								
Q2(Q2 What is your sex?)	Q49(Q49 During your life, how many times have you taken a prescription drug without a doctor's prescription?)							
Frequency Row Pct Col Pct		0 times	1-2 times	3-9 times	10-19 times	20-39 times	40+ times	Total
Female	7	83	10	3	3	1	1	101
.	.	82.18	9.90	2.97	2.97	0.99	0.99	
.	.	38.60	40.00	15.00	30.00	16.67	14.29	
Male	9	132	15	17	7	5	6	182
.	.	72.53	8.24	9.34	3.85	2.75	3.30	
.	.	61.40	60.00	85.00	70.00	83.33	85.71	
Total	.	215	25	20	10	6	7	283
Frequency Missing = 16								

Statistics for Table of Q2 by Q49

Statistic	DF	Value	Prob
Chi-Square	5	7.2127	0.2053
Likelihood Ratio Chi-Square	5	8.0985	0.1509
Mantel-Haenszel Chi-Square	1	4.9910	0.0255
Phi Coefficient		0.1596	
Contingency Coefficient		0.1576	
Cramer's V		0.1596	
WARNING: 42% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 283

Frequency Missing = 16

Table of RACE by Q49								
RACE	Q49(Q49 During your life, how many times have you taken a prescription drug without a doctor's prescription?)							
Frequency Row Pct Col Pct	0 times	1-2 times	3-9 times	10-19 times	20-39 times	40+ times	Total	
Black or African American	7 .72.93 .45.75	15 11.28 57.69	9 6.77 45.00	7 5.26 70.00	3 2.26 50.00	2 1.50 28.57	133	
White	4 .72.13 .20.75	8 13.11 30.77	5 8.20 25.00	2 3.28 20.00	0 0.00 0.00	2 3.28 28.57	61	
Other	3 .86.67 .12.26	1 3.33 3.85	2 6.67 10.00	1 3.33 10.00	0 0.00 0.00	0 0.00 0.00	30	
Hispanic	3 .78.95 .21.23	2 3.51 7.69	4 7.02 20.00	0 0.00 0.00	3 5.26 50.00	3 5.26 42.86	57	
Total	.212	.26	.20	.10	.06	.07	281	
Frequency Missing = 17								

Statistics for Table of RACE by Q49

Statistic	DF	Value	Prob
Chi-Square	15	16.5411	0.3470
Likelihood Ratio Chi-Square	15	20.8290	0.1424
Mantel-Haenszel Chi-Square	1	0.0073	0.9320
Phi Coefficient		0.2426	
Contingency Coefficient		0.2358	
Cramer's V		0.1401	
WARNING: 67% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 281

Frequency Missing = 17

Q50 During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?				
Q50	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	27	.	.	.
Yes	92	33.09	92	33.09
No	186	66.91	278	100.00

Frequency Missing = 27

Table of Q2 by Q50				
Q2(Q2 What is your sex?)	Q50(Q50 During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?)			
	Frequency Row Pct Col Pct	.	Yes	No
Female	8	24	76	100
	.	24.00	76.00	
	.	26.37	41.30	
Male	16	67	108	175
	.	38.29	61.71	
	.	73.63	58.70	
Total	.	91	184	275
Frequency Missing = 24				

Statistics for Table of Q2 by Q50

Statistic	DF	Value	Prob
Chi-Square	1	5.8656	0.0154
Likelihood Ratio Chi-Square	1	6.0294	0.0141
Continuity Adj. Chi-Square	1	5.2382	0.0221
Mantel-Haenszel Chi-Square	1	5.8443	0.0156
Phi Coefficient		-0.1460	
Contingency Coefficient		0.1445	
Cramer's V		-0.1460	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	24
Left-sided Pr <= F	0.0104
Right-sided Pr >= F	0.9952
Table Probability (P)	0.0055
Two-sided Pr <= P	0.0167

Effective Sample Size = 275

Frequency Missing = 24

Table of RACE by Q50				
RACE	Q50(Q50 During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?)			
Frequency Row Pct Col Pct	.	Yes	No	Total
Black or African American	12 .32.03 .45.56	41 67.97 47.03	87 21.08	128
White	5 .35.00 .23.33	21 65.00 21.08	39 21.08	60
Other	2 .29.03 .10.00	9 70.97 11.89	22 11.89	31
Hispanic	4 .33.93 .21.11	19 66.07 20.00	37 20.00	56
Total	.	90	185	275
Frequency Missing = 23				

Statistics for Table of RACE by Q50

Statistic	DF	Value	Prob
Chi-Square	3	0.3979	0.9407
Likelihood Ratio Chi-Square	3	0.4002	0.9402
Mantel-Haenszel Chi-Square	1	0.0247	0.8752
Phi Coefficient		0.0380	
Contingency Coefficient		0.0380	
Cramer's V		0.0380	

Effective Sample Size = 275

Frequency Missing = 23

Q51 Have you gotten into trouble with your family or friends, missed school, or gotten into fights, while using alcohol or drugs?				
Q51	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	44	.	.	.
Yes	53	20.31	53	20.31
No	208	79.69	261	100.00

Frequency Missing = 44

Table of Q2 by Q51				
Q2(Q2 What is your sex?)	Q51(Q51 Have you gotten into trouble with your family or friends, missed school, or gotten into fights, while using alcohol or drugs?)			
	Frequency	Yes	No	Total
Female	9	16	83	99
	.	16.16	83.84	
	.	30.77	40.29	
Male	32	36	123	159
	.	22.64	77.36	
	.	69.23	59.71	
Total	.	52	206	258
Frequency Missing = 41				

Statistics for Table of Q2 by Q51

Statistic	DF	Value	Prob
Chi-Square	1	1.5919	0.2071
Likelihood Ratio Chi-Square	1	1.6286	0.2019
Continuity Adj. Chi-Square	1	1.2147	0.2704
Mantel-Haenszel Chi-Square	1	1.5857	0.2079
Phi Coefficient		-0.0786	
Contingency Coefficient		0.0783	
Cramer's V		-0.0786	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	16
Left-sided Pr <= F	0.1348
Right-sided Pr >= F	0.9238
Table Probability (P)	0.0585
Two-sided Pr <= P	0.2640

Effective Sample Size = 258
Frequency Missing = 41

WARNING: 14% of the data are missing.

Table of RACE by Q51				
RACE	Q51(Q51 Have you gotten into trouble with your family or friends, missed school, or gotten into fights, while using alcohol or drugs?)			
Frequency Row Pct Col Pct	.	Yes	No	Total
Black or African American	21 . 20.17 . 46.15	24 79.83	95 46.34	119
White	7 . 24.14 . 26.92	14 75.86	44 21.46	58
Other	5 . 10.71 . 5.77	3 89.29	25 12.20	28
Hispanic	8 . 21.15 . 21.15	11 78.85	41 20.00	52
Total	.	52	205	257
Frequency Missing = 41				

Statistics for Table of RACE by Q51

Statistic	DF	Value	Prob
Chi-Square	3	2.1475	0.5424
Likelihood Ratio Chi-Square	3	2.3736	0.4986
Mantel-Haenszel Chi-Square	1	0.0223	0.8814
Phi Coefficient		0.0914	
Contingency Coefficient		0.0910	
Cramer's V		0.0914	

Effective Sample Size = 257
Frequency Missing = 41

IX. SEXUAL BEHAVIOR: QUESTIONS 52-61

Q52 Have you ever had sexual intercourse?				
Q52	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	43	.	.	.
Yes	134	51.15	134	51.15
No	128	48.85	262	100.00

Frequency Missing = 43

Table of Q2 by Q52				
Q2(Q2 What is your sex?)	Q52(Q52 Have you ever had sexual intercourse?)			
Frequency Row Pct Col Pct	.	Yes	No	Total
Female	13 .46.32 .33.33	44 53.68	51 40.16	95
Male	27 .53.66 .66.67	88 46.34	76 59.84	164
Total	.	132	127	259
Frequency Missing = 40				

Statistics for Table of Q2 by Q52

Statistic	DF	Value	Prob
Chi-Square	1	1.2978	0.2546
Likelihood Ratio Chi-Square	1	1.2986	0.2545
Continuity Adj. Chi-Square	1	1.0206	0.3124
Mantel-Haenszel Chi-Square	1	1.2928	0.2555
Phi Coefficient		-0.0708	
Contingency Coefficient		0.0706	
Cramer's V		-0.0708	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	44
Left-sided Pr <= F	0.1562
Right-sided Pr >= F	0.8977
Table Probability (P)	0.0539
Two-sided Pr <= P	0.3023

Effective Sample Size = 259
Frequency Missing = 40

WARNING: 13% of the data are missing.

Table of RACE by Q52				
RACE	Q52(Q52 Have you ever had sexual intercourse?)			
	.	Yes	No	Total
Black or African American	23 . 67.52 . 60.77	79 32.48 29.69	38	117
White	7 . 36.21 . 16.15	21 63.79 28.91	37	58
Other	4 . 31.03 . 6.92	9 68.97 15.63	20	29
Hispanic	6 . 38.89 . 16.15	21 61.11 25.78	33	54
Total	.	130	128	258
Frequency Missing = 40				

Statistics for Table of RACE by Q52

Statistic	DF	Value	Prob
Chi-Square	3	25.6064	<.0001
Likelihood Ratio Chi-Square	3	26.1009	<.0001
Mantel-Haenszel Chi-Square	1	19.8986	<.0001
Phi Coefficient		0.3150	
Contingency Coefficient		0.3005	
Cramer's V		0.3150	

Effective Sample Size = 258
Frequency Missing = 40

WARNING: 13% of the data are missing.

Q53 How old were you when you had sexual intercourse for the first time?				
Q53	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	17	.	.	.
I have never had intercourse	135	46.88	135	46.88
<=11 years old	29	10.07	164	56.94
12 years old	13	4.51	177	61.46
13 years old	28	9.72	205	71.18
14 years old	31	10.76	236	81.94
15 years old	27	9.38	263	91.32
16 years old	16	5.56	279	96.88
17 years old	9	3.13	288	100.00

Frequency Missing = 17

Table of Q2 by Q53										
Q2(Q2 What is your sex?)	Q53(Q53 How old were you when you had sexual intercourse for the first time?)									
Frequency Row Pct Col Pct	.	I have never had intercourse	<=11 years old	12 years old	13 years old	14 years old	15 years old	16 years old	17 years old	Total
Female	7	55	5	4	4	9	14	7	3	101
.	.	54.46	4.95	3.96	3.96	8.91	13.86	6.93	2.97	
.	.	41.04	17.24	30.77	14.81	29.03	51.85	43.75	37.50	
Male	7	79	24	9	23	22	13	9	5	184
.	.	42.93	13.04	4.89	12.50	11.96	7.07	4.89	2.72	
.	.	58.96	82.76	69.23	85.19	70.97	48.15	56.25	62.50	
Total	.	134	29	13	27	31	27	16	8	285

Frequency Missing = 14

Statistics for Table of Q2 by Q53

Statistic	DF	Value	Prob
Chi-Square	7	15.4143	0.0310
Likelihood Ratio Chi-Square	7	16.5046	0.0209
Mantel-Haenszel Chi-Square	1	0.0001	0.9933
Phi Coefficient		0.2326	
Contingency Coefficient		0.2265	
Cramer's V		0.2326	

Effective Sample Size = 285

Frequency Missing = 14

Table of RACE by Q53										
RACE	Q53(Q53 How old were you when you had sexual intercourse for the first time?)									
Frequency Row Pct Col Pct		I have never had intercourse	<=11 years old	12 years old	13 years old	14 years old	15 years old	16 years old	17 years old	Total
Black or African American	6	43	20	9	18	17	16	7	4	134
	.	32.09	14.93	6.72	13.43	12.69	11.94	5.22	2.99	
	.	32.33	68.97	69.23	66.67	56.67	59.26	43.75	50.00	
White	4	38	6	0	3	3	6	2	3	61
	.	62.30	9.84	0.00	4.92	4.92	9.84	3.28	4.92	
	.	28.57	20.69	0.00	11.11	10.00	22.22	12.50	37.50	
Other	2	20	1	2	2	2	2	1	1	31
	.	64.52	3.23	6.45	6.45	6.45	6.45	3.23	3.23	
	.	15.04	3.45	15.38	7.41	6.67	7.41	6.25	12.50	
Hispanic	3	32	2	2	4	8	3	6	0	57
	.	56.14	3.51	3.51	7.02	14.04	5.26	10.53	0.00	
	.	24.06	6.90	15.38	14.81	26.67	11.11	37.50	0.00	
Total	.	133	29	13	27	30	27	16	8	283
Frequency Missing = 15										

Statistics for Table of RACE by Q53

Statistic	DF	Value	Prob
Chi-Square	21	39.6985	0.0081
Likelihood Ratio Chi-Square	21	45.5330	0.0015
Mantel-Haenszel Chi-Square	1	5.3043	0.0213
Phi Coefficient		0.3745	
Contingency Coefficient		0.3507	
Cramer's V		0.2162	
WARNING: 44% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 283
Frequency Missing = 15

Q54 During your life, with how many people have you had sexual intercourse?				
Q54	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	18	.	.	.
I have never had intercourse	126	43.90	126	43.90
1 person	53	18.47	179	62.37
2 people	33	11.50	212	73.87
3 people	23	8.01	235	81.88
4 people	12	4.18	247	86.06
5 people	14	4.88	261	90.94
6+ people	26	9.06	287	100.00

Frequency Missing = 18

Table of Q2 by Q54									
Q2(Q2 What is your sex?)	Q54(Q54 During your life, with how many people have you had sexual intercourse?)								
Frequency Row Pct Col Pct	.	I have never had intercourse	1 person	2 people	3 people	4 people	5 people	6+ people	Total
Female	7	56	12	12	8	2	6	5	101
.	.	55.45	11.88	11.88	7.92	1.98	5.94	4.95	
.	.	44.80	22.64	36.36	36.36	16.67	46.15	19.23	
Male	8	69	41	21	14	10	7	21	183
.	.	37.70	22.40	11.48	7.65	5.46	3.83	11.48	
.	.	55.20	77.36	63.64	63.64	83.33	53.85	80.77	
Total	.	125	53	33	22	12	13	26	284
Frequency Missing = 15									

Statistics for Table of Q2 by Q54

Statistic	DF	Value	Prob
Chi-Square	6	14.0636	0.0289
Likelihood Ratio Chi-Square	6	14.7405	0.0224
Mantel-Haenszel Chi-Square	1	4.3844	0.0363
Phi Coefficient		0.2225	
Contingency Coefficient		0.2172	
Cramer's V		0.2225	

Effective Sample Size = 284
Frequency Missing = 15

Table of RACE by Q54									
RACE	Q54(Q54 During your life, with how many people have you had sexual intercourse?)								
Frequency Row Pct Col Pct		I have never had intercourse	1 person	2 people	3 people	4 people	5 people	6+ people	Total
Black or African American	7 . .	41 30.83 32.80	26 19.55 50.00	21 15.79 63.64	15 11.28 68.18	9 6.77 75.00	7 5.26 53.85	14 10.53 56.00	133
White	4 . .	38 62.30 30.40	10 16.39 19.23	1 1.64 3.03	3 4.92 13.64	3 4.92 25.00	1 1.64 7.69	5 8.20 20.00	61
Other	2 . .	17 54.84 13.60	5 16.13 9.62	2 6.45 6.06	2 6.45 9.09	0 0.00 0.00	1 3.23 7.69	4 12.90 16.00	31
Hispanic	3 . .	29 50.88 23.20	11 19.30 21.15	9 15.79 27.27	2 3.51 9.09	0 0.00 0.00	4 7.02 30.77	2 3.51 8.00	57
Total	.	125	52	33	22	12	13	25	282
Frequency Missing = 16									

Statistics for Table of RACE by Q54

Statistic	DF	Value	Prob
Chi-Square	18	35.2015	0.0089
Likelihood Ratio Chi-Square	18	42.6270	0.0009
Mantel-Haenszel Chi-Square	1	9.6312	0.0019
Phi Coefficient		0.3533	
Contingency Coefficient		0.3331	
Cramer's V		0.2040	
WARNING: 39% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 282
Frequency Missing = 16

Q55 During the past 3 months, with how many people did you have sexual intercourse?				
Q55	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	17	.	.	.
I have never had intercourse	139	48.26	139	48.26
I have not had intercourse in the past 3 months	53	18.40	192	66.67
1 person	56	19.44	248	86.11
2 people	20	6.94	268	93.06
3 people	7	2.43	275	95.49
4 people	4	1.39	279	96.88
5 people	1	0.35	280	97.22
6+ people	8	2.78	288	100.00

Frequency Missing = 17

Table of Q2 by Q55										
Q2(Q2 What is your sex?)	Q55(Q55 During the past 3 months, with how many people did you have sexual intercourse?)									
Frequency Row Pct Col Pct		I have never had intercourse	I have not had intercourse in the past 3 months	1 person	2 people	3 people	4 people	5 people	6+ people	Total
Female	7	58	15	21	7	0	0	0	0	101
.	.	57.43	14.85	20.79	6.93	0.00	0.00	0.00	0.00	
.	.	42.34	28.85	38.18	35.00	0.00	0.00	0.00	0.00	
Male	8	79	37	34	13	7	4	1	8	183
.	.	43.17	20.22	18.58	7.10	3.83	2.19	0.55	4.37	
.	.	57.66	71.15	61.82	65.00	100.00	100.00	100.00	100.00	
Total	.	137	52	55	20	7	4	1	8	284
Frequency Missing = 15										

Statistics for Table of Q2 by Q55

Statistic	DF	Value	Prob
Chi-Square	7	14.9715	0.0364
Likelihood Ratio Chi-Square	7	21.4785	0.0031
Mantel-Haenszel Chi-Square	1	9.9192	0.0016
Phi Coefficient		0.2296	
Contingency Coefficient		0.2238	

Cramer's V	0.2296
WARNING: 44% of the cells have expected counts less than 5. Chi-Square may not be a valid test.	

Effective Sample Size = 284
Frequency Missing = 15

Table of RACE by Q55										
RACE	Q55(Q55 During the past 3 months, with how many people did you have sexual intercourse?)									
Frequency Row Pct Col Pct	I have never had intercourse	I have not had intercourse in the past 3 months	1 person	2 people	3 people	4 people	5 people	6+ people	Total	
Black or African American	6 . . 35.51	49 36.57 63.46	33 24.63 63.46	29 21.64 52.73	14 10.45 70.00	5 3.73 83.33	2 1.49 50.00	0 0.00 0.00	2 1.49 28.57	134
White	4 . . 26.81	37 60.66 26.81	7 11.48 13.46	10 16.39 18.18	3 4.92 15.00	0 0.00 0.00	1 1.64 25.00	0 0.00 0.00	3 4.92 42.86	61
Other	2 . . 14.49	20 64.52 14.49	5 16.13 9.62	3 9.68 5.45	2 6.45 10.00	0 0.00 0.00	0 0.00 0.00	0 0.00 0.00	1 3.23 14.29	31
Hispanic	3 . . 23.19	32 56.14 23.19	7 12.28 13.46	13 22.81 23.64	1 1.75 5.00	1 1.75 16.67	1 1.75 25.00	1 1.75 100.00	1 1.75 14.29	57
Total	. . .	138	52	55	20	6	4	1	7	283
Frequency Missing = 15										

Statistics for Table of RACE by Q55

Statistic	DF	Value	Prob
Chi-Square	21	31.3658	0.0678
Likelihood Ratio Chi-Square	21	33.7551	0.0385
Mantel-Haenszel Chi-Square	1	3.1827	0.0744
Phi Coefficient		0.3329	
Contingency Coefficient		0.3159	
Cramer's V		0.1922	
WARNING: 59% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 283
Frequency Missing = 15

Q56 Did you drink alcohol or use drugs before you had sexual intercourse the last time?				
Q56	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	29	.	.	.
I have never had intercourse	119	43.12	119	43.12
Yes	51	18.48	170	61.59
No	106	38.41	276	100.00

Frequency Missing = 29

Table of Q2 by Q56					
Q2(Q2 What is your sex?)	Q56(Q56 Did you drink alcohol or use drugs before you had sexual intercourse the last time?)				
Frequency Row Pct Col Pct	.	I have never had intercourse	Yes	No	Total
Female	10	50	16	32	98
.	.	51.02	16.33	32.65	
.	.	42.02	32.00	30.48	
Male	15	69	34	73	176
.	.	39.20	19.32	41.48	
.	.	57.98	68.00	69.52	
Total	.	119	50	105	274
Frequency Missing = 25					

Statistics for Table of Q2 by Q56

Statistic	DF	Value	Prob
Chi-Square	2	3.6114	0.1644
Likelihood Ratio Chi-Square	2	3.6034	0.1650
Mantel-Haenszel Chi-Square	1	3.2788	0.0702
Phi Coefficient		0.1148	
Contingency Coefficient		0.1141	
Cramer's V		0.1148	

Effective Sample Size = 274

Frequency Missing = 25

Table of RACE by Q56					
RACE	Q56(Q56 Did you drink alcohol or use drugs before you had sexual intercourse the last time?)				
	Frequency Row Pct Col Pct	I have never had intercourse	Yes	No	Total
Black or African American	11 . .	36 27.91 30.77	31 24.03 62.00	62 48.06 59.05	129
White	6 . .	37 62.71 31.62	9 15.25 18.00	13 22.03 12.38	59
Other	5 . .	17 60.71 14.53	3 10.71 6.00	8 28.57 7.62	28
Hispanic	4 . .	27 48.21 23.08	7 12.50 14.00	22 39.29 20.95	56
Total	.	117	50	105	272
Frequency Missing = 26					

Statistics for Table of RACE by Q56

Statistic	DF	Value	Prob
Chi-Square	6	26.9833	0.0001
Likelihood Ratio Chi-Square	6	27.7975	0.0001
Mantel-Haenszel Chi-Square	1	9.9135	0.0016
Phi Coefficient		0.3150	
Contingency Coefficient		0.3004	
Cramer's V		0.2227	

Effective Sample Size = 272

Frequency Missing = 26

Q57 The last time you had sexual intercourse, did you or your partner use a condom?				
Q57	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	31	.	.	.
I have never had intercourse	121	44.16	121	44.16
Yes	97	35.40	218	79.56
No	56	20.44	274	100.00

Frequency Missing = 31

Table of Q2 by Q57					
Q2(Q2 What is your sex?)	Q57(Q57 The last time you had sexual intercourse, did you or your partner use a condom?)				
Frequency Row Pct Col Pct	.	I have never had intercourse	Yes	No	Total
Female	10	54	26	18	98
.	.	55.10	26.53	18.37	
.	.	45.00	27.37	32.14	
Male	18	66	69	38	173
.	.	38.15	39.88	21.97	
.	.	55.00	72.63	67.86	
Total	.	120	95	56	271
Frequency Missing = 28					

Statistics for Table of Q2 by Q57

Statistic	DF	Value	Prob
Chi-Square	2	7.6343	0.0220
Likelihood Ratio Chi-Square	2	7.6642	0.0217
Mantel-Haenszel Chi-Square	1	4.4336	0.0352
Phi Coefficient		0.1678	
Contingency Coefficient		0.1655	
Cramer's V		0.1678	

Effective Sample Size = 271

Frequency Missing = 28

Table of RACE by Q57					
RACE	Q57(Q57 The last time you had sexual intercourse, did you or your partner use a condom?)				
Frequency Row Pct Col Pct	.	I have never had intercourse	Yes	No	Total
Black or African American	13 . .	38 29.92 31.67	64 50.39 65.98	25 19.69 47.17	127
White	8 . .	36 63.16 30.00	13 22.81 13.40	8 14.04 15.09	57
Other	2 . .	17 54.84 14.17	7 22.58 7.22	7 22.58 13.21	31
Hispanic	5 . .	29 52.73 24.17	13 23.64 13.40	13 23.64 24.53	55
Total	.	120	97	53	270
Frequency Missing = 28					

Statistics for Table of RACE by Q57

Statistic	DF	Value	Prob
Chi-Square	6	27.5964	0.0001
Likelihood Ratio Chi-Square	6	27.9655	<.0001
Mantel-Haenszel Chi-Square	1	4.6881	0.0304
Phi Coefficient		0.3197	
Contingency Coefficient		0.3045	
Cramer's V		0.2261	

Effective Sample Size = 270
Frequency Missing = 28

Q58 The last time you had sexual intercourse, how many years younger or older than you was your partner?				
Q58	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	19	.	.	.
I have never had intercourse	132	46.15	132	46.15
5+ years younger	29	10.14	161	56.29
3-4 years younger	23	8.04	184	64.34
About the same age	76	26.57	260	90.91
3-4 years older	12	4.20	272	95.10
5+ years older	5	1.75	277	96.85
Not sure	9	3.15	286	100.00

Frequency Missing = 19

Table of Q2 by Q58									
Q2(Q2 What is your sex?)	Q58(Q58 The last time you had sexual intercourse, how many years younger or older than you was your partner?)								
Frequency Row Pct Col Pct		I have never had intercourse	5+ years younger	3-4 years younger	About the same age	3-4 years older	5+ years older	Not sure	Total
Female	9	54	4	7	24	7	1	2	99
.	.	54.55	4.04	7.07	24.24	7.07	1.01	2.02	
.	.	40.91	13.79	31.82	32.00	58.33	20.00	22.22	
Male	6	78	25	15	51	5	4	7	185
.	.	42.16	13.51	8.11	27.57	2.70	2.16	3.78	
.	.	59.09	86.21	68.18	68.00	41.67	80.00	77.78	
Total	.	132	29	22	75	12	5	9	284
Frequency Missing = 15									

Statistics for Table of Q2 by Q58

Statistic	DF	Value	Prob
Chi-Square	6	12.1859	0.0579
Likelihood Ratio Chi-Square	6	12.9887	0.0432
Mantel-Haenszel Chi-Square	1	0.9523	0.3291
Phi Coefficient		0.2071	
Contingency Coefficient		0.2028	
Cramer's V		0.2071	
WARNING: 29% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 284
Frequency Missing = 15

Table of RACE by Q58									
RACE	Q58(Q58 The last time you had sexual intercourse, how many years younger or older than you was your partner?)								
Frequency Row Pct Col Pct		I have never had intercourse	5+ years younger	3-4 years younger	About the same age	3-4 years older	5+ years older	Not sure	Total
Black or African American	7	41	16	17	48	5	2	4	133
	.	30.83	12.03	12.78	36.09	3.76	1.50	3.01	
	.	31.54	59.26	73.91	63.16	41.67	40.00	44.44	
White	4	40	5	2	10	3	0	1	61
	.	65.57	8.20	3.28	16.39	4.92	0.00	1.64	
	.	30.77	18.52	8.70	13.16	25.00	0.00	11.11	
Other	2	20	1	2	5	2	1	0	31
	.	64.52	3.23	6.45	16.13	6.45	3.23	0.00	
	.	15.38	3.70	8.70	6.58	16.67	20.00	0.00	
Hispanic	3	29	5	2	13	2	2	4	57
	.	50.88	8.77	3.51	22.81	3.51	3.51	7.02	
	.	22.31	18.52	8.70	17.11	16.67	40.00	44.44	
Total	.	130	27	23	76	12	5	9	282
Frequency Missing = 16									

Statistics for Table of RACE by Q58

Statistic	DF	Value	Prob
Chi-Square	18	38.9741	0.0029
Likelihood Ratio Chi-Square	18	41.2820	0.0014
Mantel-Haenszel Chi-Square	1	4.7244	0.0297
Phi Coefficient		0.3718	
Contingency Coefficient		0.3485	
Cramer's V		0.2146	
WARNING: 54% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 282
Frequency Missing = 16

Q59 During your life, with whom have you had sexual contact?				
Q59	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	20	.	.	.
I have never had sexual contact	103	36.14	103	36.14
Females	106	37.19	209	73.33
Males	66	23.16	275	96.49
Females and Males	10	3.51	285	100.00

Frequency Missing = 20

Table of Q2 by Q59						
Q2(Q2 What is your sex?)	Q59(Q59 During your life, with whom have you had sexual contact?)					
Frequency Row Pct Col Pct		I have never had sexual contact			Females and Males	
	.	.	Females	Males	Females and Males	Total
Female	8	36	3	54	7	100
.	.	36.00	3.00	54.00	7.00	
.	.	35.64	2.86	81.82	70.00	
Male	9	65	102	12	3	182
.	.	35.71	56.04	6.59	1.65	
.	.	64.36	97.14	18.18	30.00	
Total	.	101	105	66	10	282
Frequency Missing = 17						

Statistics for Table of Q2 by Q59

Statistic	DF	Value	Prob
Chi-Square	3	115.9575	<.0001
Likelihood Ratio Chi-Square	3	133.1233	<.0001
Mantel-Haenszel Chi-Square	1	29.4072	<.0001
Phi Coefficient		0.6412	
Contingency Coefficient		0.5398	
Cramer's V		0.6412	

Effective Sample Size = 282

Frequency Missing = 17

Table of RACE by Q59						
RACE	Q59(Q59 During your life, with whom have you had sexual contact?)					
Frequency Row Pct Col Pct		I have never had sexual contact	Females	Males	Females and Males	Total
Black or African American	8	37	50	37	8	132
	.	28.03	37.88	28.03	6.06	
	.	35.92	48.54	56.06	88.89	
White	4	24	25	11	1	61
	.	39.34	40.98	18.03	1.64	
	.	23.30	24.27	16.67	11.11	
Other	3	14	10	6	0	30
	.	46.67	33.33	20.00	0.00	
	.	13.59	9.71	9.09	0.00	
Hispanic	2	28	18	12	0	58
	.	48.28	31.03	20.69	0.00	
	.	27.18	17.48	18.18	0.00	
Total	.	103	103	66	9	281
Frequency Missing = 17						

Statistics for Table of RACE by Q59

Statistic	DF	Value	Prob
Chi-Square	9	15.6433	0.0747
Likelihood Ratio Chi-Square	9	17.8673	0.0367
Mantel-Haenszel Chi-Square	1	11.8737	0.0006
Phi Coefficient		0.2359	
Contingency Coefficient		0.2296	
Cramer's V		0.1362	
WARNING: 25% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 281

Frequency Missing = 17

Q60 When you have questions about sexually transmitted diseases or pregnancy prevention, with whom do you usually talk?				
Q60	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	20	.	.	.
I do not have questions	138	48.42	138	48.42
Doctor/Nurse	54	18.95	192	67.37
Parent or adult family	47	16.49	239	83.86
Teacher or school adult	15	5.26	254	89.12
Religious leader	6	2.11	260	91.23
Friend/ Sibling	14	4.91	274	96.14
Other adult	3	1.05	277	97.19
Not sure	8	2.81	285	100.00

Frequency Missing = 20

Table of Q2 by Q60										
Q2(Q2 What is your sex?)	Q60(Q60 When you have questions about sexually transmitted diseases or pregnancy prevention, with whom do you usually talk?)									
Frequency Row Pct Col Pct		I do not have questions	Doctor/Nurse	Parent or adult family	Teacher or school adult	Religious leader	Friend/ Sibling	Other adult	Not sure	Total
Female	8	40	20	20	7	1	9	2	1	100
.	.	40.00	20.00	20.00	7.00	1.00	9.00	2.00	1.00	
.	.	29.20	37.04	44.44	46.67	16.67	64.29	66.67	14.29	
Male	10	97	34	25	8	5	5	1	6	181
.	.	53.59	18.78	13.81	4.42	2.76	2.76	0.55	3.31	
.	.	70.80	62.96	55.56	53.33	83.33	35.71	33.33	85.71	
Total	.	137	54	45	15	6	14	3	7	281

Frequency Missing = 18

Statistics for Table of Q2 by Q60

Statistic	DF	Value	Prob
Chi-Square	7	13.4503	0.0619
Likelihood Ratio Chi-Square	7	13.4355	0.0622
Mantel-Haenszel Chi-Square	1	3.1293	0.0769
Phi Coefficient		0.2188	
Contingency Coefficient		0.2137	

Cramer's V	0.2188
WARNING: 44% of the cells have expected counts less than 5. Chi-Square may not be a valid test.	

Effective Sample Size = 281
Frequency Missing = 18

Table of RACE by Q60										
RACE	Q60(Q60 When you have questions about sexually transmitted diseases or pregnancy prevention, with whom do you usually talk?)									
	Frequency Row Pct Col Pct	I do not have questions	Doctor/Nurse	Parent or adult family	Teacher or school adult	Religious leader	Friend/ Sibling	Other adult	Not sure	Total
Black or African American	7 .3835 .3750	51 24.06 60.38	32 20.30 60.00	27 6.02 53.33	8 1.50 33.33	2 4.51 42.86	6 2.26 100.00	3 3.01 50.00	4 133	
White	6 .6441 .2794	38 10.17 11.32	6 10.17 13.33	6 1.69 6.67	1 3.39 33.33	2 8.47 35.71	5 0.00 0.00	0 1.69 12.50	1 59	
Other	2 .5161 .1176	16 12.90 7.55	4 16.13 11.11	5 12.90 26.67	4 6.45 33.33	2 0.00 0.00	0 0.00 0.00	0 0.00 0.00	0 31	
Hispanic	3 .5439 .2279	31 19.30 20.75	11 12.28 15.56	7 3.51 13.33	2 0.00 0.00	0 5.26 21.43	3 0.00 0.00	0 5.26 37.50	3 57	
Total		136	53	45	15	6	14	3	8	280
Frequency Missing = 18										

Statistics for Table of RACE by Q60

Statistic	DF	Value	Prob
Chi-Square	21	32.9979	0.0462
Likelihood Ratio Chi-Square	21	36.5043	0.0192
Mantel-Haenszel Chi-Square	1	1.9191	0.1660
Phi Coefficient		0.3433	
Contingency Coefficient		0.3247	
Cramer's V		0.1982	
WARNING: 59% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 280
Frequency Missing = 18

Q61 Have you parents or other adults in your family ever talked with you about what they expect you to do or not to do when it come to sex?				
Q61	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	30	.	.	.
Yes	192	69.82	192	69.82
No	57	20.73	249	90.55
Not Sure	26	9.45	275	100.00

Frequency Missing = 30

Table of Q2 by Q61					
Q2(Q2 What is your sex?)	Q61(Q61 Have you parents or other adults in your family ever talked with you about what they expect you to do or not to do when it come to sex?)				
	Frequency Row Pct Col Pct	.	Yes	No	Not Sure
Female	8 .76.00 .39.79	76	15 15.00 27.27	9 9.00 34.62	100
Male	19 .66.86 .60.21	115	40 23.26 72.73	17 9.88 65.38	172
Total	. 191	191	55	26	272
Frequency Missing = 27					

Statistics for Table of Q2 by Q61

Statistic	DF	Value	Prob
Chi-Square	2	2.9354	0.2305
Likelihood Ratio Chi-Square	2	3.0251	0.2203
Mantel-Haenszel Chi-Square	1	1.4727	0.2249
Phi Coefficient		0.1039	
Contingency Coefficient		0.1033	
Cramer's V		0.1039	

Effective Sample Size = 272

Frequency Missing = 27

Table of RACE by Q61					
RACE	Q61(Q61 Have you parents or other adults in your family ever talked with you about what they expect you to do or not to do when it come to sex?)				
Frequency Row Pct Col Pct	.	Yes	No	Not Sure	Total
Black or African American	11 .68.22 .46.32	88 20.93 48.21	27 10.85 56.00	14 5.62 20.00	129
White	7 .72.41 .22.11	42 18.97 19.64	11 8.62 20.00	5 2.00 20.00	58
Other	3 .76.67 .12.11	23 16.67 8.93	5 6.67 8.00	2 0.80 8.00	30
Hispanic	6 .68.52 .19.47	37 24.07 23.21	13 7.41 16.00	4 1.60 16.00	54
Total	. 190	56	25	271	
Frequency Missing = 27					

Statistics for Table of RACE by Q61

Statistic	DF	Value	Prob
Chi-Square	6	1.7342	0.9424
Likelihood Ratio Chi-Square	6	1.7500	0.9412
Mantel-Haenszel Chi-Square	1	0.4839	0.4867
Phi Coefficient		0.0800	
Contingency Coefficient		0.0797	
Cramer's V		0.0566	

*Effective Sample Size = 271
Frequency Missing = 27*

X. BODY WEIGHT: QUESTIONS 62-67

Q62 How do you describe your weight?				
Q62	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	20	.	.	.
Very underweight	41	14.39	41	14.39
Slightly underweight	51	17.89	92	32.28
About right weight	118	41.40	210	73.68
Slightly overweight	60	21.05	270	94.74
Very overweight	15	5.26	285	100.00

Frequency Missing = 20

Table of Q2 by Q62							
Q2(Q2 What is your sex?)	Q62(Q62 How do you describe your weight?)						
Frequency Row Pct Col Pct	.	Very underweight	Slightly underweight	About right weight	Slightly overweight	Very overweight	Total
Female	8	10	10	37	32	11	100
.	.	10.00	10.00	37.00	32.00	11.00	
.	.	24.39	20.41	31.62	54.24	73.33	
Male	10	31	39	80	27	4	181
.	.	17.13	21.55	44.20	14.92	2.21	
.	.	75.61	79.59	68.38	45.76	26.67	
Total	.	41	49	117	59	15	281
Frequency Missing = 18							

Statistics for Table of Q2 by Q62

Statistic	DF	Value	Prob
Chi-Square	4	26.2452	<.0001
Likelihood Ratio Chi-Square	4	25.9414	<.0001
Mantel-Haenszel Chi-Square	1	20.2431	<.0001
Phi Coefficient		0.3056	
Contingency Coefficient		0.2923	
Cramer's V		0.3056	

Effective Sample Size = 281

Frequency Missing = 18

Table of RACE by Q62							
RACE	Q62(Q62 How do you describe your weight?)						
Frequency Row Pct Col Pct	.	Very underweight	Slightly underweight	About right weight	Slightly overweight	Very overweight	Total
Black or African American	6	24	22	54	29	5	134
	.	17.91	16.42	40.30	21.64	3.73	
	.	58.54	43.14	46.55	50.00	35.71	
White	6	8	11	26	10	4	59
	.	13.56	18.64	44.07	16.95	6.78	
	.	19.51	21.57	22.41	17.24	28.57	
Other	2	5	10	12	3	1	31
	.	16.13	32.26	38.71	9.68	3.23	
	.	12.20	19.61	10.34	5.17	7.14	
Hispanic	4	4	8	24	16	4	56
	.	7.14	14.29	42.86	28.57	7.14	
	.	9.76	15.69	20.69	27.59	28.57	
Total	.	41	51	116	58	14	280
Frequency Missing = 18							

Statistics for Table of RACE by Q62

Statistic	DF	Value	Prob
Chi-Square	12	12.9863	0.3700
Likelihood Ratio Chi-Square	12	13.1129	0.3609
Mantel-Haenszel Chi-Square	1	2.0865	0.1486
Phi Coefficient		0.2154	
Contingency Coefficient		0.2105	
Cramer's V		0.1243	

Effective Sample Size = 280

Frequency Missing = 18

Q63 Which of the following are you trying to do about your weight?				
Q63	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	23	.	.	.
Lose weight	119	42.20	119	42.20
Gain weight	73	25.89	192	68.09
Stay the same weight	51	18.09	243	86.17
I am not trying to do anything about my weight	39	13.83	282	100.00

Frequency Missing = 23

Table of Q2 by Q63						
Q2(Q2 What is your sex?)	Q63(Q63 Which of the following are you trying to do about your weight?)					
Frequency Row Pct Col Pct		Lose weight	Gain weight	Stay the same weight	I am not trying to do anything about my weight	Total
Female	7 . .	64 63.37 54.70	13 12.87 18.06	17 16.83 33.33	7 6.93 17.95	101
Male	13 . .	53 29.78 45.30	59 33.15 81.94	34 19.10 66.67	32 17.98 82.05	178
Total	. .	117	72	51	39	279
Frequency Missing = 20						

Statistics for Table of Q2 by Q63

Statistic	DF	Value	Prob
Chi-Square	3	33.4092	<.0001
Likelihood Ratio Chi-Square	3	34.4519	<.0001
Mantel-Haenszel Chi-Square	1	18.5994	<.0001
Phi Coefficient		0.3460	
Contingency Coefficient		0.3270	
Cramer's V		0.3460	

Effective Sample Size = 279

Frequency Missing = 20

Table of RACE by Q63						
RACE	Q63(Q63 Which of the following are you trying to do about your weight?)					
Frequency Row Pct Col Pct		Lose weight	Gain weight	Stay the same weight	I am not trying to do anything about my weight	Total
Black or African American	8 . .	52 39.39 44.44	40 30.30 54.79	23 17.42 46.94	17 12.88 43.59	132
White	5 . .	29 48.33 24.79	13 21.67 17.81	8 13.33 16.33	10 16.67 25.64	60
Other	3 . .	7 23.33 5.98	15 50.00 20.55	5 16.67 10.20	3 10.00 7.69	30
Hispanic	4 . .	29 51.79 24.79	5 8.93 6.85	13 23.21 26.53	9 16.07 23.08	56
Total	. .	117	73	49	39	278
Frequency Missing = 20						

Statistics for Table of RACE by Q63

Statistic	DF	Value	Prob
Chi-Square	9	21.2646	0.0115
Likelihood Ratio Chi-Square	9	22.4759	0.0075
Mantel-Haenszel Chi-Square	1	0.0067	0.9345
Phi Coefficient		0.2766	
Contingency Coefficient		0.2666	
Cramer's V		0.1597	

Effective Sample Size = 278
Frequency Missing = 20

Q64 During the past 30 days, did you exercise to lose weight or to keep from gaining weight?				
Q64	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	42	.	.	.
Yes	159	60.46	159	60.46
No	104	39.54	263	100.00

Frequency Missing = 42

Table of Q2 by Q64				
Q2(Q2 What is your sex?)	Q64(Q64 During the past 30 days, did you exercise to lose weight or to keep from gaining weight?)			
	Frequency Row Pct Col Pct	.	Yes	No
Female	13	.69	26	95
	.	72.63	27.37	
	.	43.67	25.24	
Male	25	.89	77	166
	.	53.61	46.39	
	.	56.33	74.76	
Total	.	158	103	261
Frequency Missing = 38				

Statistics for Table of Q2 by Q64

Statistic	DF	Value	Prob
Chi-Square	1	9.1468	0.0025
Likelihood Ratio Chi-Square	1	9.3799	0.0022
Continuity Adj. Chi-Square	1	8.3680	0.0038
Mantel-Haenszel Chi-Square	1	9.1117	0.0025
Phi Coefficient		0.1872	
Contingency Coefficient		0.1840	
Cramer's V		0.1872	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	69
Left-sided Pr <= F	0.9993
Right-sided Pr >= F	0.0017
Table Probability (P)	0.0010
Two-sided Pr <= P	0.0025

Effective Sample Size = 261
Frequency Missing = 38

WARNING: 13% of the data are missing.

Table of RACE by Q64				
RACE	Q64(Q64 During the past 30 days, did you exercise to lose weight or to keep from gaining weight?)			
Frequency Row Pct Col Pct	.	Yes	No	Total
Black or African American	16 . 61.29 . 48.10	76 38.71 46.60	48	124
White	8 . 61.40 . 22.15	35 38.60 21.36	22	57
Other	6 . 55.56 . 9.49	15 44.44 11.65	12	27
Hispanic	7 . 60.38 . 20.25	32 39.62 20.39	21	53
Total	.	158	103	261
Frequency Missing = 37				

Statistics for Table of RACE by Q64

Statistic	DF	Value	Prob
Chi-Square	3	0.3284	0.9546
Likelihood Ratio Chi-Square	3	0.3249	0.9553
Mantel-Haenszel Chi-Square	1	0.0697	0.7917
Phi Coefficient		0.0355	
Contingency Coefficient		0.0354	
Cramer's V		0.0355	

Effective Sample Size = 261
Frequency Missing = 37

WARNING: 12% of the data are missing.

Q65 During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or keep from gaining weight?				
Q65	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	37	.	.	.
Yes	100	37.31	100	37.31
No	168	62.69	268	100.00

Frequency Missing = 37

Table of Q2 by Q65				
Q2(Q2 What is your sex?)	Q65(Q65 During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or keep from gaining weight?)			
Frequency Row Pct Col Pct	.	Yes	No	Total
Female	10 . 47.96 . 47.96	47 52.04	51 30.54	98
Male	24 . 30.54 . 52.04	51 69.46	116 69.46	167
Total	. 98	167	265	
Frequency Missing = 34				

Statistics for Table of Q2 by Q65

Statistic	DF	Value	Prob
Chi-Square	1	8.0418	0.0046
Likelihood Ratio Chi-Square	1	7.9689	0.0048
Continuity Adj. Chi-Square	1	7.3117	0.0069
Mantel-Haenszel Chi-Square	1	8.0115	0.0046
Phi Coefficient		0.1742	
Contingency Coefficient		0.1716	
Cramer's V		0.1742	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	47
Left-sided Pr <= F	0.9984
Right-sided Pr >= F	0.0035
Table Probability (P)	0.0020
Two-sided Pr <= P	0.0056

Effective Sample Size = 265
Frequency Missing = 34

WARNING: 11% of the data are missing.

Table of RACE by Q65				
RACE	Q65(Q65 During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or keep from gaining weight?)			
Frequency Row Pct Col Pct	.	Yes	No	Total
Black or African American	16 . 37.10 . 46.94	46 62.90	78 46.99	124
White	8 . 38.60 . 22.45	22 61.40	35 21.08	57
Other	5 . 25.00 . 7.14	7 75.00	21 12.65	28
Hispanic	5 . 41.82 . 23.47	23 58.18	32 19.28	55
Total	.	98	166	264
Frequency Missing = 34				

Statistics for Table of RACE by Q65

Statistic	DF	Value	Prob
Chi-Square	3	2.3355	0.5058
Likelihood Ratio Chi-Square	3	2.4341	0.4873
Mantel-Haenszel Chi-Square	1	0.0205	0.8860
Phi Coefficient		0.0941	
Contingency Coefficient		0.0936	
Cramer's V		0.0941	

Effective Sample Size = 264
Frequency Missing = 34

WARNING: 11% of the data are missing.

Q66 During the past 30 days, did you take any diet pills, powders or liquids without a doctor's advice to lose weight or to keep from gaining weight?				
Q66	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	46	.	.	.
Yes	41	15.83	41	15.83
No	218	84.17	259	100.00

Frequency Missing = 46

Table of Q2 by Q66				
Q2(Q2 What is your sex?)	Q66(Q66 During the past 30 days, did you take any diet pills, powders or liquids without a doctor's advice to lose weight or to keep from gaining weight?)			
	Frequency	Row Pct	Col Pct	Total
Female	13	13.68	86.32	95
Male	29	17.28	82.72	162
Total	41	68.29	62.04	257
Frequency Missing = 42				

Statistics for Table of Q2 by Q66

Statistic	DF	Value	Prob
Chi-Square	1	0.5787	0.4468
Likelihood Ratio Chi-Square	1	0.5893	0.4427
Continuity Adj. Chi-Square	1	0.3414	0.5590
Mantel-Haenszel Chi-Square	1	0.5765	0.4477
Phi Coefficient		-0.0475	
Contingency Coefficient		0.0474	
Cramer's V		-0.0475	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	13
Left-sided Pr <= F	0.2821
Right-sided Pr >= F	0.8253
Table Probability (P)	0.1074
Two-sided Pr <= P	0.4853

Effective Sample Size = 257
Frequency Missing = 42

WARNING: 14% of the data are missing.

Table of RACE by Q66				
RACE	Q66(Q66 During the past 30 days, did you take any diet pills, powders or liquids without a doctor's advice to lose weight or to keep from gaining weight?)			
Frequency Row Pct Col Pct	.	Yes	No	Total
Black or African American	20 .17.50 .51.22	21 82.50 45.83	99	120
White	7 .20.69 .29.27	12 79.31 21.30	46	58
Other	6 .11.11 .7.32	3 88.89 11.11	24	27
Hispanic	8 .9.62 .12.20	5 90.38 21.76	47	52
Total	.	41	216	257
Frequency Missing = 41				

Statistics for Table of RACE by Q66

Statistic	DF	Value	Prob
Chi-Square	3	3.2145	0.3597
Likelihood Ratio Chi-Square	3	3.4009	0.3338
Mantel-Haenszel Chi-Square	1	1.4976	0.2210
Phi Coefficient		0.1118	
Contingency Coefficient		0.1111	
Cramer's V		0.1118	

*Effective Sample Size = 257
Frequency Missing = 41*

WARNING: 14% of the data are missing.

Q67 During the past 30 days, did you vomit or take laxatives to lose weight or to keep for gaining weight?				
Q67	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	47	.	.	.
Yes	48	18.60	48	18.60
No	210	81.40	258	100.00

Frequency Missing = 47

Table of Q2 by Q67				
Q2(Q2 What is your sex?)	Q67(Q67 During the past 30 days, did you vomit or take laxatives to lose weight or to keep for gaining weight?)			
Frequency Row Pct Col Pct	.	Yes	No	Total
Female	14 . 14.89 . 29.79	14 14.89 29.79	80 85.11 38.46	94
Male	30 . 20.50 . 70.21	33 20.50 70.21	128 79.50 61.54	161
Total	.	47	208	255
Frequency Missing = 44				

Statistics for Table of Q2 by Q67

Statistic	DF	Value	Prob
Chi-Square	1	1.2394	0.2656
Likelihood Ratio Chi-Square	1	1.2702	0.2597
Continuity Adj. Chi-Square	1	0.8947	0.3442
Mantel-Haenszel Chi-Square	1	1.2346	0.2665
Phi Coefficient		-0.0697	
Contingency Coefficient		0.0695	
Cramer's V		-0.0697	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	14
Left-sided Pr <= F	0.1724
Right-sided Pr >= F	0.9011
Table Probability (P)	0.0735
Two-sided Pr <= P	0.3165

Effective Sample Size = 255
Frequency Missing = 44

WARNING: 15% of the data are missing.

Table of RACE by Q67				
RACE	Q67(Q67 During the past 30 days, did you vomit or take laxatives to lose weight or to keep for gaining weight?)			
Frequency Row Pct Col Pct	.	Yes	No	Total
Black or African American	26 .21.05 .50.00	24 78.95 43.48	90	114
White	6 .18.64 .22.92	11 81.36 23.19	48	59
Other	5 .10.71 .6.25	3 89.29 12.08	25	28
Hispanic	6 .18.52 .20.83	10 81.48 21.26	44	54
Total	.	48	207	255
Frequency Missing = 43				

Statistics for Table of RACE by Q67

Statistic	DF	Value	Prob
Chi-Square	3	1.5802	0.6639
Likelihood Ratio Chi-Square	3	1.7443	0.6271
Mantel-Haenszel Chi-Square	1	0.5770	0.4475
Phi Coefficient		0.0787	
Contingency Coefficient		0.0785	
Cramer's V		0.0787	

Effective Sample Size = 255
Frequency Missing = 43

WARNING: 14% of the data are missing.

XI. FOOD AND DRINK: QUESTIONS 68-77

Q68 During the past 7 days, how many times did you drink 100% fruit juices?				
Q68	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	22	.	.	.
None	80	28.27	80	28.27
1-3 times in the past 7 days	98	34.63	178	62.90
4-6 times in the past 7 days	44	15.55	222	78.45
1 time per day	13	4.59	235	83.04
2 times per day	18	6.36	253	89.40
3 times per day	9	3.18	262	92.58
4+ times per day	21	7.42	283	100.00

Frequency Missing = 22

Table of Q2 by Q68									
Q2(Q2 What is your sex?)	Q68(Q68 During the past 7 days, how many times did you drink 100%% fruit juices?)								
Frequency Row Pct Col Pct	.	None	1-3 times in the past 7 days	4-6 times in the past 7 days	1 time per day	2 times per day	3 times per day	4+ times per day	Total
Female	9	26	37	17	6	5	2	6	99
.	.	26.26	37.37	17.17	6.06	5.05	2.02	6.06	
.	.	32.91	37.76	40.48	46.15	29.41	22.22	28.57	
Male	11	53	61	25	7	12	7	15	180
.	.	29.44	33.89	13.89	3.89	6.67	3.89	8.33	
.	.	67.09	62.24	59.52	53.85	70.59	77.78	71.43	
Total	.	79	98	42	13	17	9	21	279
Frequency Missing = 20									

Statistics for Table of Q2 by Q68

Statistic	DF	Value	Prob
Chi-Square	6	2.9565	0.8143
Likelihood Ratio Chi-Square	6	3.0029	0.8085
Mantel-Haenszel Chi-Square	1	0.3356	0.5624
Phi Coefficient		0.1029	
Contingency Coefficient		0.1024	
Cramer's V		0.1029	

Effective Sample Size = 279

Frequency Missing = 20

Table of RACE by Q68									
RACE	Q68(Q68 During the past 7 days, how many times did you drink 100%% fruit juices?)								
Frequency Row Pct Col Pct			1-3 times in the past 7 days	4-6 times in the past 7 days	1 time per day	2 times per day	3 times per day	4+ times per day	Total
	.	None							
Black or African American	7	39	41	23	7	6	3	14	133
	.	29.32	30.83	17.29	5.26	4.51	2.26	10.53	
	.	49.37	41.84	54.76	53.85	35.29	33.33	70.00	
White	5	21	19	5	4	6	2	3	60
	.	35.00	31.67	8.33	6.67	10.00	3.33	5.00	
	.	26.58	19.39	11.90	30.77	35.29	22.22	15.00	
Other	4	8	14	3	2	1	1	0	29
	.	27.59	48.28	10.34	6.90	3.45	3.45	0.00	
	.	10.13	14.29	7.14	15.38	5.88	11.11	0.00	
Hispanic	4	11	24	11	0	4	3	3	56
	.	19.64	42.86	19.64	0.00	7.14	5.36	5.36	
	.	13.92	24.49	26.19	0.00	23.53	33.33	15.00	
Total	.	79	98	42	13	17	9	20	278
Frequency Missing = 20									

Statistics for Table of RACE by Q68

Statistic	DF	Value	Prob
Chi-Square	18	21.1772	0.2706
Likelihood Ratio Chi-Square	18	25.6706	0.1075
Mantel-Haenszel Chi-Square	1	0.4781	0.4893
Phi Coefficient		0.2760	
Contingency Coefficient		0.2661	
Cramer's V		0.1593	
WARNING: 50% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

*Effective Sample Size = 278**Frequency Missing = 20*

Q69 During the past 7 days, how many time did you eat fruit (not juice)?				
Q69	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	23	.	.	.
None	68	24.11	68	24.11
1-3 times in the past 7 days	94	33.33	162	57.45
4-6 times in the past 7 days	46	16.31	208	73.76
1 time per day	22	7.80	230	81.56
2 times per day	25	8.87	255	90.43
3 times per day	10	3.55	265	93.97
4+ times per day	17	6.03	282	100.00

Frequency Missing = 23

Table of Q2 by Q69									
Q2(Q2 What is your sex?)	Q69(Q69 During the past 7 days, how many time did you eat fruit (not juice)?)								
Frequency Row Pct Col Pct			1-3 times in the past 7 days	4-6 times in the past 7 days	1 time per day	2 times per day	3 times per day	4+ times per day	Total
Female	9 .2424 .3529	24 31.31 33.70	31 15.15 32.61	15 8.08 36.36	8 10.10 41.67	10 7.07 70.00	7 4.04 25.00	4	99
Male	12 .2458 .6471	44 34.08 66.30	61 17.32 67.39	31 7.82 63.64	14 7.82 58.33	14 1.68 30.00	3 6.70 75.00	12	179
Total	.	68	92	46	22	24	10	16	278
Frequency Missing = 21									

Statistics for Table of Q2 by Q69

Statistic	DF	Value	Prob
Chi-Square	6	6.6634	0.3531
Likelihood Ratio Chi-Square	6	6.4257	0.3772
Mantel-Haenszel Chi-Square	1	0.4130	0.5205
Phi Coefficient		0.1548	
Contingency Coefficient		0.1530	
Cramer's V		0.1548	

Effective Sample Size = 278

Frequency Missing = 21

Table of RACE by Q69									
RACE	Q69(Q69 During the past 7 days, how many time did you eat fruit (not juice)?)								
Frequency Row Pct Col Pct			1-3 times in the past 7 days	4-6 times in the past 7 days	1 time per day	2 times per day	3 times per day	4+ times per day	Total
	.	None							
Black or African American	7	35	47	24	8	7	3	9	133
	.	26.32	35.34	18.05	6.02	5.26	2.26	6.77	
	.	53.03	50.00	53.33	36.36	29.17	30.00	56.25	
White	6	12	20	9	4	10	3	1	59
	.	20.34	33.90	15.25	6.78	16.95	5.08	1.69	
	.	18.18	21.28	20.00	18.18	41.67	30.00	6.25	
Other	5	9	11	3	4	1	0	0	28
	.	32.14	39.29	10.71	14.29	3.57	0.00	0.00	
	.	13.64	11.70	6.67	18.18	4.17	0.00	0.00	
Hispanic	3	10	16	9	6	6	4	6	57
	.	17.54	28.07	15.79	10.53	10.53	7.02	10.53	
	.	15.15	17.02	20.00	27.27	25.00	40.00	37.50	
Total	.	66	94	45	22	24	10	16	277
Frequency Missing = 21									

Statistics for Table of RACE by Q69

Statistic	DF	Value	Prob
Chi-Square	18	23.9136	0.1579
Likelihood Ratio Chi-Square	18	25.7569	0.1054
Mantel-Haenszel Chi-Square	1	3.3882	0.0657
Phi Coefficient		0.2938	
Contingency Coefficient		0.2819	
Cramer's V		0.1696	
WARNING: 46% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 277

Frequency Missing = 21

Q70 During the past 7 days how many times did you eat green salad?				
Q70	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	22	.	.	.
None	130	45.94	130	45.94
1-3 times in the past 7 days	90	31.80	220	77.74
4-6 times in the past 7 days	32	11.31	252	89.05
1 time per day	17	6.01	269	95.05
2 times per day	7	2.47	276	97.53
3 times per day	1	0.35	277	97.88
4+ times per day	6	2.12	283	100.00

Frequency Missing = 22

Table of Q2 by Q70									
Q2(Q2 What is your sex?)	Q70(Q70 During the past 7 days how many times did you eat green salad?)								
Frequency Row Pct Col Pct			1-3 times in the past 7 days	4-6 times in the past 7 days					
	.	None			1 time per day	2 times per day	3 times per day	4+ times per day	Total
Female	8	43	34	14	5	1	1	2	100
.	. 43.00	34.00	14.00	5.00	1.00	1.00	2.00		
.	. 33.08	37.78	45.16	31.25	20.00	100.00	33.33		
Male	12	87	56	17	11	4	0	4	179
.	. 48.60	31.28	9.50	6.15	2.23	0.00	2.23		
.	. 66.92	62.22	54.84	68.75	80.00	0.00	66.67		
Total	.	130	90	31	16	5	1	6	279
Frequency Missing = 20									

Statistics for Table of Q2 by Q70

Statistic	DF	Value	Prob
Chi-Square	6	4.2485	0.6431
Likelihood Ratio Chi-Square	6	4.5351	0.6047
Mantel-Haenszel Chi-Square	1	0.1975	0.6568
Phi Coefficient		0.1234	
Contingency Coefficient		0.1225	
Cramer's V		0.1234	
WARNING: 43% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 279

Frequency Missing = 20

Table of RACE by Q70								
RACE	Q70(Q70 During the past 7 days how many times did you eat green salad?)							
			1-3 times in the past 7 days	4-6 times in the past 7 days	1 time per day	2 times per day	4+ times per day	Total
Frequency								
Row Pct								
Col Pct								
	.	None						
Black or African American	7	65	44	14	6	1	3	133
	.	48.87	33.08	10.53	4.51	0.75	2.26	
	.	50.39	49.44	45.16	35.29	16.67	50.00	
White	5	24	23	6	4	1	2	60
	.	40.00	38.33	10.00	6.67	1.67	3.33	
	.	18.60	25.84	19.35	23.53	16.67	33.33	
Other	5	17	6	4	1	0	0	28
	.	60.71	21.43	14.29	3.57	0.00	0.00	
	.	13.18	6.74	12.90	5.88	0.00	0.00	
Hispanic	3	23	16	7	6	4	1	57
	.	40.35	28.07	12.28	10.53	7.02	1.75	
	.	17.83	17.98	22.58	35.29	66.67	16.67	
Total	.	129	89	31	17	6	6	278
Frequency Missing = 20								

Statistics for Table of RACE by Q70

Statistic	DF	Value	Prob
Chi-Square	15	16.7362	0.3349
Likelihood Ratio Chi-Square	15	15.7636	0.3979
Mantel-Haenszel Chi-Square	1	2.1805	0.1398
Phi Coefficient		0.2454	
Contingency Coefficient		0.2383	
Cramer's V		0.1417	
WARNING: 50% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

*Effective Sample Size = 278**Frequency Missing = 20*

Q71 During the past 7 days, how many times did you eat potatoes?				
Q71	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	21	.	.	.
None	119	41.90	119	41.90
1-3 times in the past 7 days	101	35.56	220	77.46
4-6 times in the past 7 days	42	14.79	262	92.25
1 time per day	11	3.87	273	96.13
2 times per day	3	1.06	276	97.18
3 times per day	1	0.35	277	97.54
4+ times per day	7	2.46	284	100.00

Frequency Missing = 21

Table of Q2 by Q71									
Q2(Q2 What is your sex?)	Q71(Q71 During the past 7 days, how many times did you eat potatoes?)								
Frequency Row Pct Col Pct			1-3 times in the past 7 days	4-6 times in the past 7 days	1 time per day	2 times per day	3 times per day	4+ times per day	Total
Female	7 . 41.58 . 35.29	42 34.65 35.00	35 17.82 46.15	18 2.97 27.27	3 0.99 33.33	1 0.00 0.00	0 1.98 28.57	2	101
Male	12 . 43.02 . 64.71	77 36.31 65.00	65 11.73 53.85	21 4.47 72.73	8 1.12 66.67	2 0.56 100.00	1 2.79 71.43	5	179
Total	. 119	100	39	11	3	1	7	280	
Frequency Missing = 19									

Statistics for Table of Q2 by Q71

Statistic	DF	Value	Prob
Chi-Square	6	2.9142	0.8195
Likelihood Ratio Chi-Square	6	3.2130	0.7817
Mantel-Haenszel Chi-Square	1	0.0200	0.8876
Phi Coefficient		0.1020	
Contingency Coefficient		0.1015	
Cramer's V		0.1020	
WARNING: 50% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 280

Frequency Missing = 19

Table of RACE by Q71									
RACE	Q71(Q71 During the past 7 days, how many times did you eat potatoes?)								
Frequency Row Pct Col Pct			1-3 times in the past 7 days	4-6 times in the past 7 days	1 time per day	2 times per day	3 times per day	4+ times per day	Total
	. None								
Black or African American	6 .38.81 .44.44	52 38.06 50.50	51 14.93 51.28	20 6.67 36.36	4 2.99 36.36	1 0.75 33.33	0 0.00 0.00	6 4.48 85.71	134
White	5 .40.00 .20.51	24 36.67 21.78	22 13.33 20.51	8 6.67 36.36	4 1.67 33.33	1 0.00 0.00	0 1.67 14.29	1 1.67 14.29	60
Other	5 .46.43 .11.11	13 42.86 11.88	12 7.14 5.13	2 3.57 9.09	1 0.00 0.00	0 0.00 0.00	0 0.00 0.00	0 0.00 0.00	28
Hispanic	3 .49.12 .23.93	28 28.07 15.84	16 15.79 23.08	9 3.51 18.18	2 1.75 33.33	1 1.75 100.00	1 0.00 0.00	0 0.00 0.00	57
Total	.117	101	39	11	3	1	7	279	
Frequency Missing = 19									

Statistics for Table of RACE by Q71

Statistic	DF	Value	Prob
Chi-Square	18	14.5125	0.6951
Likelihood Ratio Chi-Square	18	15.8716	0.6015
Mantel-Haenszel Chi-Square	1	1.9669	0.1608
Phi Coefficient		0.2281	
Contingency Coefficient		0.2224	
Cramer's V		0.1317	
WARNING: 57% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 279

Frequency Missing = 19

Q72 During the past 7 days, how many times did you eat carrots?				
Q72	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	22	.	.	.
None	159	56.18	159	56.18
1-3 times in the past 7 days	67	23.67	226	79.86
4-6 times in the past 7 days	26	9.19	252	89.05
1 time per day	18	6.36	270	95.41
2 times per day	4	1.41	274	96.82
3 times per day	2	0.71	276	97.53
4+ times per day	7	2.47	283	100.00

Frequency Missing = 22

Table of Q2 by Q72									
Q2(Q2 What is your sex?)	Q72(Q72 During the past 7 days, how many times did you eat carrots?)								
Frequency Row Pct Col Pct		None	1-3 times in the past 7 days	4-6 times in the past 7 days	1 time per day	2 times per day	3 times per day	4+ times per day	Total
Female	7	59	25	7	8	0	0	2	101
.	.	58.42	24.75	6.93	7.92	0.00	0.00	1.98	
.	.	37.82	37.31	26.92	44.44	0.00	0.00	28.57	
Male	13	97	42	19	10	3	2	5	178
.	.	54.49	23.60	10.67	5.62	1.69	1.12	2.81	
.	.	62.18	62.69	73.08	55.56	100.00	100.00	71.43	
Total	.	156	67	26	18	3	2	7	279
Frequency Missing = 20									

Statistics for Table of Q2 by Q72

Statistic	DF	Value	Prob
Chi-Square	6	4.7253	0.5795
Likelihood Ratio Chi-Square	6	6.4184	0.3780
Mantel-Haenszel Chi-Square	1	1.0439	0.3069
Phi Coefficient		0.1301	
Contingency Coefficient		0.1291	
Cramer's V		0.1301	
WARNING: 43% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 279

Frequency Missing = 20

Table of RACE by Q72									
RACE	Q72(Q72 During the past 7 days, how many times did you eat carrots?)								
			1-3 times in the past 7 days	4-6 times in the past 7 days	1 time per day	2 times per day	3 times per day	4+ times per day	Total
Frequency Row Pct Col Pct	. None								
Black or African American	8 . 61.36 . 51.92	81 21.21 41.79	28 7.58 40.00	10 5.30 41.18	7 0.76 25.00	1 1.52 100.00	2 2.27 42.86	3 42.86	132
White	4 . 50.82 . 19.87	31 22.95 20.90	14 13.11 32.00	8 6.56 23.53	4 1.64 25.00	1 0.00 0.00	0 4.92 42.86	3 42.86	61
Other	5 . 53.57 . 9.62	15 32.14 13.43	9 3.57 4.00	1 7.14 11.76	2 0.00 0.00	0 0.00 0.00	0 3.57 14.29	1 14.29	28
Hispanic	3 . 50.88 . 18.59	29 28.07 23.88	16 10.53 24.00	6 7.02 23.53	4 3.51 50.00	2 0.00 0.00	0 0.00 0.00	0 0.00 0.00	57
Total	. 156	67	25	17	4	2	7	278	
Frequency Missing = 20									

Statistics for Table of RACE by Q72

Statistic	DF	Value	Prob
Chi-Square	18	13.4167	0.7662
Likelihood Ratio Chi-Square	18	15.3681	0.6366
Mantel-Haenszel Chi-Square	1	0.3303	0.5655
Phi Coefficient		0.2197	
Contingency Coefficient		0.2146	
Cramer's V		0.1268	
WARNING: 57% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

*Effective Sample Size = 278**Frequency Missing = 20*

Q73 During the past 7 days, how many times did you eat other vegetables?				
Q73	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	31	.	.	.
None	72	26.28	72	26.28
1-3 times in the past 7 days	98	35.77	170	62.04
4-6 times in the past 7 days	56	20.44	226	82.48
1 time per day	23	8.39	249	90.88
2 times per day	14	5.11	263	95.99
3 times per day	4	1.46	267	97.45
4+ times per day	7	2.55	274	100.00

Frequency Missing = 31

Table of Q2 by Q73									
Q2(Q2 What is your sex?)	Q73(Q73 During the past 7 days, how many times did you eat other vegetables?)								
Frequency Row Pct Col Pct			1-3 times in the past 7 days	4-6 times in the past 7 days	1 time per day	2 times per day	3 times per day	4+ times per day	Total
	. None								
Female	9 .21.21 .29.17	21 39.39 40.21	39 19.19 33.93	19 8.08 36.36	8 7.07 53.85	7 2.02 50.00	2 3.03 42.86	3 99	
Male	19 .29.65 .70.83	51 33.72 59.79	58 21.51 66.07	37 8.14 63.64	14 3.49 46.15	6 1.16 50.00	2 2.33 57.14	4 172	
Total	.72	97	56	22	13	4	7	271	
Frequency Missing = 28									

Statistics for Table of Q2 by Q73

Statistic	DF	Value	Prob
Chi-Square	6	4.5278	0.6056
Likelihood Ratio Chi-Square	6	4.4934	0.6102
Mantel-Haenszel Chi-Square	1	1.8307	0.1760
Phi Coefficient		0.1293	
Contingency Coefficient		0.1282	
Cramer's V		0.1293	
WARNING: 36% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 271

Frequency Missing = 28

Table of RACE by Q73									
RACE	Q73(Q73 During the past 7 days, how many times did you eat other vegetables?)								
Frequency Row Pct Col Pct			1-3 times in the past 7 days	4-6 times in the past 7 days	1 time per day	2 times per day	3 times per day	4+ times per day	Total
	.	None							
Black or African American	12	38	45	28	5	5	1	6	128
	.	29.69	35.16	21.88	3.91	3.91	0.78	4.69	
	.	54.29	45.92	50.91	23.81	35.71	25.00	85.71	
White	4	16	19	10	10	4	1	1	61
	.	26.23	31.15	16.39	16.39	6.56	1.64	1.64	
	.	22.86	19.39	18.18	47.62	28.57	25.00	14.29	
Other	7	2	11	10	2	1	0	0	26
	.	7.69	42.31	38.46	7.69	3.85	0.00	0.00	
	.	2.86	11.22	18.18	9.52	7.14	0.00	0.00	
Hispanic	6	14	23	7	4	4	2	0	54
	.	25.93	42.59	12.96	7.41	7.41	3.70	0.00	
	.	20.00	23.47	12.73	19.05	28.57	50.00	0.00	
Total	.	70	98	55	21	14	4	7	269
Frequency Missing = 29									

Statistics for Table of RACE by Q73

Statistic	DF	Value	Prob
Chi-Square	18	28.1159	0.0603
Likelihood Ratio Chi-Square	18	29.5585	0.0420
Mantel-Haenszel Chi-Square	1	0.1328	0.7155
Phi Coefficient		0.3233	
Contingency Coefficient		0.3076	
Cramer's V		0.1867	
WARNING: 50% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 269

Frequency Missing = 29

Q74 During the past 7 days, how many times dad you drink a can, bottle or glass of soda or pop(not diet)?				
Q74	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	22	.	.	.
None	93	32.86	93	32.86
1-3 times in the past 7 days	97	34.28	190	67.14
4-6 times in the past 7 days	43	15.19	233	82.33
1 time per day	23	8.13	256	90.46
2 times per day	14	4.95	270	95.41
3 times per day	6	2.12	276	97.53
4+ times per day	7	2.47	283	100.00

Frequency Missing = 22

Table of Q2 by Q74									
Q2(Q2 What is your sex?)	Q74(Q74 During the past 7 days, how many times dad you drink a can, bottle or glass of soda or pop (not diet)?)								
Frequency Row Pct Col Pct			1-3 times in the past 7 days	4-6 times in the past 7 days	1 time per day	2 times per day	3 times per day	4+ times per day	Total
Female	7	29	40	18	6	6	1	1	101
.	.	28.71	39.60	17.82	5.94	5.94	0.99	0.99	
.	.	31.52	42.11	41.86	26.09	46.15	16.67	14.29	
Male	13	63	55	25	17	7	5	6	178
.	.	35.39	30.90	14.04	9.55	3.93	2.81	3.37	
.	.	68.48	57.89	58.14	73.91	53.85	83.33	85.71	
Total	.	92	95	43	23	13	6	7	279
Frequency Missing = 20									

Statistics for Table of Q2 by Q74

Statistic	DF	Value	Prob
Chi-Square	6	6.9257	0.3278
Likelihood Ratio Chi-Square	6	7.2947	0.2944
Mantel-Haenszel Chi-Square	1	0.3024	0.5824
Phi Coefficient		0.1576	
Contingency Coefficient		0.1556	

Cramer's V	0.1576
WARNING: 36% of the cells have expected counts less than 5. Chi-Square may not be a valid test.	

Effective Sample Size = 279
Frequency Missing = 20

Table of RACE by Q74									
RACE	Q74(Q74 During the past 7 days, how many times dad you drink a can, bottle or glass of soda or pop (not diet)?)								
	None	1-3 times in the past 7 days	4-6 times in the past 7 days	1 time per day	2 times per day	3 times per day	4+ times per day	Total	
Black or African American	6 .31.34 .47.19	42 36.57 50.52	49 16.42 51.16	22 6.72 39.13	4 2.99 30.77	4 2.99 66.67	4 2.99 57.14	134	
White	4 .34.43 .23.60	21 29.51 18.56	18 9.84 13.95	6 16.39 43.48	4 6.56 30.77	2 3.28 33.33	0 0.00 0.00	61	
Other	6 .33.33 .10.11	9 44.44 12.37	12 11.11 6.98	3 0.00 0.00	2 7.41 15.38	0 0.00 0.00	1 3.70 14.29	27	
Hispanic	4 .30.36 .19.10	17 32.14 18.56	18 21.43 27.91	12 7.14 17.39	4 5.36 23.08	3 0.00 0.00	0 3.57 28.57	56	
Total	.89	.97	.43	.23	.13	.6	.7	278	
Frequency Missing = 20									

Statistics for Table of RACE by Q74

Statistic	DF	Value	Prob
Chi-Square	18	18.5430	0.4205
Likelihood Ratio Chi-Square	18	22.9512	0.1925
Mantel-Haenszel Chi-Square	1	0.0040	0.9493
Phi Coefficient		0.2583	
Contingency Coefficient		0.2501	
Cramer's V		0.1491	
WARNING: 50% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 278

Frequency Missing = 20

Q75 During the past 7 days, how many times did you drink a can, bottle, or glass of any other sugar-sweetened beverage?				
Q75	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	30	.	.	.
None	74	26.91	74	26.91
1-3 times in the past 7 days	98	35.64	172	62.55
4-6 times in the past 7 days	49	17.82	221	80.36
1 time per day	21	7.64	242	88.00
2 times per day	13	4.73	255	92.73
3 times per day	8	2.91	263	95.64
4+ times per day	12	4.36	275	100.00

Frequency Missing = 30

Table of Q2 by Q75									
Q2(Q2 What is your sex?)	Q75(Q75 During the past 7 days, how many times did you drink a can, bottle, or glass of any other sugar-sweetened beverage?)								
Frequency Row Pct Col Pct	.	None	1-3 times in the past 7 days	4-6 times in the past 7 days	1 time per day	2 times per day	3 times per day	4+ times per day	Total
Female	10	25	35	18	6	6	4	4	98
.	.	25.51	35.71	18.37	6.12	6.12	4.08	4.08	
.	.	33.78	36.46	37.50	30.00	46.15	50.00	33.33	
Male	18	49	61	30	14	7	4	8	173
.	.	28.32	35.26	17.34	8.09	4.05	2.31	4.62	
.	.	66.22	63.54	62.50	70.00	53.85	50.00	66.67	
Total	.	74	96	48	20	13	8	12	271
Frequency Missing = 28									

Statistics for Table of Q2 by Q75

Statistic	DF	Value	Prob
Chi-Square	6	1.8185	0.9356
Likelihood Ratio Chi-Square	6	1.7864	0.9383
Mantel-Haenszel Chi-Square	1	0.2778	0.5981
Phi Coefficient		0.0819	
Contingency Coefficient		0.0816	

Cramer's V	0.0819
WARNING: 21% of the cells have expected counts less than 5. Chi-Square may not be a valid test.	

Effective Sample Size = 271
Frequency Missing = 28

Table of RACE by Q75									
RACE	Q75(Q75 During the past 7 days, how many times did you drink a can, bottle, or glass of any other sugar-sweetened beverage?)								
	None	1-3 times in the past 7 days	4-6 times in the past 7 days	1 time per day	2 times per day	3 times per day	4+ times per day	Total	
Frequency Row Pct Col Pct
Black or African American	11 .24.81 .45.07	32 31.78 41.84	41 20.16 55.32	26 9.30 57.14	12 3.10 30.77	4 4.65 75.00	6 6.20 66.67	8 6.20 66.67	129
White	5 .40.00 .33.80	24 31.67 19.39	19 11.67 14.89	7 10.00 28.57	6 3.33 15.38	2 1.67 12.50	1 1.67 8.33	1 1.67 8.33	60
Other	6 .14.81 .5.63	4 55.56 15.31	15 18.52 10.64	5 0.00 0.00	1 3.70 7.69	1 3.70 12.50	1 3.70 8.33	1 3.70 8.33	27
Hispanic	6 .20.37 .15.49	11 42.59 23.47	23 16.67 19.15	9 5.56 14.29	3 11.11 46.15	6 0.00 0.00	0 3.70 16.67	2 3.70 16.67	54
Total	.	71	98	47	21	13	8	12	270
Frequency Missing = 28									

Statistics for Table of RACE by Q75

Statistic	DF	Value	Prob
Chi-Square	18	26.6815	0.0852
Likelihood Ratio Chi-Square	18	28.8951	0.0497
Mantel-Haenszel Chi-Square	1	1.0704	0.3009
Phi Coefficient		0.3144	
Contingency Coefficient		0.2999	
Cramer's V		0.1815	
WARNING: 50% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 270

Frequency Missing = 28

Q76 During the past 7 days, on how many days did you eat breakfast?				
Q76	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	29	.	.	.
0 days	78	28.26	78	28.26
1 days	36	13.04	114	41.30
2 days	43	15.58	157	56.88
3 days	18	6.52	175	63.41
4 days	18	6.52	193	69.93
5 days	12	4.35	205	74.28
6 days	16	5.80	221	80.07
7 days	55	19.93	276	100.00

Frequency Missing = 29

Table of Q2 by Q76											
Q2(Q2 What is your sex?)	Q76(Q76 During the past 7 days, on how many days did you eat breakfast?)										
Frequency Row Pct Col Pct	0 days	1 days	2 days	3 days	4 days	5 days	6 days	7 days	Total		
Female	7 .20.79 .27.27	21 11.88 34.29	12 17.82 42.86	18 7.92 44.44	8 10.89 61.11	11 5.94 50.00	6 6.93 43.75	7 17.82 33.33	18	101	
Male	20 .32.75 .72.73	56 13.45 65.71	23 14.04 57.14	24 5.85 55.56	10 4.09 38.89	7 3.51 50.00	6 5.26 56.25	9 21.05 66.67	36	171	
Total	.77	35	42	18	18	12	16	54	272		
Frequency Missing = 27											

Statistics for Table of Q2 by Q76

Statistic	DF	Value	Prob
Chi-Square	7	10.2485	0.1749
Likelihood Ratio Chi-Square	7	10.1515	0.1801
Mantel-Haenszel Chi-Square	1	1.3437	0.2464
Phi Coefficient		0.1941	
Contingency Coefficient		0.1906	
Cramer's V		0.1941	

Effective Sample Size = 272

Frequency Missing = 27

Table of RACE by Q76										
RACE	Q76(Q76 During the past 7 days, on how many days did you eat breakfast?)									
Frequency Row Pct Col Pct	0 days	1 days	2 days	3 days	4 days	5 days	6 days	7 days	Total	
Black or African American	12 .30.47 .52.70	39 14.06 51.43	18 21.09 62.79	27 7.03 50.00	9 7.03 50.00	9 3.13 33.33	4 6.25 50.00	8 10.94 25.45	14	128
White	5 .20.00 .16.22	12 11.67 20.00	7 10.00 13.95	6 6.67 22.22	4 8.33 27.78	5 6.67 33.33	4 5.00 18.75	3 31.67 34.55	19	60
Other	6 .22.22 .8.11	6 14.81 11.43	4 3.70 2.33	1 7.41 11.11	2 3.70 5.56	1 11.11 25.00	3 11.11 18.75	3 25.93 12.73	7	27
Hispanic	4 .30.36 .22.97	17 10.71 17.14	6 16.07 20.93	9 5.36 16.67	3 5.36 16.67	3 1.79 8.33	1 3.57 12.50	2 26.79 27.27	15	56
Total	.74	35	43	18	18	12	16	55	271	
Frequency Missing = 27										

Statistics for Table of RACE by Q76

Statistic	DF	Value	Prob
Chi-Square	21	27.1420	0.1662
Likelihood Ratio Chi-Square	21	28.1261	0.1366
Mantel-Haenszel Chi-Square	1	5.6686	0.0173
Phi Coefficient		0.3165	
Contingency Coefficient		0.3017	
Cramer's V		0.1827	
WARNING: 44% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 271

Frequency Missing = 27

Q77 During the past 7 days, on how many days did you eat dinner at home with your family?				
Q77	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	25	.	.	.
0 days	74	26.43	74	26.43
1 days	33	11.79	107	38.21
2 days	18	6.43	125	44.64
3 days	22	7.86	147	52.50
4 days	20	7.14	167	59.64
5 days	26	9.29	193	68.93
6 days	13	4.64	206	73.57
7 days	74	26.43	280	100.00

Frequency Missing = 25

Table of Q2 by Q77										
Q2(Q2 What is your sex?)	Q77(Q77 During the past 7 days, on how many days did you eat dinner at home with your family?)									
Frequency Row Pct Col Pct	.	0 days	1 days	2 days	3 days	4 days	5 days	6 days	7 days	Total
Female	7 .25.00	18 17.82 33.33	11 10.89 33.33	6 5.94 33.33	6 5.94 27.27	12 11.88 60.00	13 12.87 50.00	6 5.94 46.15	29 28.71 39.73	101
Male	15 .75.00	54 30.68 66.67	22 12.50 66.67	12 6.82 66.67	16 9.09 72.73	8 4.55 40.00	13 7.39 50.00	7 3.98 53.85	44 25.00 60.27	176
Total	.	72	33	18	22	20	26	13	73	277

Frequency Missing = 22

Statistics for Table of Q2 by Q77

Statistic	DF	Value	Prob
Chi-Square	7	12.8030	0.0771
Likelihood Ratio Chi-Square	7	12.7542	0.0783
Mantel-Haenszel Chi-Square	1	5.4544	0.0195
Phi Coefficient		0.2150	
Contingency Coefficient		0.2102	
Cramer's V		0.2150	

Effective Sample Size = 277

Frequency Missing = 22

Table of RACE by Q77										
RACE	Q77(Q77 During the past 7 days, on how many days did you eat dinner at home with your family?)									
Frequency		0	1	2	3	4	5	6	7	
Row Pct		days	days	days	days	days	days	days	days	Total
Col Pct	.	days	days	days	days	days	days	days	days	Total
Black or African American	8	38	19	11	10	10	9	4	31	132
	.	28.79	14.39	8.33	7.58	7.58	6.82	3.03	23.48	
	.	54.29	57.58	61.11	45.45	52.63	34.62	30.77	41.89	
White	5	12	8	4	3	7	6	7	13	60
	.	20.00	13.33	6.67	5.00	11.67	10.00	11.67	21.67	
	.	17.14	24.24	22.22	13.64	36.84	23.08	53.85	17.57	
Other	6	8	0	0	2	2	6	1	8	27
	.	29.63	0.00	0.00	7.41	7.41	22.22	3.70	29.63	
	.	11.43	0.00	0.00	9.09	10.53	23.08	7.69	10.81	
Hispanic	4	12	6	3	7	0	5	1	22	56
	.	21.43	10.71	5.36	12.50	0.00	8.93	1.79	39.29	
	.	17.14	18.18	16.67	31.82	0.00	19.23	7.69	29.73	
Total	.	70	33	18	22	19	26	13	74	275
Frequency Missing = 23										

Statistics for Table of RACE by Q77

Statistic	DF	Value	Prob
Chi-Square	21	34.5648	0.0315
Likelihood Ratio Chi-Square	21	40.0884	0.0073
Mantel-Haenszel Chi-Square	1	5.3164	0.0211
Phi Coefficient		0.3545	
Contingency Coefficient		0.3341	
Cramer's V		0.2047	
WARNING: 44% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 275
Frequency Missing = 23

XI. PHYSICAL ACTIVITY: QUESTIONS 78-82

Q78 During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?				
Q78	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	25	.	.	.
0 days	75	26.79	75	26.79
1 days	43	15.36	118	42.14
2 days	31	11.07	149	53.21
3 days	22	7.86	171	61.07
4 days	19	6.79	190	67.86
5 days	19	6.79	209	74.64
6 days	9	3.21	218	77.86
7 days	62	22.14	280	100.00

Frequency Missing = 25

Table of Q2 by Q78										
Q2(Q2 What is your sex?)	Q78(Q78 During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?)									
Frequency		0	1	2	3	4	5	6	7	
Row Pct		days	days	days	days	days	days	days	days	Total
Col Pct	.									
Female	9	29	14	11	7	8	11	4	15	99
	.	29.29	14.14	11.11	7.07	8.08	11.11	4.04	15.15	
	.	38.67	33.33	35.48	33.33	44.44	57.89	44.44	24.59	
Male	14	46	28	20	14	10	8	5	46	177
	.	25.99	15.82	11.30	7.91	5.65	4.52	2.82	25.99	
	.	61.33	66.67	64.52	66.67	55.56	42.11	55.56	75.41	
Total	.	75	42	31	21	18	19	9	61	276
Frequency Missing = 23										

Statistics for Table of Q2 by Q78

Statistic	DF	Value	Prob
Chi-Square	7	8.6769	0.2767
Likelihood Ratio Chi-Square	7	8.6505	0.2787
Mantel-Haenszel Chi-Square	1	0.8000	0.3711
Phi Coefficient		0.1773	
Contingency Coefficient		0.1746	
Cramer's V		0.1773	

Effective Sample Size = 276

Frequency Missing = 23

Table of RACE by Q78										
RACE	Q78(Q78 During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?)									
	Frequency	0	1	2	3	4	5	6	7	Total
Row Pct	. days	days	days	days	days	days	days	days	days	
Col Pct	.	days	days	days	days	days	days	days	days	Total
Black or African American	7	37	19	16	9	9	12	2	29	133
	.	27.82	14.29	12.03	6.77	6.77	9.02	1.50	21.80	
	.	51.39	45.24	51.61	40.91	50.00	63.16	22.22	46.77	
White	6	13	9	5	7	3	2	4	16	59
	.	22.03	15.25	8.47	11.86	5.08	3.39	6.78	27.12	
	.	18.06	21.43	16.13	31.82	16.67	10.53	44.44	25.81	
Other	7	6	4	1	4	1	3	1	6	26
	.	23.08	15.38	3.85	15.38	3.85	11.54	3.85	23.08	
	.	8.33	9.52	3.23	18.18	5.56	15.79	11.11	9.68	
Hispanic	3	16	10	9	2	5	2	2	11	57
	.	28.07	17.54	15.79	3.51	8.77	3.51	3.51	19.30	
	.	22.22	23.81	29.03	9.09	27.78	10.53	22.22	17.74	
Total	.	72	42	31	22	18	19	9	62	275
Frequency Missing = 23										

Statistics for Table of RACE by Q78

Statistic	DF	Value	Prob
Chi-Square	21	17.2951	0.6931
Likelihood Ratio Chi-Square	21	17.5903	0.6748
Mantel-Haenszel Chi-Square	1	0.0151	0.9021
Phi Coefficient		0.2508	
Contingency Coefficient		0.2432	
Cramer's V		0.1448	
WARNING: 47% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

*Effective Sample Size = 275**Frequency Missing = 23*

Q79 On an average school day, how many hours do you watch TV?				
Q79	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	31	.	.	.
None	67	24.45	67	24.45
<1 hour per day	48	17.52	115	41.97
1 hour per day	32	11.68	147	53.65
2 hours per day	39	14.23	186	67.88
3 hours per day	38	13.87	224	81.75
4 hours per day	22	8.03	246	89.78
5+ hours per day	28	10.22	274	100.00

Frequency Missing = 31

Table of Q2 by Q79									
Q2(Q2 What is your sex?)	Q79(Q79 On an average school day, how many hours do you watch TV?)								
Frequency Row Pct Col Pct		<1 hour per day	1 hour per day	2 hours per day	3 hours per day	4 hours per day	5+ hours per day	Total	
Female	8 . . 19.00 29.23	9 9.00 19.15	13 13.00 40.63	16 16.00 41.03	21 21.00 55.26	11 11.00 50.00	11 11.00 39.29	100	
Male	20 . . 26.90 70.77	46 22.22 80.85	38 11.11 59.38	19 13.45 58.97	23 9.94 44.74	17 6.43 50.00	17 9.94 60.71	171	
Total	. . 65	47	32	39	38	22	28	271	
Frequency Missing = 28									

Statistics for Table of Q2 by Q79

Statistic	DF	Value	Prob
Chi-Square	6	15.6714	0.0156
Likelihood Ratio Chi-Square	6	16.1032	0.0132
Mantel-Haenszel Chi-Square	1	7.9868	0.0047
Phi Coefficient		0.2405	
Contingency Coefficient		0.2338	
Cramer's V		0.2405	

Effective Sample Size = 271
Frequency Missing = 28

Table of RACE by Q79									
RACE	Q79(Q79 On an average school day, how many hours do you watch TV?)								
Frequency Row Pct Col Pct		<1 hour per day	1 hour per day	2 hours per day	3 hours per day	4 hours per day	5+ hours per day	Total	
Black or African American	11 .21.71 .43.75	28 16.28 44.68	21 12.40 50.00	16 10.85 36.84	14 15.50 52.63	20 7.75 45.45	10 15.50 71.43	20 15.50 71.43	129
White	5 .30.00 .28.13	18 21.67 27.66	13 15.00 28.13	9 21.67 34.21	13 10.00 15.79	6 1.67 4.55	1 0.00 0.00	0 0.00 0.00	60
Other	6 .25.93 .10.94	7 18.52 10.64	5 7.41 6.25	2 7.41 5.26	2 3.70 2.63	1 25.93 31.82	7 11.11 10.71	3 11.11 10.71	27
Hispanic	7 .20.75 .17.19	11 15.09 17.02	8 9.43 15.63	5 16.98 23.68	9 20.75 28.95	11 7.55 18.18	4 9.43 17.86	5 9.43 17.86	53
Total	. 64	47	32	38	38	22	28	269	
Frequency Missing = 29									

Statistics for Table of RACE by Q79

Statistic	DF	Value	Prob
Chi-Square	18	35.8748	0.0073
Likelihood Ratio Chi-Square	18	40.0016	0.0021
Mantel-Haenszel Chi-Square	1	0.4487	0.5030
Phi Coefficient		0.3652	
Contingency Coefficient		0.3430	
Cramer's V		0.2108	
WARNING: 29% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 269
Frequency Missing = 29

Q80 On an average school day, how many hours do you play video or computer games (including game consoles, tablets and smartphones and social networking)?				
Q80	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	25	.	.	.
None	69	24.64	69	24.64
<1 hour per day	57	20.36	126	45.00
1 hour per day	27	9.64	153	54.64
2 hours per day	30	10.71	183	65.36
3 hours per day	28	10.00	211	75.36
4 hours per day	16	5.71	227	81.07
5+ hours per day	53	18.93	280	100.00

Frequency Missing = 25

Table of Q2 by Q80										
Q2(Q2 What is your sex?)	Q80(Q80 On an average school day, how many hours do you play video or computer games (including game consoles, tablets and smartphones and social networking)?)									
	Frequency	Row Pct	Col Pct	<1 hour per day	1 hour per day	2 hours per day	3 hours per day	4 hours per day	5+ hours per day	Total
Female	7	.24.75	.36.76	14	8	8	11	6	29	101
				13.86	7.92	7.92	10.89	5.94	28.71	
				25.00	30.77	26.67	39.29	40.00	54.72	
Male	16	.24.57	.63.24	42	18	22	17	9	24	175
				24.00	10.29	12.57	9.71	5.14	13.71	
				75.00	69.23	73.33	60.71	60.00	45.28	
Total	.			68	56	26	30	28	15	53
										276
Frequency Missing = 23										

Statistics for Table of Q2 by Q80

Statistic	DF	Value	Prob
Chi-Square	6	12.5642	0.0505
Likelihood Ratio Chi-Square	6	12.5007	0.0517
Mantel-Haenszel Chi-Square	1	6.2731	0.0123
Phi Coefficient		0.2134	
Contingency Coefficient		0.2087	
Cramer's V		0.2134	

Effective Sample Size = 276

Frequency Missing = 23

Table of RACE by Q80									
RACE	Q80(Q80 On an average school day, how many hours do you play video or computer games (including game consoles, tablets and smartphones and social networking)?)								
	Frequency	Row Pct	Col Pct	<1 hour per day	1 hour per day	2 hours per day	3 hours per day	4 hours per day	5+ hours per day
Black or African American	8	33	26	16	10	9	6	32	132
	.	25.00	19.70	12.12	7.58	6.82	4.55	24.24	
	.	50.00	45.61	64.00	33.33	32.14	37.50	60.38	
White	4	17	12	6	11	9	1	5	61
	.	27.87	19.67	9.84	18.03	14.75	1.64	8.20	
	.	25.76	21.05	24.00	36.67	32.14	6.25	9.43	
Other	6	3	7	2	4	2	4	5	27
	.	11.11	25.93	7.41	14.81	7.41	14.81	18.52	
	.	4.55	12.28	8.00	13.33	7.14	25.00	9.43	
Hispanic	5	13	12	1	5	8	5	11	55
	.	23.64	21.82	1.82	9.09	14.55	9.09	20.00	
	.	19.70	21.05	4.00	16.67	28.57	31.25	20.75	
Total	.	66	57	25	30	28	16	53	275
Frequency Missing = 23									

Statistics for Table of RACE by Q80

Statistic	DF	Value	Prob
Chi-Square	18	28.6888	0.0523
Likelihood Ratio Chi-Square	18	30.6050	0.0320
Mantel-Haenszel Chi-Square	1	0.1066	0.7441
Phi Coefficient		0.3230	
Contingency Coefficient		0.3074	
Cramer's V		0.1865	
WARNING: 21% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 275

Frequency Missing = 23

Q81 During the current school year, do you participate in an official school sport or sports where you play as part of a team?				
Q81	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	52	.	.	.
Yes	101	39.92	101	39.92
No	152	60.08	253	100.00

Frequency Missing = 52

Table of Q2 by Q81				
Q2(Q2 What is your sex?)	Q81(Q81 During the current school year, do you participate in an official school sport or sports where you play as part of a team?)			
	Frequency	Yes	No	Total
Row Pct	.			
Col Pct	.			
Female	12	25	71	96
	.	26.04	73.96	
	.	25.25	47.33	
Male	38	74	79	153
	.	48.37	51.63	
	.	74.75	52.67	
Total	.	99	150	249
Frequency Missing = 50				

Statistics for Table of Q2 by Q81

Statistic	DF	Value	Prob
Chi-Square	1	12.2742	0.0005
Likelihood Ratio Chi-Square	1	12.6171	0.0004
Continuity Adj. Chi-Square	1	11.3598	0.0008
Mantel-Haenszel Chi-Square	1	12.2249	0.0005
Phi Coefficient		-0.2220	
Contingency Coefficient		0.2167	
Cramer's V		-0.2220	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	25
Left-sided Pr <= F	3.241E-04
Right-sided Pr >= F	0.9999
Table Probability (P)	2.102E-04
Two-sided Pr <= P	5.232E-04

Effective Sample Size = 249
Frequency Missing = 50

WARNING: 17% of the data are missing.

Table of RACE by Q81				
RACE	Q81(Q81 During the current school year, do you participate in an official school sport or sports where you play as part of a team?)			
	.	Yes	No	Total
Black or African American	25 . 40.87 . 48.45	47 59.13	68 45.03	115
White	8 . 40.35 . 23.71	23 59.65	34 22.52	57
Other	8 . 24.00 . 6.19	6 76.00	19 12.58	25
Hispanic	9 . 41.18 . 21.65	21 58.82	30 19.87	51
Total	.	97	151	248
Frequency Missing = 50				

Statistics for Table of RACE by Q81

Statistic	DF	Value	Prob
Chi-Square	3	2.6746	0.4446
Likelihood Ratio Chi-Square	3	2.8397	0.4170
Mantel-Haenszel Chi-Square	1	0.2113	0.6458
Phi Coefficient		0.1038	
Contingency Coefficient		0.1033	
Cramer's V		0.1038	

Effective Sample Size = 248
Frequency Missing = 50

WARNING: 17% of the data are missing.

Q82 During the current school year, do you participate in an official school sport or sports where you play as an individual?				
Q82	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	53	.	.	.
Yes	78	30.95	78	30.95
No	174	69.05	252	100.00

Frequency Missing = 53

Table of Q2 by Q82				
Q2(Q2 What is your sex?)	Q82(Q82 During the current school year, do you participate in an official school sport or sports where you play as an individual?)			
	Frequency	Yes	No	Total
Row Pct	.			
Col Pct	.	Yes	No	Total
Female	11	23	74	97
	.	23.71	76.29	
	.	29.87	43.02	
Male	39	54	98	152
	.	35.53	64.47	
	.	70.13	56.98	
Total	.	77	172	249
Frequency Missing = 50				

Statistics for Table of Q2 by Q82

Statistic	DF	Value	Prob
Chi-Square	1	3.8696	0.0492
Likelihood Ratio Chi-Square	1	3.9521	0.0468
Continuity Adj. Chi-Square	1	3.3362	0.0678
Mantel-Haenszel Chi-Square	1	3.8540	0.0496
Phi Coefficient		-0.1247	
Contingency Coefficient		0.1237	
Cramer's V		-0.1247	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	23
Left-sided Pr <= F	0.0330
Right-sided Pr >= F	0.9833
Table Probability (P)	0.0162
Two-sided Pr <= P	0.0508

Effective Sample Size = 249
Frequency Missing = 50

WARNING: 17% of the data are missing.

Table of RACE by Q82				
RACE	Q82(Q82 During the current school year, do you participate in an official school sport or sports where you play as an individual?)			
	.	Yes	No	Total
Black or African American	22	38	80	118
	.	32.20	67.80	
	.	51.35	45.98	
White	9	20	36	56
	.	35.71	64.29	
	.	27.03	20.69	
Other	10	4	19	23
	.	17.39	82.61	
	.	5.41	10.92	
Hispanic	9	12	39	51
	.	23.53	76.47	
	.	16.22	22.41	
Total	.	74	174	248
Frequency Missing = 50				

Statistics for Table of RACE by Q82

Statistic	DF	Value	Prob
Chi-Square	3	3.9105	0.2713
Likelihood Ratio Chi-Square	3	4.1059	0.2502
Mantel-Haenszel Chi-Square	1	1.6220	0.2028
Phi Coefficient		0.1256	
Contingency Coefficient		0.1246	
Cramer's V		0.1256	

Effective Sample Size = 248
Frequency Missing = 50
WARNING: 17% of the data are missing.

XIII. DISABILITY: QUESTIONS 83-85

Q83 Do you consider yourself to have a disability?				
Q83	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	30	.	.	.
Yes	50	18.18	50	18.18
No	188	68.36	238	86.55
Not Sure	37	13.45	275	100.00

Frequency Missing = 30

Table of Q2 by Q83					
Q2(Q2 What is your sex?)	Q83(Q83 Do you consider yourself to have a disability?)				
Frequency Row Pct Col Pct	.	Yes	No	Not Sure	Total
Female	8 .16.00 .34.04	16 69.00 36.90	69 69.01 63.10	15 15.00 59.46	100
Male	20 .18.13 .65.96	31 18.13 65.96	118 69.01 63.10	22 12.87 59.46	171
Total	.	47	187	37	271
Frequency Missing = 28					

Statistics for Table of Q2 by Q83

Statistic	DF	Value	Prob
Chi-Square	2	0.3754	0.8289
Likelihood Ratio Chi-Square	2	0.3747	0.8292
Mantel-Haenszel Chi-Square	1	0.3702	0.5429
Phi Coefficient		0.0372	
Contingency Coefficient		0.0372	
Cramer's V		0.0372	

Effective Sample Size = 271

Frequency Missing = 28

Table of RACE by Q83					
RACE	Q83(Q83 Do you consider yourself to have a disability?)				
		Yes	No	Not Sure	Total
Frequency Row Pct Col Pct	.				
Black or African American	10 .1538 .4255	20 75.38 52.41	98 36.11 21.67	12 9.23 33.33	130
White	5 .1833 .2340	11 60.00 19.25	36 21.67 36.11	13 9.23 33.33	60
Other	7 .2308 .1277	6 61.54 8.56	16 15.38 11.11	4 11.11	26
Hispanic	6 .1852 .2128	10 68.52 19.79	37 12.96 19.44	7 9.23 33.33	54
Total	.	47	187	36	270
Frequency Missing = 28					

Statistics for Table of RACE by Q83

Statistic	DF	Value	Prob
Chi-Square	6	7.3822	0.2869
Likelihood Ratio Chi-Square	6	7.0675	0.3147
Mantel-Haenszel Chi-Square	1	0.0381	0.8453
Phi Coefficient		0.1654	
Contingency Coefficient		0.1631	
Cramer's V		0.1169	

Effective Sample Size = 270

Frequency Missing = 28

Q84 Are you limited in any way in any activities because of disability or health problem?				
Q84	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	35	.	.	.
Yes	60	22.22	60	22.22
No	189	70.00	249	92.22
Not Sure	21	7.78	270	100.00

Frequency Missing = 35

Table of Q2 by Q84					
Q2(Q2 What is your sex?)	Q84(Q84 Are you limited in any way in any activities because of disability or health problem?)				
Frequency Row Pct Col Pct	.	Yes	No	Not Sure	Total
Female	9 .23.23 .39.66	23 68.69 36.17	68 71.86 63.83	8 8.08 60.00	99
Male	24 .20.96 .60.34	35 71.86 63.83	120 71.86 63.83	12 7.19 60.00	167
Total	.	58	188	20	266
Frequency Missing = 33					

Statistics for Table of Q2 by Q84

Statistic	DF	Value	Prob
Chi-Square	2	0.3020	0.8598
Likelihood Ratio Chi-Square	2	0.3005	0.8605
Mantel-Haenszel Chi-Square	1	0.0432	0.8354
Phi Coefficient		0.0337	
Contingency Coefficient		0.0337	
Cramer's V		0.0337	

Effective Sample Size = 266

Frequency Missing = 33

WARNING: 11% of the data are missing.

Table of RACE by Q84					
RACE	Q84(Q84 Are you limited in any way in any activities because of disability or health problem?)				
Frequency Row Pct Col Pct	.	Yes	No	Not Sure	Total
Black or African American	13 .16.54 .36.21	21 74.02 50.00	94 9.45 60.00	12 60.00	127
White	6 .30.51 .31.03	18 64.41 20.21	38 5.08 15.00	3 15.00	59
Other	7 .26.92 .12.07	7 69.23 9.57	18 3.85 5.00	1 5.00	26
Hispanic	6 .22.22 .20.69	12 70.37 20.21	38 7.41 20.00	4 20.00	54
Total	.	58	188	20	266
Frequency Missing = 32					

Statistics for Table of RACE by Q84

Statistic	DF	Value	Prob
Chi-Square	6	6.0821	0.4141
Likelihood Ratio Chi-Square	6	6.1025	0.4118
Mantel-Haenszel Chi-Square	1	2.3458	0.1256
Phi Coefficient		0.1512	
Contingency Coefficient		0.1495	
Cramer's V		0.1069	
WARNING: 25% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

*Effective Sample Size = 266
Frequency Missing = 32*

WARNING: 11% of the data are missing.

Q85 Do you have trouble learning, remembering, or concentrating because of disability or health problem?				
Q85	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	37	.	.	.
Yes	53	19.78	53	19.78
No	188	70.15	241	89.93
Not Sure	27	10.07	268	100.00

Frequency Missing = 37

Table of Q2 by Q85					
Q2(Q2 What is your sex?)	Q85(Q85 Do you have trouble learning, remembering, or concentrating because of disability or health problem?)				
	Frequency Row Pct Col Pct	.	Yes	No	Not Sure
Female	9 .19.19 .35.85	19	70	10	99
Male	24 .20.36 .64.15	34	116	17	167
Total	.	53	186	27	266
Frequency Missing = 33					

Statistics for Table of Q2 by Q85

Statistic	DF	Value	Prob
Chi-Square	2	0.0567	0.9721
Likelihood Ratio Chi-Square	2	0.0569	0.9720
Mantel-Haenszel Chi-Square	1	0.0252	0.8739
Phi Coefficient		0.0146	
Contingency Coefficient		0.0146	
Cramer's V		0.0146	

Effective Sample Size = 266

Frequency Missing = 33

WARNING: 11% of the data are missing.

Table of RACE by Q85					
RACE	Q85(Q85 Do you have trouble learning, remembering, or concentrating because of disability or health problem?)				
Frequency Row Pct Col Pct	.	Yes	No	Not Sure	Total
Black or African American	12 .20.31 .50.98	26 69.53 47.85	89 10.16 48.15	13 48.15	128
White	7 .27.59 .31.37	16 67.24 20.97	39 5.17 11.11	3 11.11	58
Other	8 .20.00 .9.80	5 72.00 9.68	18 8.00 7.41	2 7.41	25
Hispanic	7 .7.55 .7.84	4 75.47 21.51	40 16.98 33.33	9 33.33	53
Total	. 51	186	27	264	
Frequency Missing = 34					

Statistics for Table of RACE by Q85

Statistic	DF	Value	Prob
Chi-Square	6	10.1584	0.1181
Likelihood Ratio Chi-Square	6	11.0065	0.0882
Mantel-Haenszel Chi-Square	1	2.3541	0.1250
Phi Coefficient		0.1962	
Contingency Coefficient		0.1925	
Cramer's V		0.1387	

*Effective Sample Size = 264
Frequency Missing = 34*

WARNING: 11% of the data are missing.

XIV. GAMBLING: QUESTION 86

Q86 During the past 12 months, how many times have you gambled(e.g. sports teams, games, lottery, video games)				
Q86	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	26	.	.	.
0 times	178	63.80	178	63.80
1-2 times	53	19.00	231	82.80
3-9 times	28	10.04	259	92.83
10-19 times	11	3.94	270	96.77
20-39 times	4	1.43	274	98.21
40+ times	5	1.79	279	100.00

Frequency Missing = 26

Table of Q2 by Q86								
Q2(Q2 What is your sex?)	Q86(Q86 During the past 12 months, how many times have you gambled(e.g. sports teams, games, lottery, video games))							
Frequency Row Pct Col Pct	.	0 times	1-2 times	3-9 times	10-19 times	20-39 times	40+ times	Total
Female	7	80	14	1	5	0	1	101
.	.	79.21	13.86	0.99	4.95	0.00	0.99	
.	.	45.45	26.42	3.57	45.45	0.00	25.00	
Male	16	96	39	27	6	4	3	175
.	.	54.86	22.29	15.43	3.43	2.29	1.71	
.	.	54.55	73.58	96.43	54.55	100.00	75.00	
Total	.	176	53	28	11	4	4	276
Frequency Missing = 23								

Statistics for Table of Q2 by Q86

Statistic	DF	Value	Prob
Chi-Square	5	24.3938	0.0002
Likelihood Ratio Chi-Square	5	30.5159	<.0001
Mantel-Haenszel Chi-Square	1	11.6404	0.0006
Phi Coefficient		0.2973	
Contingency Coefficient		0.2850	
Cramer's V		0.2973	
WARNING: 42% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

*Effective Sample Size = 276**Frequency Missing = 23*

Table of RACE by Q86								
RACE	Q86(Q86 During the past 12 months, how many times have you gambled(e.g. sports teams, games, lottery, video games))							
Frequency Row Pct Col Pct	0 times	1-2 times	3-9 times	10-19 times	20-39 times	40+ times	Total	
Black or African American	8 . 65.91 . 49.71	87 17.42 44.23	23 9.85 46.43	13 3.03 36.36	4 1.52 50.00	2 2.27 75.00	3	132
White	4 . 60.66 . 21.14	37 22.95 26.92	14 14.75 32.14	9 1.64 9.09	1 0.00 0.00	0 0.00 0.00	0	61
Other	6 . 62.96 . 9.71	17 11.11 5.77	3 11.11 10.71	3 11.11 27.27	3 3.70 25.00	1 0.00 0.00	0	27
Hispanic	6 . 62.96 . 19.43	34 22.22 23.08	12 5.56 10.71	3 5.56 27.27	3 1.85 25.00	1 1.85 25.00	1	54
Total	. 175	52	28	11	4	4		274
Frequency Missing = 24								

Statistics for Table of RACE by Q86

Statistic	DF	Value	Prob
Chi-Square	15	13.1684	0.5893
Likelihood Ratio Chi-Square	15	14.2936	0.5034
Mantel-Haenszel Chi-Square	1	0.1071	0.7435
Phi Coefficient		0.2192	
Contingency Coefficient		0.2141	
Cramer's V		0.1266	
WARNING: 50% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 274
Frequency Missing = 24

XV. HEALTH TOPICS: QUESTIONS 87-93

Q87 Have you ever been tested for HIV?				
Q87	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	38	.	.	.
Yes	57	21.35	57	21.35
No	189	70.79	246	92.13
Not Sure	21	7.87	267	100.00

Frequency Missing = 38

Table of Q2 by Q87					
Q2(Q2 What is your sex?)	Q87(Q87 Have you ever been tested for HIV?)				
Frequency Row Pct Col Pct	.	Yes	No	Not Sure	Total
Female	10 . 20.41 . 35.71	20 75.51	74 39.57	4 4.08 20.00	98
Male	26 . 21.82 . 64.29	36 68.48	113 60.43	16 9.70 80.00	165
Total	.	56	187	20	263
Frequency Missing = 36					

Statistics for Table of Q2 by Q87

Statistic	DF	Value	Prob
Chi-Square	2	3.0336	0.2194
Likelihood Ratio Chi-Square	2	3.2812	0.1939
Mantel-Haenszel Chi-Square	1	0.4008	0.5267
Phi Coefficient		0.1074	
Contingency Coefficient		0.1068	
Cramer's V		0.1074	

Effective Sample Size = 263
Frequency Missing = 36

WARNING: 12% of the data are missing.

Table of RACE by Q87					
RACE	Q87(Q87 Have you ever been tested for HIV?)				
	. 	Yes	No	Not Sure	Total
Frequency					
Row Pct					
Col Pct					
Black or African American	15	28	85	12	125
	. 22.40	68.00	9.60		
	. 50.91	45.21	63.16		
White	4	11	46	4	61
	. 18.03	75.41	6.56		
	. 20.00	24.47	21.05		
Other	8	6	18	1	25
	. 24.00	72.00	4.00		
	. 10.91	9.57	5.26		
Hispanic	9	10	39	2	51
	. 19.61	76.47	3.92		
	. 18.18	20.74	10.53		
Total	.	55	188	19	262
Frequency Missing = 36					

Statistics for Table of RACE by Q87

Statistic	DF	Value	Prob
Chi-Square	6	3.1797	0.7860
Likelihood Ratio Chi-Square	6	3.3275	0.7668
Mantel-Haenszel Chi-Square	1	0.1961	0.6579
Phi Coefficient		0.1102	
Contingency Coefficient		0.1095	
Cramer's V		0.0779	
WARNING: 25% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 262
Frequency Missing = 36

WARNING: 12% of the data are missing.

Q88 Has a doctor or nurse ever told you that you have asthma?				
Q88	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	39	.	.	.
Yes	87	32.71	87	32.71
No	169	63.53	256	96.24
Not Sure	10	3.76	266	100.00

Frequency Missing = 39

Table of Q2 by Q88					
Q2(Q2 What is your sex?)	Q88(Q88 Has a doctor or nurse ever told you that you have asthma?)				
Frequency Row Pct Col Pct	.	Yes	No	Not Sure	Total
Female	10	31	65	2	98
	.	31.63	66.33	2.04	
	.	36.05	38.92	20.00	
Male	26	55	102	8	165
	.	33.33	61.82	4.85	
	.	63.95	61.08	80.00	
Total	.	86	167	10	263
Frequency Missing = 36					

Statistics for Table of Q2 by Q88

Statistic	DF	Value	Prob
Chi-Square	2	1.5259	0.4663
Likelihood Ratio Chi-Square	2	1.6503	0.4382
Mantel-Haenszel Chi-Square	1	0.0267	0.8703
Phi Coefficient		0.0762	
Contingency Coefficient		0.0759	
Cramer's V		0.0762	

Effective Sample Size = 263

Frequency Missing = 36

WARNING: 12% of the data are missing.

Table of RACE by Q88					
RACE	Q88(Q88 Has a doctor or nurse ever told you that you have asthma?)				
Frequency Row Pct Col Pct	.	Yes	No	Not Sure	Total
Black or African American	13 .38.58 .58.33	49 59.84 45.24	76 1.57 20.00	2	127
White	8 .33.33 .22.62	19 63.16 21.43	36 3.51 20.00	2	57
Other	9 .16.67 .4.76	4 79.17 11.31	19 4.17 10.00	1	24
Hispanic	6 .22.22 .14.29	12 68.52 22.02	37 9.26 50.00	5	54
Total	.	84	168	10	262
Frequency Missing = 36					

Statistics for Table of RACE by Q88

Statistic	DF	Value	Prob
Chi-Square	6	12.3840	0.0539
Likelihood Ratio Chi-Square	6	12.0797	0.0602
Mantel-Haenszel Chi-Square	1	9.3490	0.0022
Phi Coefficient		0.2174	
Contingency Coefficient		0.2124	
Cramer's V		0.1537	
WARNING: 33% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 262
Frequency Missing = 36

WARNING: 12% of the data are missing.

Q89 Do you still have asthma?				
Q89	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	29	.	.	.
I do not have asthma	146	52.90	146	52.90
Yes	66	23.91	212	76.81
No	50	18.12	262	94.93
Not sure	14	5.07	276	100.00

Frequency Missing = 29

Table of Q2 by Q89						
Q2(Q2 What is your sex?)	Q89(Q89 Do you still have asthma?)					
Frequency Row Pct Col Pct		I do not have asthma	Yes	No	Not sure	Total
Female	8	50	30	15	5	100
.	.	50.00	30.00	15.00	5.00	
.	.	34.97	45.45	30.61	35.71	
Male	19	93	36	34	9	172
.	.	54.07	20.93	19.77	5.23	
.	.	65.03	54.55	69.39	64.29	
Total	.	143	66	49	14	272
Frequency Missing = 27						

Statistics for Table of Q2 by Q89

Statistic	DF	Value	Prob
Chi-Square	3	3.1474	0.3694
Likelihood Ratio Chi-Square	3	3.1137	0.3744
Mantel-Haenszel Chi-Square	1	0.0100	0.9204
Phi Coefficient		0.1076	
Contingency Coefficient		0.1070	
Cramer's V		0.1076	

Effective Sample Size = 272

Frequency Missing = 27

Table of RACE by Q89						
RACE	Q89(Q89 Do you still have asthma?)					
Frequency Row Pct Col Pct		I do not have asthma	Yes	No	Not sure	Total
Black or African American	9	62	40	19	10	131
	.	47.33	30.53	14.50	7.63	
	.	43.66	61.54	38.00	71.43	
White	5	36	15	9	0	60
	.	60.00	25.00	15.00	0.00	
	.	25.35	23.08	18.00	0.00	
Other	7	15	4	5	2	26
	.	57.69	15.38	19.23	7.69	
	.	10.56	6.15	10.00	14.29	
Hispanic	6	29	6	17	2	54
	.	53.70	11.11	31.48	3.70	
	.	20.42	9.23	34.00	14.29	
Total	.	142	65	50	14	271
Frequency Missing = 27						

Statistics for Table of RACE by Q89

Statistic	DF	Value	Prob
Chi-Square	9	20.0226	0.0178
Likelihood Ratio Chi-Square	9	22.9982	0.0062
Mantel-Haenszel Chi-Square	1	0.0638	0.8007
Phi Coefficient		0.2718	
Contingency Coefficient		0.2623	
Cramer's V		0.1569	
WARNING: 25% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 271

Frequency Missing = 27

Q90 Do you have a written asthma action plan/management plan on file at school?				
Q90	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	30	.	.	.
I do not have asthma	148	53.82	148	53.82
Yes	42	15.27	190	69.09
No	63	22.91	253	92.00
Not sure	22	8.00	275	100.00

Frequency Missing = 30

Table of Q2 by Q90						
Q2(Q2 What is your sex?)	Q90(Q90 Do you have a written asthma action plan/management plan on file at school?)					
Frequency Row Pct Col Pct		I do not have asthma	Yes	No	Not sure	Total
Female	8	53	12	26	9	100
.	.	53.00	12.00	26.00	9.00	
.	.	36.30	28.57	41.94	42.86	
Male	20	93	30	36	12	171
.	.	54.39	17.54	21.05	7.02	
.	.	63.70	71.43	58.06	57.14	
Total	.	146	42	62	21	271
Frequency Missing = 28						

Statistics for Table of Q2 by Q90

Statistic	DF	Value	Prob
Chi-Square	3	2.2689	0.5185
Likelihood Ratio Chi-Square	3	2.2997	0.5126
Mantel-Haenszel Chi-Square	1	0.6329	0.4263
Phi Coefficient		0.0915	
Contingency Coefficient		0.0911	
Cramer's V		0.0915	

Effective Sample Size = 271

Frequency Missing = 28

Table of RACE by Q90						
RACE	Q90(Q90 Do you have a written asthma action plan/management plan on file at school?)					
	Frequency	I do not have asthma	Yes	No	Not sure	Total
Row Pct						
Col Pct						
Black or African American	10	66	22	29	13	130
	.	50.77	16.92	22.31	10.00	
	.	45.21	52.38	48.33	59.09	
White	5	30	13	12	5	60
	.	50.00	21.67	20.00	8.33	
	.	20.55	30.95	20.00	22.73	
Other	7	17	3	6	0	26
	.	65.38	11.54	23.08	0.00	
	.	11.64	7.14	10.00	0.00	
Hispanic	6	33	4	13	4	54
	.	61.11	7.41	24.07	7.41	
	.	22.60	9.52	21.67	18.18	
Total		146	42	60	22	270
Frequency Missing = 28						

Statistics for Table of RACE by Q90

Statistic	DF	Value	Prob
Chi-Square	9	8.6578	0.4694
Likelihood Ratio Chi-Square	9	11.1174	0.2677
Mantel-Haenszel Chi-Square	1	1.4142	0.2344
Phi Coefficient		0.1791	
Contingency Coefficient		0.1763	
Cramer's V		0.1034	
WARNING: 25% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 270
Frequency Missing = 28

Q91 On an average school night, how many hours of sleep do you get?				
Q91	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	28	.	.	.
4 or less hours	53	19.13	53	19.13
5 hours	40	14.44	93	33.57
6 hours	75	27.08	168	60.65
7 hours	59	21.30	227	81.95
8 hours	37	13.36	264	95.31
9 hours	8	2.89	272	98.19
10+ hours	5	1.81	277	100.00

Frequency Missing = 28

Table of Q2 by Q91									
Q2(Q2 What is your sex?)	Q91(Q91 On an average school night, how many hours of sleep do you get?)								
Frequency Row Pct Col Pct	4 or less hours	5 hours	6 hours	7 hours	8 hours	9 hours	10+ hours	Total	
Female	8 .19.00 .35.85	19 7.00 18.42	7 30.00 40.54	30 24.00 40.68	24 13.00 36.11	13 5.00 62.50	5 2.00 40.00	2 100	
Male	18 .19.65 .64.15	34 17.92 81.58	31 25.43 59.46	44 20.23 59.32	35 13.29 63.89	23 1.73 37.50	3 1.73 60.00	3 173	
Total	.53	38	74	59	36	8	5	273	
Frequency Missing = 26									

Statistics for Table of Q2 by Q91

Statistic	DF	Value	Prob
Chi-Square	6	8.6810	0.1923
Likelihood Ratio Chi-Square	6	9.1657	0.1645
Mantel-Haenszel Chi-Square	1	1.9770	0.1597
Phi Coefficient		0.1783	
Contingency Coefficient		0.1756	
Cramer's V		0.1783	
WARNING: 21% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 273

Frequency Missing = 26

Table of RACE by Q91									
RACE	Q91(Q91 On an average school night, how many hours of sleep do you get?)								
Frequency Row Pct Col Pct	.	4 or less hours	5 hours	6 hours	7 hours	8 hours	9 hours	10+ hours	Total
Black or African American	9	28	18	35	29	15	3	3	131
	.	21.37	13.74	26.72	22.14	11.45	2.29	2.29	
	.	54.90	46.15	47.30	49.15	41.67	37.50	60.00	
White	5	13	10	13	16	7	0	1	60
	.	21.67	16.67	21.67	26.67	11.67	0.00	1.67	
	.	25.49	25.64	17.57	27.12	19.44	0.00	20.00	
Other	7	1	4	12	4	5	0	0	26
	.	3.85	15.38	46.15	15.38	19.23	0.00	0.00	
	.	1.96	10.26	16.22	6.78	13.89	0.00	0.00	
Hispanic	5	9	7	14	10	9	5	1	55
	.	16.36	12.73	25.45	18.18	16.36	9.09	1.82	
	.	17.65	17.95	18.92	16.95	25.00	62.50	20.00	
Total	.	51	39	74	59	36	8	5	272
Frequency Missing = 26									

Statistics for Table of RACE by Q91

Statistic	DF	Value	Prob
Chi-Square	18	22.0098	0.2316
Likelihood Ratio Chi-Square	18	23.3209	0.1786
Mantel-Haenszel Chi-Square	1	1.9934	0.1580
Phi Coefficient		0.2845	
Contingency Coefficient		0.2736	
Cramer's V		0.1642	
WARNING: 39% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 272

Frequency Missing = 26

Q92 During the past 12 months, how many times did you use an indoor tanning device (NOT lotions or spray tans)?				
Q92	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	29	.	.	.
0 times	218	78.99	218	78.99
1-2 times	32	11.59	250	90.58
3-9 times	14	5.07	264	95.65
10-19 times	6	2.17	270	97.83
20-39 times	3	1.09	273	98.91
40+ times	3	1.09	276	100.00

Frequency Missing = 29

Table of Q2 by Q92								
Q2(Q2 What is your sex?)	Q92(Q92 During the past 12 months, how many times did you use an indoor tanning device (NOT lotions or spray tans)?)							
Frequency		0 times	1-2 times	3-9 times	10-19 times	20-39 times	40+ times	Total
Row Pct								
Col Pct								
Female	7	85	7	2	3	2	2	101
.	.	84.16	6.93	1.98	2.97	1.98	1.98	
.	.	39.35	23.33	14.29	50.00	66.67	66.67	
Male	20	131	23	12	3	1	1	171
.	.	76.61	13.45	7.02	1.75	0.58	0.58	
.	.	60.65	76.67	85.71	50.00	33.33	33.33	
Total	.	216	30	14	6	3	3	272
Frequency Missing = 27								

Statistics for Table of Q2 by Q92

Statistic	DF	Value	Prob
Chi-Square	5	8.7007	0.1216
Likelihood Ratio Chi-Square	5	9.2496	0.0995
Mantel-Haenszel Chi-Square	1	0.0012	0.9729
Phi Coefficient		0.1789	
Contingency Coefficient		0.1761	
Cramer's V		0.1789	
WARNING: 50% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 272
Frequency Missing = 27

Table of RACE by Q92								
RACE	Q92(Q92 During the past 12 months, how many times did you use an indoor tanning device (NOT lotions or spray tans)?)							
Frequency Row Pct Col Pct	0 times	1-2 times	3-9 times	10-19 times	20-39 times	40+ times	Total	
Black or African American	9 . 77.10 . 46.98	18 13.74 58.06	8 6.11 61.54	3 2.29 50.00	0 0.00 0.00	1 0.76 33.33	131	
White	7 . 81.03 . 21.86	3 5.17 9.68	3 5.17 23.08	3 5.17 50.00	1 1.72 33.33	1 1.72 33.33	58	
Other	6 . 85.19 . 10.70	4 14.81 12.90	0 0.00 0.00	0 0.00 0.00	0 0.00 0.00	0 0.00 0.00	27	
Hispanic	5 . 80.00 . 20.47	6 10.91 19.35	2 3.64 15.38	0 0.00 0.00	2 3.64 66.67	1 1.82 33.33	55	
Total	. 215	31	13	6	3	3	271	
Frequency Missing = 27								

Statistics for Table of RACE by Q92

Statistic	DF	Value	Prob
Chi-Square	15	15.1669	0.4395
Likelihood Ratio Chi-Square	15	18.8362	0.2213
Mantel-Haenszel Chi-Square	1	0.0019	0.9655
Phi Coefficient		0.2366	
Contingency Coefficient		0.2302	
Cramer's V		0.1366	
WARNING: 67% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 271
Frequency Missing = 27

Q93 On an average school day, how long after school are you alone without a parent or adult?				
Q93	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	27	.	.	.
I am not alone after school	85	30.58	85	30.58
<1hour per day	61	21.94	146	52.52
1-2 hours per day	58	20.86	204	73.38
3 hours per day	36	12.95	240	86.33
4 hours per day	14	5.04	254	91.37
5 hours per day	12	4.32	266	95.68
6+ hours per day	12	4.32	278	100.00

Frequency Missing = 27

Table of Q2 by Q93									
Q2(Q2 What is your sex?)	Q93(Q93 On an average school day, how long after school are you alone without a parent or adult?)								
Frequency Row Pct Col Pct	I am not alone after school	<1hour per day	1-2 hours per day	3 hours per day	4 hours per day	5 hours per day	6+ hours per day	Total	
Female	7 . 26.73 . 31.76	27 18.81 31.15	19 23.76 41.38	24 11.88 35.29	12 9.90 71.43	10 4.95 41.67	5 3.96 36.36	4 3.96 36.36	101
Male	17 . 33.33 . 68.24	58 24.14 68.85	42 19.54 58.62	34 12.64 64.71	22 2.30 28.57	4 4.02 58.33	7 4.02 63.64	7 4.02 63.64	174
Total	.	85	61	58	34	14	12	11	275
Frequency Missing = 24									

Statistics for Table of Q2 by Q93

Statistic	DF	Value	Prob
Chi-Square	6	9.6695	0.1393
Likelihood Ratio Chi-Square	6	9.3867	0.1530
Mantel-Haenszel Chi-Square	1	2.9575	0.0855
Phi Coefficient		0.1875	
Contingency Coefficient		0.1843	
Cramer's V		0.1875	

Effective Sample Size = 275

Frequency Missing = 24

Table of RACE by Q93									
RACE	Q93(Q93 On an average school day, how long after school are you alone without a parent or adult?)								
Frequency Row Pct Col Pct	I am not alone after school .	<1hour per day	1-2 hours per day	3 hours per day	4 hours per day	5 hours per day	6+ hours per day	Total	
Black or African American	9 . .	39 29.77 48.15	25 19.08 40.98	27 20.61 46.55	21 16.03 58.33	6 4.58 42.86	9 6.87 75.00	4 3.05 33.33	131
White	4 . .	13 21.31 16.05	21 34.43 34.43	13 21.31 22.41	6 9.84 16.67	5 8.20 35.71	1 1.64 8.33	2 3.28 16.67	61
Other	6 . .	11 40.74 13.58	5 18.52 8.20	5 18.52 8.62	3 11.11 8.33	1 3.70 7.14	2 7.41 16.67	0 0.00 0.00	27
Hispanic	5 . .	18 32.73 22.22	10 18.18 16.39	13 23.64 22.41	6 10.91 16.67	2 3.64 14.29	0 0.00 0.00	6 10.91 50.00	55
Total	.	81	61	58	36	14	12	12	274
Frequency Missing = 24									

Statistics for Table of RACE by Q93

Statistic	DF	Value	Prob
Chi-Square	18	24.5192	0.1387
Likelihood Ratio Chi-Square	18	25.9417	0.1011
Mantel-Haenszel Chi-Square	1	0.2066	0.6495
Phi Coefficient		0.2991	
Contingency Coefficient		0.2866	
Cramer's V		0.1727	
WARNING: 36% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 274

Frequency Missing = 24

XVI. HOW DO YOU FEEL ABOUT YOURSELF? QUESTIONS 94-96

Q94 Do you agree or disagree that you feel good about yourself?				
Q94	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	33	.	.	.
Strongly agree	117	43.01	117	43.01
Agree	95	34.93	212	77.94
Not sure	34	12.50	246	90.44
Disagree	17	6.25	263	96.69
Strongly Disagree	9	3.31	272	100.00

Frequency Missing = 33

Table of Q2 by Q94							
Q2(Q2 What is your sex?)	Q94(Q94 Do you agree or disagree that you feel good about yourself?)						
Frequency Row Pct Col Pct	.	Strongly agree	Agree	Not sure	Disagree	Strongly Disagree	Total
Female	7	31	40	15	8	7	101
.	.	30.69	39.60	14.85	7.92	6.93	
.	.	26.50	42.55	44.12	47.06	77.78	
Male	21	86	54	19	9	2	170
.	.	50.59	31.76	11.18	5.29	1.18	
.	.	73.50	57.45	55.88	52.94	22.22	
Total	.	117	94	34	17	9	271
Frequency Missing = 28							

Statistics for Table of Q2 by Q94

Statistic	DF	Value	Prob
Chi-Square	4	14.6270	0.0055
Likelihood Ratio Chi-Square	4	14.7049	0.0054
Mantel-Haenszel Chi-Square	1	12.1837	0.0005
Phi Coefficient		0.2323	
Contingency Coefficient		0.2263	
Cramer's V		0.2323	

Effective Sample Size = 271
Frequency Missing = 28

Table of RACE by Q94							
RACE	Q94(Q94 Do you agree or disagree that you feel good about yourself?)						
Frequency Row Pct Col Pct	.	Strongly agree	Agree	Not sure	Disagree	Strongly Disagree	Total
Black or African American	10 . .	59 45.38 51.75	47 36.15 50.00	15 11.54 44.12	6 4.62 35.29	3 2.31 33.33	130
White	4 . .	27 44.26 23.68	17 27.87 18.09	7 11.48 20.59	6 9.84 35.29	4 6.56 44.44	61
Other	9 . .	8 33.33 7.02	11 45.83 11.70	3 12.50 8.82	1 4.17 5.88	1 4.17 11.11	24
Hispanic	7 . .	20 37.74 17.54	19 35.85 20.21	9 16.98 26.47	4 7.55 23.53	1 1.89 11.11	53
Total	.	114	94	34	17	9	268
Frequency Missing = 30							

Statistics for Table of RACE by Q94

Statistic	DF	Value	Prob
Chi-Square	12	8.5398	0.7417
Likelihood Ratio Chi-Square	12	8.1325	0.7747
Mantel-Haenszel Chi-Square	1	1.7634	0.1842
Phi Coefficient		0.1785	
Contingency Coefficient		0.1757	
Cramer's V		0.1031	
WARNING: 40% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Effective Sample Size = 268
Frequency Missing = 30

WARNING: 10% of the data are missing.

Q95 Do you agree or disagree that your teachers really care about you and give you a lot of encouragement?				
Q95	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	30	.	.	.
Strongly agree	79	28.73	79	28.73
Agree	90	32.73	169	61.45
Not sure	64	23.27	233	84.73
Disagree	31	11.27	264	96.00
Strongly Disagree	11	4.00	275	100.00

Frequency Missing = 30

Table of Q2 by Q95							
Q2(Q2 What is your sex?)	Q95(Q95 Do you agree or disagree that your teachers really care about you and give you a lot of encouragement?)						
Frequency Row Pct Col Pct	.	Strongly agree	Agree	Not sure	Disagree	Strongly Disagree	Total
Female	7	20	33	26	20	2	101
.	.	19.80	32.67	25.74	19.80	1.98	
.	.	25.32	36.67	41.27	66.67	18.18	
Male	19	59	57	37	10	9	172
.	.	34.30	33.14	21.51	5.81	5.23	
.	.	74.68	63.33	58.73	33.33	81.82	
Total	.	79	90	63	30	11	273
Frequency Missing = 26							

Statistics for Table of Q2 by Q95

Statistic	DF	Value	Prob
Chi-Square	4	18.1222	0.0012
Likelihood Ratio Chi-Square	4	18.0688	0.0012
Mantel-Haenszel Chi-Square	1	6.9651	0.0083
Phi Coefficient		0.2576	
Contingency Coefficient		0.2495	
Cramer's V		0.2576	

Effective Sample Size = 273

Frequency Missing = 26

Table of RACE by Q95							
RACE	Q95(Q95 Do you agree or disagree that your teachers really care about you and give you a lot of encouragement?)						
	Frequency Row Pct Col Pct	Strongly agree	Agree	Not sure	Disagree	Strongly Disagree	Total
Black or African American	9 . .	40 30.53 51.95	41 31.30 46.07	30 22.90 47.62	15 11.45 50.00	5 3.82 45.45	131
White	5 . .	19 31.67 24.68	17 28.33 19.10	15 25.00 23.81	5 8.33 16.67	4 6.67 36.36	60
Other	8 . .	7 28.00 9.09	10 40.00 11.24	5 20.00 7.94	3 12.00 10.00	0 0.00 0.00	25
Hispanic	6 . .	11 20.37 14.29	21 38.89 23.60	13 24.07 20.63	7 12.96 23.33	2 3.70 18.18	54
Total	. .	77	89	63	30	11	270
Frequency Missing = 28							

Statistics for Table of RACE by Q95

Statistic	DF	Value	Prob
Chi-Square	12	5.9821	0.9170
Likelihood Ratio Chi-Square	12	6.9702	0.8596
Mantel-Haenszel Chi-Square	1	0.2823	0.5952
Phi Coefficient		0.1488	
Contingency Coefficient		0.1472	
Cramer's V		0.0859	

Effective Sample Size = 270
Frequency Missing = 28

Q96 Do you agree or disagree that you feel alone in your life?				
Q96	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	34	.	.	.
Strongly agree	41	15.13	41	15.13
Agree	56	20.66	97	35.79
Not sure	56	20.66	153	56.46
Disagree	52	19.19	205	75.65
Strongly Disagree	66	24.35	271	100.00

Frequency Missing = 34

Table of Q2 by Q96							
Q2(Q2 What is your sex?)	Q96(Q96 Do you agree or disagree that you feel alone in your life?)						
Frequency Row Pct Col Pct	.	Strongly agree	Agree	Not sure	Disagree	Strongly Disagree	Total
Female	9	8	17	30	22	22	99
.	.	8.08	17.17	30.30	22.22	22.22	
.	.	19.51	30.36	55.56	42.31	33.85	
Male	22	33	39	24	30	43	169
.	.	19.53	23.08	14.20	17.75	25.44	
.	.	80.49	69.64	44.44	57.69	66.15	
Total	.	41	56	54	52	65	268
Frequency Missing = 31							

Statistics for Table of Q2 by Q96

Statistic	DF	Value	Prob
Chi-Square	4	15.3312	0.0041
Likelihood Ratio Chi-Square	4	15.5601	0.0037
Mantel-Haenszel Chi-Square	1	2.2855	0.1306
Phi Coefficient		0.2392	
Contingency Coefficient		0.2326	
Cramer's V		0.2392	

Effective Sample Size = 268

Frequency Missing = 31

WARNING: 10% of the data are missing.

Table of RACE by Q96							
RACE	Q96(Q96 Do you agree or disagree that you feel alone in your life?)						
Frequency Row Pct Col Pct	.	Strongly agree	Agree	Not sure	Disagree	Strongly Disagree	Total
Black or African American	11	18	30	25	21	35	129
	.	13.95	23.26	19.38	16.28	27.13	
	.	47.37	54.55	44.64	40.38	53.03	
White	5	9	11	13	13	14	60
	.	15.00	18.33	21.67	21.67	23.33	
	.	23.68	20.00	23.21	25.00	21.21	
Other	7	4	5	5	8	4	26
	.	15.38	19.23	19.23	30.77	15.38	
	.	10.53	9.09	8.93	15.38	6.06	
Hispanic	8	7	9	13	10	13	52
	.	13.46	17.31	25.00	19.23	25.00	
	.	18.42	16.36	23.21	19.23	19.70	
Total	.	38	55	56	52	66	267
Frequency Missing = 31							

Statistics for Table of RACE by Q96

Statistic	DF	Value	Prob
Chi-Square	12	5.3736	0.9443
Likelihood Ratio Chi-Square	12	5.2715	0.9483
Mantel-Haenszel Chi-Square	1	0.0146	0.9037
Phi Coefficient		0.1419	
Contingency Coefficient		0.1405	
Cramer's V		0.0819	

Effective Sample Size = 267

Frequency Missing = 31

WARNING: 10% of the data are missing.